Securing the Future of our Coastline

Information Session Theme 1
Tuesday 16th June 2020






Welcome and Introductions

- Acknowledgement of Country
- Welcome to:
 - Jeff Tate, incoming Presiding Member, Coast Protection Board
 - Annabel Sandery, new member Coast Protection Board.
- Meeting protocols:
 - Recording of meeting.
 - Use of chat function to register questions.
 - Please don't use chat function to make comments.
 - Will try to respond to questions after each presentation, or otherwise in next session or via Q&A's on website.






Agenda

- 1. Welcome and Introductions (Steve Dangerfield)
- 2. Purpose and approach (Steve Dangerfield)
- 3. Presentations (James Guy, Murray Townsend, Andrew Short)
- 4. Topics for next session (James Guy)
- 5. Wrap up and close (Cate Hart and Steve Dangerfield)





2. Purpose and Approach





Reference Group Context and Purpose

Information Workshops

Workshop (3 sessions)

Community issues, concerns, topics of interest

Information Sessions

Department Presentations Independent Expert

March – June 2020



Securing the future of our Coastline Reference Group

Terms of reference

Pipeline design / external source

Engagement/ Communications input




Individual Group Meetings
Resident meetings
One on one discussions

Semaphore Working Group

External sand working group?





3. Presentations

Theme 1






Presenters

- 1. <u>Geological context</u> influence on Adelaide's coastal processes. **Professor Andrew Short, OAM** School of Geosciences, University of Sydney
- Historical context previous studies and coastal management.
 Dr Murray Townsend, Manager Coast and Marine, DEW.
- 3. <u>Current context</u> modern management strategy. **James Guy,** Project Manager Securing the Future of Our Coastline
- 4. <u>Closing comments</u> **Professor Andrew Short, OAM**






More information . . .


www.environment.sa.gov.au/coasts

Go to: "Research, Reports and Policies"

- Summary and Background Information (24 pages)
- Technical Report (206 pages)








Professor Andrew Short, OAM

- BA (Hons), coastal geomorphology, University of Sydney
- MA, coastal geology, University of Hawaii
- Ph.D. marine science, Louisiana State University
- Coastal geomorphologist: evolution & present dynamics of the coastal zone & the potential impacts of climate change on the coast
- Conducted coastal research and published on the coasts of Hawaii, north Alaska, Brazil, New Zealand, Ireland, The Netherlands and the entire Australian coast and visited in a professional capacity many more coasts
- OAM (2010) for services to coastal science and beach safety






Professor Andrew Short, OAM - some positions held

- Louisiana State University, Assistant Professor
- Macquarie University, Queens Fellow in Marine Science
- University of Sydney, retired as Professor of Marine Science
- Presently: Honorary Professor, University of Sydney and University of Wollongong
- Member: Warringah Coastal Management Committee (Sydney's northern beaches' inc. recycling of sand on Narrabeen-Collaroy beach)
- Eurobodalla Coastal Management Committee (NSW south coast)
- NSW Coastal Panel, advised Minister for Environment on all CZM Plans
- Coastal consultant since 1978, 16 books, > 200 scientific publications






South Australian connections

- High energy beach experiments, Goolwa, 1980
- South East report, 1984. Eyre Peninsula report 1986). Kangaroo Island report, 1986
- Minister's Review of the Management of Adelaide Beaches, 1997-98
- Book: Beaches of the South Australian Coast & Kangaroo Island, 2001
- Report: Sea level rise impacts on Coorong sand barrier, 2009
- Book chapter: Management of the Adelaide metropolitan beaches: 1836-2011 (2013)
- Book: Australian Coastal Systems chapters on: South East, Kangaroo Is, the Gulfs, Eyre Peninsula and Nullarbor coasts, 2020
- Chair of National Surfing Reserves (Australia): involved in dedication of Point Sinclair (2013), Mid Coast (Adelaide) (2016) and presently Encounter Bay surfing reserves
- Presently investigating clifftop dunes on the Great Australia Bight-Nullarbor coast






Introduction to Adelaide's Coastline

- Evolution 7000 years ago to 1800s
- European impacts 1800s-1970
- Issues & management since 1970s
- Current management
- Concluding comments (after Murray and James)







Geographical Setting

Exposed to ocean swells from the south west. Prevailing south westerly sea breezes also generate local waves from the south west.

Drives sand in a northerly direction along the east coast of Gulf St Vincent.







Geological Evolution


Rising sea level enabled sand to be moved northwards along the coast building the coastal plain from the south beginning 7000 yr ago


An initial abundance of sand 7000-1500 yr gradually diminished

Since ~1500 yr ago the rate of sand supply has continued to diminish

It is a dynamic evolving system with more sand moving north than is being supplied from the south resulting in shoreline retreat, unless managed












European impacts 1800s-1970

- Transport 6 jetties constructed
- Clearing dunes and coastal plain sand blows inland
- Levelling & quarrying of coastal dunes
- Occupation of beach and dunes
- Periodic storm damage and erosion
- Structures: seawalls, groyne, etc. impinge upon beach & transport
- 12 km seawalls, 6 jetties, 6 groynes, 2 set training walls
- Outer Harbour terminal breakwaters
- Pollution of rivers and streams
- 1930s Glenelg WWTP outfall and Torrens Breakout Creek built
- Dieback of seagrass meadows = higher wave energy = more sand moving






1960s

- By 1960s the Adelaide coast was in a bad way
- Ad hoc-crisis management in response to issues
- Unplanned structures littered the coast
- Pollution impacted the seagrass
- The dunes were unmanaged and unstable
- Sand supply was insufficient to maintain the beaches and dunes
- The beaches and dunes were eroding
- Property and infrastructure were at risk
- Beach amenity was diminished





Management since 1970s

- 1970: Culver Report: stop further development, nourish beaches, maintain coastal sand reserves (dunes)
- 1972: Coast Protection Board:
 - sand recycling (backpassing)
 - sand nourishment (from offshore and onshore)
 - sand trapping (Semaphore)
 - sand bypassing (Glenelg, West Beach)
 - seawall design
 - sand dunes (managed)
 - monitoring






Current Management

- Adelaide's Living Beaches Strategy (2005) was developed following major studies in the late 1990s and early 2000s.
- Adelaide's Living Beaches:
 - basis remains sand recycling and beach nourishment (external sources)
 - improved efficiency by using pipeline to move sand (and integrating harbour management).
 - structures where necessary
- Has proven effective, but not fully implemented (James Guy will discuss).





Summing Up

- The geological setting of Adelaide's beaches mean that they are out of equilibrium with the prevailing wind and wave climate.
- Historic development along the foreshore "locked up" the supply of sand.
- Sand recycling (backpassing) combined with periodic nourishment is the best way to maintain Adelaide's sandy beaches used all over Australia and the world.
- Challenges remain, hence Securing the future of our coastline project (to be discussed at the next session).





Questions






Dr Murray Townsend

- B.Eng. (Maritime) Hons, Australian Maritime College, Tasmania.
- M.Eng.Sc. (Civil), The University of Melbourne.
- Ph.D. (Engineering), Monash University.
- Researched and published on wave dynamics (e.g. wave propagation, dissipation, shoaling), wave/structure interactions, sediment dynamics, climate change adaptation.
- Conducted/overseen/contributed to coastal engineering and adaptation guidelines; coastal modelling, restoration and investigations; development assessment; protection strategies and adaptation planning across SA.
- Coeditor and contributor to National Committee on Coastal and Ocean Engineering climate change and sustainability guidelines.






Dr Murray Townsend – some positions held

- Research Fellow, Monash University.
- Adjunct Research Fellow, The University of Melbourne.
- Senior Engineer, Coastal Engineering Solutions.
- Coastal Engineer, Senior Engineer, Manager Coastal Management, DEW.
- Adelaide Coastal Waters Study member of Scientific Committee and report coauthor.
- Member of Engineers Australia's National Committee on Coastal and Ocean Engineering. Two terms as Chair.
- Supervised graduate students, The University of Melbourne and Adelaide University.
- Project Director, Adelaide International Bird Sanctuary, during establishment phase.






Content

- Historic images illustrating topics discussed by Andy Short.
- Previous research, studies and management.
 - 1970 The Culver Report
 - 1984 Adelaide Coast Protection Strategy Review
 - 1992 Review of Alternatives for the Adelaide Metropolitan Beach Replenishment Strategy
 - 1997 Report of the Review of the Management of Adelaide Metropolitan Beaches
 - 2005 Adelaide's Living Beaches Technical Report James Guy
 - 2018 West Beach Coastal Processes Study next session






- Coast is out of equilibrium with wind and wave climate.
- Net northward drift of approx. 100,000 cubic metres/year.
- Lack of sand supply from south of Kingston Park

What if Adelaide's beaches weren't managed? Sand naturally moves north from wind and wave activity Adelaide's coastline if










Northern beaches

- Development along foreshore.
- Outer Harbor and North Haven breakwaters trap sand in Largs Bay
- Sand supply from southern and central beaches.
- Accumulation of sand (erosion hotspot at Semaphore Park).
- Dune formation






1936 Largs Bay















— SEMAPHORE
June

JUNE 1923

Palais 1970





Palais 1981






Looking towards Palais 2020



Southern and Central beaches

- Development of the foreshore dunes locked away sand supply.
- Starved of sand.
- Storm damage.





























'GLENELG -"I can't believe it." Mr. and Mrs. Frank Zeppel, from Sydney, and their children Kathleen, 3, and Michael, 20 months, search for some sand at Glenelg. Mr. Zeppel was having his first good look at Glenelg since. 1953."











Henley Beach (Reedie St) 1981






Culver Report

- By 1960s coastal problems recognised as being beyond the capacity of local Councils.
- Metropolitan seaside councils lobbied State Government for action.
- In 1965 the State Government commissioned the University of Adelaide to undertake the first comprehensive study of the dynamics of the metropolitan beaches.
- Culminated in the "Culver Report" (1970). This led to:
 - Coast Protection Act (1972) and Coast Protection Board
 - Beginning of active beach management through the redistribution of sand from north to south (areas of accretion to those eroding).
 - New seawalls were constructed according to proper engineering design and dune stabilisation began in earnest.






Monitoring


- The Coast Protection Board implemented a key recommendation of the Culver Report by establishing a program of beach monitoring (metro and regional).
- Surveying of metropolitan beach profile lines started in 1975.
- Invaluable data set that has informed all subsequent studies.





Metro Profile Lines


Profile 200006 - Hart Street, Semaphore South





Full Digital Elevation Modelling






Semaphore Park Beach Sand Collection Differencing 9th Jan 20 to 1st Oct 19



Seagrass Monitoring (DEW, EPA, SA Water)








Adelaide Coastal Waters Study, 2001-2007

- To develop the understanding needed to redress the issues of seagrass loss, seafloor instability and poor water quality along Adelaide's metropolitan coast.
- Found a key role of nitrogen loads in causing nutrient enrichment of coastal waters, growth of epiphytes, and (perhaps) direct effects on the seagrasses.
- Timeframe for seagrasses to regrow once suitable conditions are re-established may exceed 100 years for *Posidonia* and *Amphibolis*—dominated systems
- Sediment instability and nutrient recycling may inhibit progress.





Adelaide Coastal Waters Study

- Nutrient supply to coastal waters has been massively reduced.
- Some areas are showing regrowth.
- New focus is on the role of fine sediments in reducing light availability, and in stabilising bare sand to allow recolonisation.
- Adelaide coastal waters information can be found here: https://www.epa.sa.gov.au/environmental info/water quality/programs/adelaide coastal waters
- The New life for our coastal environment commitment has \$1
 million for a trial to enhance seagrass recovery by using bags to
 stabilise the sea floor, being led by SARDI.






Offshore Rods








1984 Adelaide Coastal Management Review

- Second major review of beach management was completed based on a series of detailed investigations.
- The review found that:
 - annual beach replenishment through redistributing sand was essential
 - seawalls offered urgent short-term protection but were no substitute for sand protection.
 - a major injection of new sand from outside the beach system was needed urgently.
 - groynes or off-shore breakwaters could be complementary measures to the primary strategy of beach replenishment.
 - Sea Level Rise (SLR) as a result of climate change needed to be factored into future coastal management.






Nourishment with External Sand

- The 1984 review triggered investigations into potential sources of sand to add to the metro beaches.
- In 1988, the first major addition of sand began:
 - 190,000 cubic metres was trucked from Torrens Island
 - 100,000 cubic metres was dredged at North Haven, pumped ashore and trucked to Somerton Park.
- In 1990, a further 100,000 cubic metres were taken from an offshore source at North Haven and placed at Glenelg North.
- In 1991 the first trial dredging at Port Stanvac saw 200,000 metres added to the beach system.






1992 Review

- Eight different strategies were considered.
- Options included groyne fields, seawalls, replenishment from offshore dredging, replenishment using a pipeline to North Haven, and combinations of the above.
- Based on a detailed analysis of costs and benefits, the Coast Protection Board recommended a biennial program of adding 200,000 cubic metres of sand dredged from offshore sources.
- The strategy was adopted but at a slightly lower volume (160,000 cubic metres every two years).





1.1 million cubic metres of sand was dredged from offshore of Port Stanvac and pumped onto southern beaches in the 1990s (over four dredging campaigns)








1997 Review

- A further review (public enquiry) was initiated by the Minister in 1997.
- The enquiry commissioned three consultancies.
- The review considered:
 - the rationale for beach improvement for its recreational value
 - seagrass loss
 - sand sources for beach replenishment
 - beach management for four segments of the metropolitan beach
 - areas for further research.





1997 Review

- The 1997 review refined, rather than changed, the management strategy.
- The 1997 review made a number of recommendations for further research, studies and investigations.
- The protection strategy for Semaphore Park (a highly erosive area since 1981) arose from this, resulting in the Semaphore South breakwater being built, since incorporated into broader beach management.
- These investigations (to be discussed by James) led to the 2005 Adelaide's Living Beaches strategy.





Questions






James Guy

- BE Civil (Hons) University of Adelaide (Specialisation in Coastal Engineering)
- Grad Dip Env Studies, Mawson Centre for Environmental Studies
- 20+ years project management experience delivering public infrastructure projects.
- 4 years International Development experience (AusAID projects) in the Pacific (2 years Kiribati, 2.5 years Vanuatu).
- 2006 2018 Coastal Management Branch, DEW.
- Former SA representative on Engineers Australia's National Committee on Coastal and Ocean Engineering.
- Author of peer-reviewed coastal engineering papers.






Content

- Adelaide's Living Beaches (ALB)
 - Investigations
 - The ALB strategy (2005)
 - Implementation
- Current status
- Challenges





Holdfast Shores (2005)







West Beach Harbour (2005)











Glenelg beach (2005)






Investigations for ALB

- Potential sand sources
- Modelling of coastal processes
- Seagrass rehabilitation studies
- Economic value of Adelaide's beaches
- Activities and views of beach users
- Evaluation of alternative strategies
 - Economic, Social and Environmental






Investigations: Potential Sand Sources

Investigated:

- Ideal sand for beach replenishment
- Offshore sand sources
- Land based sand sources








Figure 5.1 Department for Mines and Energy sand source prospects A to D (Belperio et al. 1990)




Figure 5.3 Mean sand size analyses for Port Stanvac samples






Figure 5.5 Aerial photograph showing the Section Bank sand prospect – proposed grid drillhole locations

Investigations: Modelling of Coastal Processes

- Modelling undertaken by Coastal Engineering Solutions in 2003.
- Included modelling of longshore sediment transport (littoral drift) under three scenarios:
 - 100 years prior
 - Present conditions (2003)
 - 50 years into the future
- Also modelled cross-shore sediment transport (erosion during storms).







Coastal Processes Study (2003)





Figure 5.11 Sediment transport rates for 100 years ago, present conditions and plus 50 years

Figure 5.12 Key findings from the coastal processes study

Investigations: Seagrass

- CPB partnered with SARDI on trials of rehabilitation techniques.
- Restoration supported to provide valuable habitat and its importance for marine life.
- However, limited value for beach management due to long timeframes before sea bed levels are increased.
- Minor benefits achieved from increased seabed friction (slight reduction in wave energy reaching the beaches).






Investigations: Alternative Strategies

Reconsidered and evaluated thirteen coastal management alternatives:

- Match sand movement
 - Maintain current strategy (exceed rate of littoral drift, build up dune buffers)
 - Reduced level of replenishment (match littoral drift)
 - Major replenishment (to last 20 years)
 - Recycle sand (sand pumping system)
- Retreat or no replenishment
 - Coastal buy back and/or rezoning. No new seawalls. Remove existing as they fail.





Investigations: Alternative Strategies (continued)

Slow sand movement

- Groynes with replenishment.
- Offshore breakwaters with replenishment.
- Hybrid field of structures.
- Use coarser sand.


Fusion approaches

- Structures combined with recycling and replenishment.
- Above approach, but with addition of coarse sand from external sources.

Other approaches

- Seawalls.
- Do nothing.






Adelaide's Living Beaches Strategy 2005

- Continue beach replenishment
- Recycle sand more effectively using sand pumping and pipelines
- Add coarse sand from external sources
- Build coastal structures in critical locations
- Integrate sand bypassing at harbours with beach management
- Offset the erosive impact of sea level rise by adding external sand
- Manage sand by recycling with management "Cells" defined by interruptions to littoral drift.






ALB – Implementation since 2005

- Continue beach replenishment
 - Annual program of backpassing sand by truck and pipeline.
 - 2.0+ million cubic metres by truck (since 2005)
 - 500,000+ cubic metres by pipeline (since 2013)
- Recycle sand more effectively using sand pumping and pipelines
 - Two sand pumping systems commissioned in Jan 2013.
 - Glenelg to Kingston Park and River Torrens outlet to West Beach Parks.
- Add coarse sand from external sources
 - None added







ALB – Implementation since 2005

- Build coastal structures in critical locations
 - Semaphore South offshore breakwater
- Integrate sand bypassing at harbours with beach management
 - Glenelg and West Beach harbours managed by DEW since 2005






Strategy







Kingston


Largs Bay



Sand Pumping

System – Planned


versus Delivered



Existing sand pumping systems








Current Adelaide Beach Management

- Glenelg to Kingston Park: sand pumping system operating effectively.
 - Pumping 70,000 100,000 cubic metres of sand each year.
 - Buffer volumes being maintained.
 - Dune systems re-established.
- West Beach: sand pumping system operated effectively from 2013 to 2016. Still operational, but not used since 2016.
- West Beach and Henley Beach South being maintained by trucking sand from Semaphore.
- Semaphore Park stabilised by breakwater.



Dune restoration at South Brighton




Shoreham Rd 1985



Shoreham Rd 2018

Images City of Holdfast Bay


















Semaphore Park


Trial by Storm 9 May 2016

Peaked at 3.8m chart datum (2.35m AHD)


1 in 100 year = 2.45 m AHD



Click on the icon next to any Sensor on the Navigation Tree to add a trace to the graph.












Semaphore South, 9 May 2016














Storm damage, 2016 ...






... and then










1953 Storm vs 2016 Storm

- 1953 Storm
 - Peaked at 2.2m AHD;
 - Major foreshore damage
 - Estimated costs of \$33.6 million
- 2016 Storm
 - Peaked at 2.35m AHD
 - Additional beach replenishment \$500,000
 - Additional harbour dredging \$500,000
 - West Beach seawall \$2.5 million
 - Total costs approximately \$3.5 million






Challenges following implementation of ALB

- Ongoing retreat of the Adelaide Shores dunes (despite significant and ongoing replenishment).
- Previous modelling uncertain in Cell 3.
- Erosion immediately north of WBSLSC (Rockingham St).
- Impact of moving sand from the Torrens Outlet.
- Logistics and cost of trucking sand from Semaphore.
- Managing Semaphore South (downdrift erosion area).
- No resources to investigate and add external sand.






West Beach Coastal Processes Study 2018

- The challenges at West Beach led to a new study being commissioned in 2018 (DHI study).
- Jointly funded by CPB, DEW, West Beach Parks and the City of Charles Sturt.
- Will be discussed at the next information session.





Questions






Prof. Andrew Short – Final Comments

- I have seen coastal management in operation on many of the world's coast throughout the UK & Europe, all North and South America, in Africa and Asia
- In Australia I have worked not only in South Australia but been heavily involved in NSW and Queensland, particularly the Gold Coast, and recently its sand backpassing (recycling) pipeline system
- Australia is a world leader in coastal management and has in general the best managed & most protected coast in the world.
- South Australia led the way nationally & internationally in 1972 with the establishment of the Coast Protection Board and has been a leader ever since, particularly its management of the Adelaide coast






Prof. Andrew Short – Final Comments

- The CPB from the beginning (1972) adopted a whole of system approach to the Adelaide coast, that is, managing the entire sediment (sand) compartment, something that was only adopted on the Gold Coast in 1976 and in WA and NSW in 2018.
- In order to maintain the coast and its beaches for both protection and amenity more sand has to be put into the system.
- Sand from backpassing (recycling) or from outside (nourishment).
- The most efficient (cost & environment) way to backpass is by pumping, as is used on the Gold Coast, including on Surfers Paradise beach.
- Next week we will discuss the proposed sand recycling project.





4. Topics for Next Information Session






Next Information Session


- West Beach management, issues and the DHI study.
- Rationale for the adopted solution of a pipeline and mass replenishment with external sand.
- How does the adopted solution address climate change?
- Interim solutions why are they needed?
- Where will the sand need for West Beach and Henley Beach South come from?
- What are the impacts (short and long term) of moving sand back from the northern beaches to the southern beaches.





5. Wrap up and Close






Conclusion

Cate Hart Executive Director Environment Heritage and Sustainability, DEW Chair of the Project Steering Group.

- <u>Today</u> we've heard about the big picture, what drives the coastal processes on Adelaide's coast, the decades of research and studies, how we've got to where we are today.
- <u>Next session</u> (25th June) information will be presented on the rationale for the project, alternatives considered, assessment of impacts.






Conclusion

Securing the future of our coastline is a government approved and funded project.

- The preliminary CRG information phase will conclude this month with these two information sessions.
- Next phase (starting July 2020) Community Reference Group will be convened to work in detail on project design and delivery.





Close

• Next meeting 25th June 2020.



