

Government of South Australia Department for Environment and Water

W.1 FAR NORTH PRESCRIBED WELLS AREA Application for a Water Resource Works Approval

Pursuant to Section 134 of the Landscape South Australia Act 2019

Note: Failure to provide complete details and/or prescribed fee will result in your application being returned for completion **Note**: If this water resource works approval application is approved, you will also need an appropriate *Water Allocation*. *A person who furnishes information to the Minister or another authority under the Landscape South Australia 2019 (the Act) that is false or misleading in a material particular is guilty of an offence. Maximum penalty: \$20 000.*

1 Applicant Detail

Note: The name(s) given below must be legal entities, as these will be the name(s) that will appear on the water accounts if this application is approved. If applying as a trustee please state the name of the trust.

Full Name(s) of applicant(s)

Contact Person	If Body Corporate, ACN	
Contact Address		
State	P/Code	
Telephone	Mobile	
E-mail		

2 Water Extraction Detail

2.1 Provide details of the proposed works for the purpose of taking water.

NOMINATED WORKS (E.G. WELL LOCATION)	GPS CO-ORDINATES OF EXTRACTION POINT USING LONGITUDE & LATITUDE (DECIMALS)	AQUIFER	TITLE REFERENCE CT, CL OR CR VOLUME AND FOLIO	SECTION AND/ OR ALLOTMENT	PLAN NUMBER (IF APPLICABLE) AND HUNDRED

Note: A Water Resource Works Approval for the wells listed above will only be issued if supporting evidence is provided which demonstrates to the satisfaction of the Minister that the principles in section 7.4 of the Far North Prescribed Wells Area Water Allocation Plan have been met.

Has the well/s sought to be endorsed on this approval previously been used mining or petroleum purposes and proposed to be used for an alternative purpose: YES/NO

For	For Office Use Only:					
	Application No	Receipt No	Invoice No		Batch No	
	Date Received	Amount Paid \$		Area		



W.1 Application for a Water Resource Works Approval

3 Maximum Annual Water Extraction Limit

The Water Allocation Plan requires that a Water Resource Works Approval nominate a "maximum annual water extraction limit" in relation to the wells listed on the approval. If the wells are co-located a single maximum annual water extraction limit can apply to all wells. If the wells are significantly distanced from one another, multiple water resource works approvals may be required to be issued, each with a single maximum annual water extraction limit.

This limit should be the maximum volume of water which is intended to be extracted from the wells listed on the approval, and is the volume which should have been used to provide evidence in relation to section 7.4 of the Water Allocation Plan to demonstrate to the satisfaction of the Minister that no adverse impacts will occur due to the taking of this volume from the specified location.

Proposed Maximum Annual Water Extraction Limit:

4 Signatures of applicants

Note: Each applicant must complete one only of the following alternatives.

I/We declare that the information that has been provided on this application is true and correct.

<u>Note</u>: If signing as a company, two position bearers must sign e.g. Director, Company Secretary. If only one Director then Sole Director must be stated as position held.

4.1 Where the applicant is one or more persons:

Sign Here			
Print Name	Date		
Sign Here			
Print Name	Date		
2 Where the applicant is a com association	pany or an incorporated	Name of company or incorporated a	association
Sign Here			
Name of authorised person			
Position held	Date	Affix seal in box	
Sign Here			
Name of authorised person			
Position held	Date	L	

Return application and payment to:	Office Location:	
Department for Environment and Water	Customer Service Centre	
GPO Box 1047	81-95 Waymouth Street	
ADELAIDE SA 5001	ADELAIDE SA 5000	
dewwaterlicensing@sa.gov.au		
Make cheque or money orders payable to:		
Department for Environment and Water		
For credit card payments or other payment options, please telephone:		
(08) 8463 6876		