## Monitoring waterbirds in the Coorong & Lower Lakes

winners and losers

David C. Paton

School of Earth & Environmental Sciences
University of Adelaide



Murray Mouth & Coorong


Listed as a Wetland of International Importance in 1985

barrages

### Prominent shorebirds of the Coorong ranked in the top ten sites in Australia

Species	Rank	Max # (in 1980's)
Pied Oystercatcher	2	630
Pacific Golden Plover	6	290
Red-capped Plover	3	5,700
Black-winged Stilt	3	990
Banded Stilt	1	77,000
Red-necked Avocet	3	5,400
Greenshank	4	720
Sharp-tailed Sandpiper	1	55,700
Red-necked Stint	1	63,800
Curlew Sandpiper	2	40,000
Sanderling	2	930








# Counts of small waders in Murray Estuary




Years	# small waders
1960's	250,000
1980's	23,000 – 36,000
1990's	5,000 – 15,000
2000's	3,300 – 26,000
2010's	<1,000


#### January salinities





#### Chironomids in South Lagoon





#### Hardyhead fish in South Lagoon















#### **Fairy Terns – statistics**

SE Aust population 2,580

- ~1,500 in Coorong in 1980-90
- ~ 700 in Coorong in 2000-01
- ~ 350 in Coorong in 2009
- ~ 200 in Coorong in 2011
- •Oldest bird known (14-15 yrs)
- •Can breed at 2 yr of age




No successful breeding for 2007 - 2011 Low annual success for last decade (<5% young) Population likely to contain mainly old birds Have bird populations recovered following the return of flows?



#### Chironomids in the South Lagoon







#### Hardyhead fish in the South Lagoon


1 year lag








#### Fairy Terns in Coorong
















Pied Cormorant






Great
Crested
Grebe





Caspian Tern





Whiskered Tern

