

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	A_ofO_in_ML_All_km2	A_ofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score
001	1	MAMMALIA	ORNITHORHYNCHIDAE	Platypus	S01001	<i>Ornithorhynchus anatinus</i>	Platypus		F	1975	20	4	20.00	4		CR	6	-	0.5	6.5
002	2	MAMMALIA	TACHYGLOSSIDAE	Echidnas	W01003	<i>Tachyglossus aculeatus</i>	Short-beaked Echidna			2004	1245	177	14.22	147	118	LC	1	0	0.3	1.3
003	8	MAMMALIA	DASYURIDAE	Dasyurids	Y01008	<i>Dasyurus maculatus</i>	Spotted-tailed Quoll (Tiger Quoll)	EN	F	1958	7	3	42.86	2		RE	7			7.0
005	17	MAMMALIA	DASYURIDAE	Dasyurids	W01055	<i>Ningau i yvonneae</i>	Southern Ningau			2001	191	43	22.51	27	18	LC	1	0	0.3	1.3
006	18	MAMMALIA	DASYURIDAE	Dasyurids	M01050	<i>Planigale gilesi</i>	Giles' Planigale (Paucident Planigale)			2003	407	34	8.35	7	3	VU	4	-	0.4	4.4
007	23	MAMMALIA	DASYURIDAE	Dasyurids	A01072	<i>Sminthopsis crassicaudata</i>	Fat-tailed Dunnart			2003	2810	151	5.37	52	22	NT	2	0	0.3	2.3
008	27	MAMMALIA	DASYURIDAE	Dasyurids	C01073	<i>Sminthopsis macroura</i>	Stripe-faced Dunnart			1992	2146	6	0.28	4	3	RA	3	0	0.3	3.3
009	28	MAMMALIA	DASYURIDAE	Dasyurids	S01061	<i>Sminthopsis murina</i>	Common Dunnart			2004	187	120	64.17	70	51	LC	1	0	0.3	1.3
011	46	MAMMALIA	VOMBATIDAE	Wombats	Q01168	<i>Lasiorhinus latifrons</i>	Southern Hairy-nosed Wombat			2005	990	142	14.34	61	38	NT	2	-	0.4	2.4
012	47	MAMMALIA	VOMBATIDAE	Wombats	K01165	<i>Vombatus ursinus</i>	Common Wombat		R	1997	224	3	1.34	3	1	VU	4	-	0.4	4.4
013	48	MAMMALIA	PHALANGERIDAE	Brush-tail-possums, cuscuses and the Scaly-tailed Possum	K01113	<i>Trichosurus vulpecula</i>	Common Brush-tail Possum		R	2005	1191	189	15.87	95	85	RA	3	-	0.4	3.4
014	49	MAMMALIA	POTORIDAE	Potoroos, bettons and the Musky Rat-kangaroo	Q01184	<i>Bettongia lesueur</i>	Burrowing Bettong (Boodie)	EX	E	1982	22	1	4.55	1		RE	7			7.0
015	52	MAMMALIA	POTORIDAE	Potoroos, bettons and the Musky Rat-kangaroo	M21002	<i>Bettongia penicillata ogilbyi</i>	Brush-tailed Bettong		R	1991	15	1	6.67	1	1	RE	7			7.0
017	57	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	Z01263	<i>Macropus fuliginosus</i>	Western Grey Kangaroo			2007	12264	1745	14.23	792	634	LC	1	0	0.3	1.3
018	58	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	S01265	<i>Macropus giganteus</i>	Eastern Grey Kangaroo		R	1997	29	3	10.34	3	3	DD	0	DD	0	0.0
019	60	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	U01266	<i>Macropus robustus</i>	Euro			2007	10504	41	0.39	31	31	NT	2	0	0.3	2.3
020	61	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	K01261	<i>Macropus rufogriseus</i>	Red-necked Wallaby		R	2004	211	14	6.64	8	8	RA	3	DD	0	3.0
021	62	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	W01275	<i>Macropus rufus</i>	Red Kangaroo			2007	28212	886	3.14	361	263	LC	1	0	0.3	1.3
022	67	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	E01242	<i>Wallabia bicolor</i>	Swamp Wallaby		V	2008	33	9	27.27	9	9	RA	3	+	0.2	3.2
023	75	MAMMALIA	BURRAMYIDAE	Pygmy-possums	W01151	<i>Cercartetus concinnus</i>	Western Pygmy-possum			2004	944	41	4.34	29	17	RA	3	-	0.4	3.4
024	76	MAMMALIA	BURRAMYIDAE	Pygmy-possums	A01152	<i>Cercartetus lepidus</i>	Little Pygmy-possum			2000	102	10	9.80	8	6	RA	3	-	0.4	3.4
026	80	MAMMALIA	PETAURIDAE	Striped Possum, Leadbeater's Possum and wrist-winged	E01138	<i>Petaurus breviceps</i>	Sugar Glider		R	1997	87	10	11.49	4	3	VU	4	-	0.4	4.4
027	82	MAMMALIA	ACROBATIDAE	Feathertail Glider	G01147	<i>Acrobates pygmaeus</i>	Feathertail Glider		E	2004	17	4	23.53	3	3	DD	0	DD	0	0.0
029	89	MAMMALIA	MOLOSSIDAE	Freetail-bats	C04349	<i>Mormopterus species 2 "Murray River"</i>	Eastern Freetail-Bat			2004	22	22	100.00	18	18	NT	2	DD	0	2.0
030	92	MAMMALIA	MOLOSSIDAE	Freetail-bats	Y01324	<i>Tadarida australis</i>	White-striped Freetail-bat			2004	661	69	10.44	55	40	LC	1	DD	0	1.0
031	94	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01335	<i>Nyctophilus geoffroyi</i>	Lesser Long-eared Bat			2004	1883	225	11.95	96	75	LC	1	0	0.3	1.3
032	96	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Y01332	<i>Nyctophilus corbeni</i>	Greater Long-eared Bat	ssp	ssp	2004	154	33	21.43	16	9	LC	1	0	0.3	1.3
033	98	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	C01349	<i>Chalinolobus gouldii</i>	Gould's Wattle Bat			2004	2810	409	14.56	99	69	LC	1	0	0.3	1.3
034	99	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01351	<i>Chalinolobus morio</i>	Chocolate Wattle Bat			2004	512	68	13.28	33	26	DD	0	DD	0	0.0
035	100	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Q01352	<i>Chalinolobus picatus</i>	Little Pied Bat		E	2004	15	13	86.67	8	3	LC	1	0	0.3	1.3
036	102	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	M09030	<i>Myotis macropus</i>	Southern Myotis		E	1997	6	6	100.00	2	1	DD	0	DD	0	0.0
037	103	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	E04162	<i>Scotorepens balstoni</i>	Inland Broad-nosed Bat			2000	219	23	10.50	13	10	LC	1	0	0.3	1.3
038	105	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	E01382	<i>Vespadelus baverstocki</i>	Inland Forest Bat			2004	446	133	29.82	33	23	LC	1	0	0.3	1.3
039	106	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	C01381	<i>Vespadelus darlingtoni</i>	Large Forest Bat			2004	77	24	31.17	11	7	RA	3	DD	0	3.0
040	108	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	M01378	<i>Vespadelus regulus</i>	Southern Forest Bat			2004	433	49	11.32	29	20	NT	2	DD	0	2.0
041	109	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01379	<i>Vespadelus vulturinus</i>	Little Forest Bat			2004	191	86	45.03	57	43	LC	1	0	0.3	1.3
	90	MAMMALIA	MOLOSSIDAE	Freetail-bats	M04350	<i>Mormopterus species 3 "little dick"</i>	Inland Free-tail Bat (little dick)									LC	1	0	0.3	1.3
	91	MAMMALIA	MOLOSSIDAE	Freetail-bats	Z04351	<i>Mormopterus species 4 "big dick"</i>	Southern Free-tail Bat (Big Dick)									NT	2	DD	0	2.0
042	110	MAMMALIA	CANIDAE	Dingo, Fox	M04106	<i>Canis lupus dingo</i>	Dingo			1989	1087	1	0.09	1		RA	3	DD	0	3.0
043	164	MAMMALIA	MURIDAE	Murids	Z01415	<i>Hydromys chrysogaster</i>	Water-rat			2004	159	27	16.98	17	12	NT	2	DD	0	2.0
044	173	MAMMALIA	MURIDAE	Murids	Y01480	<i>Notomys mitchelli</i>	Mitchell's Hopping-mouse			1995	711	35	4.92	25	7	VU	4	-	0.4	4.4
045	175	MAMMALIA	MURIDAE	Murids	K01457	<i>Pseudomys apodemoides</i>	Silky Mouse			2002	759	303	39.92	74	59	LC	1	0	0.3	1.3
046	177	MAMMALIA	MURIDAE	Murids	M01474	<i>Pseudomys bolami</i>	Bolam's Mouse			2003	569	100	17.57	51	33	LC	1	0	0.3	1.3
047	185	MAMMALIA	MURIDAE	Murids	U04186	<i>Rattus lutreolus</i>	Swamp Rat		R	2004	484	21	4.34	4	2	RA	3	DD	0	3.0
048	194	AVES	CASUARIDAE	Cassowaries and emus	C00001	<i>Dromaius novaehollandiae</i>	Emu			2007	7969	943	11.83	617	538	LC	1	0	0.3	1.3
049	196	AVES	MEGAPODIIDAE	Megapodes	Z00007	<i>Leipoa ocellata</i>	Malleefowl	VU	V	2008	6997	4542	64.91	385	353	EN	5	--	0.5	5.5
050	197	AVES	PHASIANIDAE	Pheasants, quails and allies	A04240	<i>Coturnix pectoralis</i>	Stubble Quail			2006	1472	109	7.40	81	38	LC	1	0	0.3	1.3
051	198	AVES	PHASIANIDAE	Pheasants, quails and allies	G00011	<i>Coturnix ypsilophora</i>	Brown Quail		V	2005	167	14	8.38	12	11	DD	0	DD	0	0.0
053	203	AVES	ANATIDAE	Geese, swans and ducks	U00210	<i>Anas castanea</i>	Chestnut Teal			2007	3860	331	8.58	106	93	RA	3	0	0.3	3.3
054	205	AVES	ANATIDAE	Geese, swans and ducks	Y04148	<i>Anas gracilis</i>	Grey Teal			2007	9579	1209	12.62	416	366	LC	1	0	0.3	1.3
055	208	AVES	ANATIDAE	Geese, swans and ducks	M04182	<i>Anas rhynchotis</i>	Australasian Shoveler		R	2007	2665	228	10.07	93	86	RA	3	-	0.4	3.4
056	211	AVES	ANATIDAE	Geese, swans and ducks	G00215	<i>Aythya australis</i>	Hardhead			2007	3469	251	7.24	110	100	NT	2	0	0.3	2.3
057	212	AVES	ANATIDAE	Geese, swans and ducks	K00217	<i>Biziura lobata</i>	Musk Duck		R	2007	2160	138	6.39	56	41	VU	4	0	0.3	4.3
058	213	AVES	ANATIDAE	Geese, swans and ducks	Y04164	<i>Cereopsis novaehollandiae</i>	Cape Barren Goose		R	2006	1477	98	6.64	21	16	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score
059	214	AVES	ANATIDAE	Geese, swans and ducks	U00202	<i>Chenonetta jubata</i>	Australian Wood Duck			2009	6719	811	12.07	399	366	LC	1	+	0.2	1.2
060	215	AVES	ANATIDAE	Geese, swans and ducks	W00203	<i>Cygnus atratus</i>	Black Swan			2007	7711	977	12.67	335	285	LC	1	-	0.4	1.4
062	217	AVES	ANATIDAE	Geese, swans and ducks	C00213	<i>Malacorhynchus membranaceus</i>	Pink-eared Duck			2007	1546	199	12.87	78	71	LC	1	-	0.4	1.4
063	218	AVES	ANATIDAE	Geese, swans and ducks	Y00216	<i>Oxyura australis</i>	Blue-billed Duck		R	2007	504	48	9.52	22	17	EN	5	-	0.4	5.4
064	219	AVES	ANATIDAE	Geese, swans and ducks	E00214	<i>Stictonetta naevosa</i>	Freckled Duck		V	2007	689	81	11.76	32	28	VU	4	-	0.4	4.4
066	222	AVES	ANATIDAE	Geese, swans and ducks	G00207	<i>Tadorna tadornoides</i>	Australian Shelduck			2007	4391	610	13.89	262	245	NT	2	0	0.3	2.3
067	224	AVES	PODICIPEDIDAE	Grebes	A00060	<i>Podiceps cristatus</i>	Great Crested Grebe		R	2009	2031	53	2.61	37	30	VU	4	DD	0	4.0
068	225	AVES	PODICIPEDIDAE	Grebes	E00062	<i>Polioccephalus poliocephalus</i>	Hoary-headed Grebe			2007	4880	293	6.00	124	110	NT	2	0	0.3	2.3
069	226	AVES	PODICIPEDIDAE	Grebes	C00061	<i>Tachybaptus novaehollandiae</i>	Australasian Grebe			2006	4238	392	9.25	205	191	LC	1	0	0.3	1.3
070	228	AVES	COLUMBIDAE	Pigeons and doves	Z00031	<i>Geopelia cuneata</i>	Diamond Dove			2005	1003	19	1.89	14	11	RA	3	DD	0	3.0
071	229	AVES	COLUMBIDAE	Pigeons and doves	Q04168	<i>Geopelia placida</i>	Peaceful Dove			2007	4424	1254	28.35	508	440	LC	1	0	0.3	1.3
072	231	AVES	COLUMBIDAE	Pigeons and doves	W00043	<i>Ocyphaps lophotes</i>	Crested Pigeon			2007	21573	3506	16.25	1391	1168	LC	1	0	0.3	1.3
073	232	AVES	COLUMBIDAE	Pigeons and doves	U00034	<i>Phaps chalcoptera</i>	Common Bronzewing			2007	8104	2192	27.05	1145	1013	LC	1	0	0.3	1.3
074	233	AVES	COLUMBIDAE	Pigeons and doves	U04142	<i>Phaps elegans</i>	Brush Bronzewing			2005	1693	19	1.12	13	11	EN	5	-	0.4	5.4
075	237	AVES	PODARGIDAE	Frogmouths	K00313	<i>Podargus strigoides</i>	Tawny Frogmouth			2007	1160	199	17.16	154	126	LC	1	0	0.3	1.3
076	238	AVES	EUROSTOPODIDAE	Nightjars	Z00331	<i>Eurostodopodus argus</i>	Spotted Nightjar			2006	492	183	37.20	132	96	NT	2	-	0.4	2.4
077	240	AVES	AEGOTHELIDAE	Owlet-nightjar	S00317	<i>Aegotheles cristatus</i>	Australian Owlet-nightjar			2006	1607	493	30.68	280	231	LC	1	0	0.3	1.3
079	242	AVES	APODIDAE	Swifts	W04179	<i>Apus pacificus</i>	Fork-tailed Swift			2006	338	41	12.13	26	13	RA	3	-	0.4	3.4
080	243	AVES	APODIDAE	Swifts	Q04184	<i>Hirundapus caudacutus</i>	White-throated Needletail			2003	220	6	2.73	5	1	RA	3	-	0.4	3.4
081	305	AVES	ANHINGIDAE	Darters	K00101	<i>Anhinga novaehollandiae</i>	Australasian Darter		R	2009	1327	674	50.79	303	285	RA	3	0	0.3	3.3
082	306	AVES	PHALACROCORACIDAE	Cormorants	C04137	<i>Microcarbo melanoleucos</i>	Little Pied Cormorant			2007	9054	750	8.28	327	287	NT	2	-	0.4	2.4
083	307	AVES	PHALACROCORACIDAE	Cormorants	A00096	<i>Phalacrocorax carbo</i>	Great Cormorant			2009	4395	796	18.11	330	304	RA	3	-	0.4	3.4
084	309	AVES	PHALACROCORACIDAE	Cormorants	C00097	<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant			2007	5105	812	15.91	298	270	NT	2	-	0.4	2.4
085	310	AVES	PHALACROCORACIDAE	Cormorants	G00099	<i>Phalacrocorax varius</i>	Pied Cormorant			2006	4033	359	8.90	184	165	RA	3	-	0.4	3.4
086	311	AVES	PELECANIDAE	Pelicans	U00106	<i>Pelecanus conspicillatus</i>	Australian Pelican			2007	9067	1701	18.76	507	450	NT	2	-	0.4	2.4
087	313	AVES	ARDEIDAE	Hérons and bitterns	G00187	<i>Ardea alba</i>	Great Egret			2009	4384	612	13.96	232	212	VU	4	-	0.4	4.4
088	314	AVES	ARDEIDAE	Hérons and bitterns	S00977	<i>Ardea ibis</i>	Cattle Egret		R	2006	305	54	17.70	23	16	RA	3	DD	0	3.0
089	315	AVES	ARDEIDAE	Hérons and bitterns	E00186	<i>Ardea intermedia</i>	Intermediate Egret		R	2005	167	34	20.36	26	24	RA	3	-	0.4	3.4
090	316	AVES	ARDEIDAE	Hérons and bitterns	K00189	<i>Ardea pacifica</i>	White-necked Heron			2005	886	136	15.35	96	85	RA	3	-	0.4	3.4
091	317	AVES	ARDEIDAE	Hérons and bitterns	K00197	<i>Botaurus poiciloptilus</i>	Australasian Bittern		V	2007	203	6	2.96	6	3	CR	6	-	0.4	6.4
092	318	AVES	ARDEIDAE	Hérons and bitterns	E04198	<i>Egretta garzetta</i>	Little Egret		R	2005	1176	38	3.23	33	27	RA	3	-	0.4	3.4
093	319	AVES	ARDEIDAE	Hérons and bitterns	G04199	<i>Egretta novaehollandiae</i>	White-faced Heron			2009	10763	991	9.21	390	326	NT	2	-	0.4	2.4
094	322	AVES	ARDEIDAE	Hérons and bitterns	G00195	<i>Ixobrychus dubius</i>	Australian Little Bittern		E	2005	40	16	40.00	9	7	CR	6	DD	0	6.0
095	323	AVES	ARDEIDAE	Hérons and bitterns	A00192	<i>Nycticorax caledonicus</i>	Nankeen Night-Heron			2007	714	78	10.92	50	47	VU	4	-	0.4	4.4
096	324	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	U00182	<i>Platalea flavipes</i>	Yellow-billed Spoonbill			2007	1871	498	26.62	221	195	VU	4	-	0.4	4.4
097	325	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	S00181	<i>Platalea regia</i>	Royal Spoonbill			2007	2019	239	11.84	96	83	EN	5	-	0.4	5.4
098	326	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	E00178	<i>Plegadis falcinellus</i>	Glossy Ibis		R	2006	321	31	9.66	19	13	RA	3	-	0.4	3.4
099	327	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	A04216	<i>Threskiornis molucca</i>	Australian White Ibis			2009	6551	861	13.14	317	254	VU	4	-	0.4	4.4
100	328	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	Q00180	<i>Threskiornis spinicollis</i>	Straw-necked Ibis			2009	2979	731	24.54	262	186	VU	4	-	0.4	4.4
101	329	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	S04125	<i>Accipiter cirrocephalus</i>	Collared Sparrowhawk			2007	1712	245	14.31	156	133	LC	1	0	0.3	1.3
102	330	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	A04152	<i>Accipiter fasciatus</i>	Brown Goshawk			2007	2476	340	13.73	223	171	LC	1	0	0.3	1.3
104	332	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	G04139	<i>Aquila audax</i>	Wedge-tailed Eagle			2007	7013	643	9.17	411	358	LC	1	0	0.3	1.3
105	333	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	Z00219	<i>Circus approximans</i>	Swamp Harrier			2007	2092	352	16.83	152	113	RA	3	0	0.3	3.3
106	334	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	M00218	<i>Circus assimilis</i>	Spotted Harrier			2006	980	96	9.80	79	50	NT	2	0	0.3	2.3
107	335	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	A04196	<i>Elanus axillaris</i>	Black-shouldered Kite			2006	4584	590	12.87	274	170	NT	2	--	0.5	2.5
108	336	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K00233	<i>Elanus scriptus</i>	Letter-winged Kite		R	2002	88	5	5.68	4	2	NT	2	0	0.3	2.3
109	337	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	M00226	<i>Haliaeetus leucogaster</i>	White-bellied Sea-Eagle		E	2006	558	26	4.66	21	19	CR	6	--	0.5	6.5
110	338	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	Q00228	<i>Haliastur sphenurus</i>	Whistling Kite			2009	4069	1725	42.39	654	580	LC	1	0	0.3	1.3
111	340	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K04077	<i>Hieraetus morphnoides</i>	Little Eagle			2007	1165	410	35.19	236	175	VU	4	-	0.4	4.4
112	341	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	E00230	<i>Lophoictinia isura</i>	Square-tailed Kite		E	2004	57	4	7.02	3	2	CR	6	--	0.5	6.5
113	342	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	S00229	<i>Milvus migrans</i>	Black Kite			2006	3413	774	22.68	272	253	LC	1	+	0.2	1.2
114	343	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K00241	<i>Pandion cristatus</i>	Eastern Osprey		E	1991	318	3	0.94	3	1	CR	6	--	0.5	6.5
115	344	AVES	FALCONIDAE	Falcons	W00239	<i>Falco berigora</i>	Brown Falcon			2007	5659	785	13.87	459	348	LC	1	0	0.3	1.3
116	345	AVES	FALCONIDAE	Falcons	C04129	<i>Falco cenchroides</i>	Nankeen Kestrel			2007	9718	1169	12.03	627	458	LC	1	0	0.3	1.3
117	346	AVES	FALCONIDAE	Falcons	Q00236	<i>Falco hypoleucos</i>	Grey Falcon		R	2005	123	13	10.57	10	5	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score	
118	347	AVES	FALCONIDAE	Falcons	Z00235	<i>Falco longipennis</i>	Australian Hobby			2006	1999	209	10.46	139	122	LC	1	0	0.3	1.3	
119	348	AVES	FALCONIDAE	Falcons	S00237	<i>Falco peregrinus</i>	Peregrine Falcon		R	2007	1189	237	19.93	144	122	RA	3	0	0.3	3.3	
120	349	AVES	FALCONIDAE	Falcons	U00238	<i>Falco subniger</i>	Black Falcon			2006	642	87	13.55	47	35	VU	4	-	0.4	4.4	
121	350	AVES	GRUIDAE	Cranes	C00177	<i>Grus rubicunda</i>	Brolga		V	2004	418	3	0.72	3	1	CR	6	-	0.5	6.5	
122	351	AVES	RALLIDAE	Rails, crakes and allies	Z00059	<i>Fulica atra</i>	Eurasian Coot			2007	6732	934	13.87	272	243	NT	2	-	0.4	2.4	
123	352	AVES	RALLIDAE	Rails, crakes and allies	C04145	<i>Gallinula tenebrosa</i>	Dusky Moorhen			2009	3788	538	14.20	160	142	EN	5	-	0.5	5.5	
124	353	AVES	RALLIDAE	Rails, crakes and allies	E00046	<i>Gallirallus philippensis</i>	Buff-banded Rail			2005	308	31	10.06	24	18	EN	5	-	0.4	5.4	
125	354	AVES	RALLIDAE	Rails, crakes and allies	Z04203	<i>Lewinia pectoralis</i>	Lewin's Rail		V	2005	94	8	8.51	7	4	CR	6	-	0.4	6.4	
126	355	AVES	RALLIDAE	Rails, crakes and allies	M00058	<i>Porphyrio porphyrio</i>	Purple Swamphen			2009	4029	996	24.72	289	249	RA	3	-	0.4	3.4	
127	356	AVES	RALLIDAE	Rails, crakes and allies	K00049	<i>Porzana fluminea</i>	Australian Spotted Crane			2006	803	69	8.59	38	33	RA	3	-	0.4	3.4	
128	357	AVES	RALLIDAE	Rails, crakes and allies	U00050	<i>Porzana pusilla</i>	Bailon's Crane			2005	206	13	6.31	9	8	CR	6	-	0.4	6.4	
129	358	AVES	RALLIDAE	Rails, crakes and allies	W00051	<i>Porzana tabuensis</i>	Spotless Crane		R	2006	311	77	24.76	22	14	VU	4	-	0.4	4.4	
130	360	AVES	RALLIDAE	Rails, crakes and allies	G00055	<i>Tribonyx ventralis</i>	Black-tailed Native-hen			2006	3752	559	14.90	268	226	LC	1	0	0.3	1.3	
131	361	AVES	OTIDIDAE	Bustards	A00176	<i>Ardeotis australis</i>	Australian Bustard		V	2006	355	29	8.17	24	12	CR	6	-	0.4	6.4	
132	362	AVES	BURHINIDAE	Stone-curlews	U00174	<i>Burhinus grallarius</i>	Bush Stone-curlew		R	2006	285	31	10.88	28	18	CR	6	-	0.4	6.4	
134	365	AVES	RECURVIROSTRIDAE	Avocets and stilts	Z00147	<i>Cladorhynchus leucocephalus</i>	Banded Stilt		V	2005	1699	43	2.53	27	25	RA	3	DD	0	3.0	
135	366	AVES	RECURVIROSTRIDAE	Avocets and stilts	M00146	<i>Himantopus himantopus</i>	Black-winged Stilt			2006	5014	657	13.10	151	120	VU	4	-	0.4	4.4	
136	367	AVES	RECURVIROSTRIDAE	Avocets and stilts	Q00148	<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet			2006	2278	265	11.63	85	73	RA	3	DD	0	3.0	
138	369	AVES	CHARADRIIDAE	Plovers and dotterels	A00140	<i>Charadrius bicinctus</i>	Double-banded Plover			2005	499	9	1.80	7	4	RA	3	-	0.4	3.4	
139	374	AVES	CHARADRIIDAE	Plovers and dotterels	G00143	<i>Charadrius ruficapillus</i>	Red-capped Plover			2007	4311	163	3.78	63	48	VU	4	-	0.5	4.5	
141	376	AVES	CHARADRIIDAE	Plovers and dotterels	Y00144	<i>Eiseyornis melanops</i>	Black-fronted Dotterel			2006	3386	584	17.25	193	160	RA	3	-	0.4	3.4	
142	377	AVES	CHARADRIIDAE	Plovers and dotterels	A00132	<i>Erythrogonys cinctus</i>	Red-kneed Dotterel			2006	1936	405	20.92	131	113	RA	3	-	0.5	3.5	
143	382	AVES	CHARADRIIDAE	Plovers and dotterels	G04219	<i>Vanellus miles</i>	Masked Lapwing			2007	11620	1289	11.09	385	317	LC	1	+	0.2	1.2	
144	383	AVES	CHARADRIIDAE	Plovers and dotterels	G00135	<i>Vanellus tricolor</i>	Banded Lapwing			2006	1323	189	14.29	113	64	NT	2	-	0.4	2.4	
145	384	AVES	PEDIONOMIDAE	Plains-wanderer	Y00020	<i>Pedionomus torquatus</i>	Plains-wanderer		VU	E	1984	52	4	7.69	4		CR	6	-	0.4	6.4
146	386	AVES	ROSTRALIDAE	Painted snipes	M00170	<i>Rostratula australis</i>	Australian Painted Snipe			E	2005	82	9	10.98	7	6	CR	6	-	0.4	6.4
147	387	AVES	SCOLOPACIDAE	Sandpipers and allies	S00157	<i>Actitis hypoleucos</i>	Common Sandpiper		R	2006	748	28	3.74	11	9	RA	3	DD	0	3.0	
149	389	AVES	SCOLOPACIDAE	Sandpipers and allies	Z00163	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper			2006	3196	165	5.16	59	41	RA	3	-	0.4	3.4	
150	393	AVES	SCOLOPACIDAE	Sandpipers and allies	K00161	<i>Calidris ferruginea</i>	Curlew Sandpiper			2005	1933	19	0.98	13	9	RA	3	-	0.5	3.5	
151	397	AVES	SCOLOPACIDAE	Sandpipers and allies	M00162	<i>Calidris ruficollis</i>	Red-necked Stint			2006	4065	67	1.65	32	25	RA	3	-	0.4	3.4	
153	400	AVES	SCOLOPACIDAE	Sandpipers and allies	A00168	<i>Gallinago hardwickii</i>	Latham's Snipe		R	2007	336	26	7.74	11	9	CR	6	-	0.4	6.4	
156	414	AVES	SCOLOPACIDAE	Sandpipers and allies	M00154	<i>Tringa glareola</i>	Wood Sandpiper		R	2006	304	30	9.87	15	10	CR	6	-	0.4	6.4	
157	415	AVES	SCOLOPACIDAE	Sandpipers and allies	U00158	<i>Tringa nebularia</i>	Common Greenshank			2006	4150	88	2.12	36	26	CR	6	-	0.4	6.4	
158	416	AVES	SCOLOPACIDAE	Sandpipers and allies	W00159	<i>Tringa stagnatilis</i>	Marsh Sandpiper			2006	767	24	3.13	14	11	CR	6	-	0.4	6.4	
160	421	AVES	TURNICIDAE	Button-quails	U04178	<i>Turnix varius</i>	Painted Button-quail		R	2007	569	43	7.56	31	23	VU	4	-	0.4	4.4	
161	422	AVES	TURNICIDAE	Button-quails	U00018	<i>Turnix velox</i>	Little Button-quail			2003	720	52	7.22	41	25	LC	1	0	0.3	1.3	
162	424	AVES	GLAREOLIDAE	Pratincoles and coursers	S00173	<i>Stiltia isabella</i>	Australian Pratincole			2003	407	14	3.44	11	6	RA	3	0	0.3	3.3	
163	430	AVES	LARIDAE	Gulls, terns and noddies	M00110	<i>Chlidonias hybrida</i>	Whiskered Tern			2007	3850	287	7.45	107	80	EN	5	-	0.5	5.5	
165	432	AVES	LARIDAE	Gulls, terns and noddies	C04065	<i>Chroicocephalus novaehollandiae</i>	Silver Gull			2007	13720	1075	7.84	287	230	LC	1	-	0.4	1.4	
166	433	AVES	LARIDAE	Gulls, terns and noddies	Z00111	<i>Gelochelidon nilotica</i>	Gull-billed Tern			2005	450	16	3.56	14	12	EN	5	-	0.4	5.4	
167	434	AVES	LARIDAE	Gulls, terns and noddies	Q00112	<i>Hydroprogne caspia</i>	Caspian Tern			2007	4822	609	12.63	260	242	RA	3	-	0.4	3.4	
169	445	AVES	LARIDAE	Gulls, terns and noddies	U04070	<i>Sterna nereis</i>	Fairy Tern		E	2000	1313	6	0.46	4	2	CR	6	-	0.4	6.4	
170	446	AVES	LARIDAE	Gulls, terns and noddies	W00115	<i>Thalasseus bergii</i>	Crested Tern			2007	4650	125	2.69	40	31	RA	3	-	0.4	3.4	
171	448	AVES	CACATUIDAE	Cockatoos	Q04176	<i>Cacatua galerita</i>	Sulphur-crested Cockatoo			2009	3741	570	15.24	256	238	LC	1	+	0.2	1.2	
172	449	AVES	CACATUIDAE	Cockatoos	W00271	<i>Cacatua sanguinea</i>	Little Corella			2006	5602	843	15.05	309	288	LC	1	++	0.1	1.1	
173	450	AVES	CACATUIDAE	Cockatoos	A00272	<i>Cacatua tenuirostris</i>	Long-billed Corella			2005	825	82	9.94	41	39	LC	1	0	0.3	1.3	
175	453	AVES	CACATUIDAE	Cockatoos	Y09312	<i>Calyptorhynchus banksii graptogyne</i>	Red-tailed Black Cockatoo (south-east subs)	EN	E	1900	3	1	33.33	1		EN	5	-	0.4	5.4	
176	454	AVES	CACATUIDAE	Cockatoos	G00267	<i>Calyptorhynchus funereus</i>	Yellow-tailed Black-Cockatoo		V	2006	6744	79	1.17	47	43	VU	4	-	0.4	4.4	
177	456	AVES	CACATUIDAE	Cockatoos	C00273	<i>Eolophus roseicapillus</i>	Galah			2007	29246	4678	16.00	1884	1601	LC	1	0	0.3	1.3	
178	457	AVES	CACATUIDAE	Cockatoos	U00270	<i>Lophocroa leadbeateri</i>	Major Mitchell's Cockatoo		R	2006	675	224	33.19	161	147	EN	5	-	0.4	5.4	
179	458	AVES	CACATUIDAE	Cockatoos	E00274	<i>Nymphicus hollandicus</i>	Cockatiel			2005	2028	354	17.46	249	157	RA	3	-	0.4	3.4	
180	460	AVES	PSITTACIDAE	Parrots and allies	M00294	<i>Barnardius zonarius</i>	Australian Ringneck			2007	9177	3410	37.16	1430	1260	LC	1	0	0.3	1.3	
181	461	AVES	PSITTACIDAE	Parrots and allies	E00258	<i>Glossopsitta concinna</i>	Musk Lorikeet			2007	6319	348	5.51	139	130	NT	2	+	0.2	2.2	
182	462	AVES	PSITTACIDAE	Parrots and allies	G00259	<i>Glossopsitta porphyrocephala</i>	Purple-crowned Lorikeet			2007	6599	1321	20.02	576	515	LC	1	0	0.3	1.3	
183	463	AVES	PSITTACIDAE	Parrots and allies	Q00260	<i>Glossopsitta pusilla</i>	Little Lorikeet		E	2000	62	10	16.13	5	3	EN	5	-	0.4	5.4	
184	464	AVES	PSITTACIDAE	Parrots and allies	S00309	<i>Lathamus discolor</i>	Swift Parrot	EN	E	2002	37	6	16.22	5	4	CR	6	-	0.5	6.5	

Regional Species Conservation Assessments
 DENR Murraylands Region
 Complete Dataset for Fauna Assessments July 2010
 Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score	
185	465	AVES	PSITTACIDAE	Parrots and allies	E00310	<i>Melopsittacus undulatus</i>	Budgerigar			2006	4463	388	8.69	273	206	NT	2	-	0.4	2.4	
187	467	AVES	PSITTACIDAE	Parrots and allies	M00306	<i>Neophema chrysostoma</i>	Blue-winged Parrot		V	2003	720	33	4.58	26	17	RA	3	0	0.3	3.3	
188	468	AVES	PSITTACIDAE	Parrots and allies	Z00307	<i>Neophema elegans</i>	Elegant Parrot		R	2007	1895	181	9.55	80	50	VU	4	DD	0	4.0	
190	471	AVES	PSITTACIDAE	Parrots and allies	G00303	<i>Neophema splendida</i>	Scarlet-chested Parrot		R	2006	167	35	20.96	23	15	VU	4	DD	0	4.0	
191	473	AVES	PSITTACIDAE	Parrots and allies	S00297	<i>Northiella haematogaster</i>	Blue Bonnet		ssp	2006	2192	623	28.42	357	330	LC	1	0	0.3	1.3	
192	477	AVES	PSITTACIDAE	Parrots and allies	E00282	<i>Platycercus elegans</i>	Crimson Rosella			2007	18030	1811	10.04	650	563	LC	1	0	0.3	1.3	
193	478	AVES	PSITTACIDAE	Parrots and allies	S04177	<i>Platycercus eximius</i>	Eastern Rosella			2006	2767	221	7.99	107	106	LC	1	0	0.3	1.3	
194	480	AVES	PSITTACIDAE	Parrots and allies	U04206	<i>Polytelis anthopeplus</i>	Regent Parrot		VU	ssp	2006	545	544	99.82	274	251	EN	5	--	0.5	5.5
195	482	AVES	PSITTACIDAE	Parrots and allies	Z00295	<i>Psephotus haematonotus</i>	Red-rumped Parrot			2007	9420	2280	24.20	837	663	LC	1	0	0.3	1.3	
196	483	AVES	PSITTACIDAE	Parrots and allies	Q00296	<i>Psephotus varius</i>	Mulga Parrot			2007	4524	1906	42.13	935	819	LC	1	0	0.3	1.3	
197	484	AVES	PSITTACIDAE	Parrots and allies	U00254	<i>Trichoglossus haematodus</i>	Rainbow Lorikeet			2007	9061	157	1.73	74	67	NT	2	+	0.2	2.2	
198	485	AVES	CUCULIDAE	Cuckoos	S04141	<i>Cacomantis flabelliformis</i>	Fan-tailed Cuckoo			2006	2047	92	4.49	73	55	NT	2	-	0.4	2.4	
199	486	AVES	CUCULIDAE	Cuckoos	C00337	<i>Cacomantis pallidus</i>	Pallid Cuckoo			2006	1863	345	18.52	246	186	LC	1	0	0.3	1.3	
201	488	AVES	CUCULIDAE	Cuckoos	U00342	<i>Chalcites basalis</i>	Horsfield's Bronze-cuckoo			2007	4534	835	18.42	501	407	LC	1	-	0.4	1.4	
202	489	AVES	CUCULIDAE	Cuckoos	A00344	<i>Chalcites lucidus</i>	Shining Bronze-Cuckoo			2005	460	10	2.17	10	6	RA	3	-	0.4	3.4	
203	490	AVES	CUCULIDAE	Cuckoos	S00341	<i>Chalcites osculans</i>	Black-eared Cuckoo			2006	637	181	28.41	138	109	NT	2	0	0.3	2.3	
204	493	AVES	STRIGIDAE	Typical owls	Q04204	<i>Ninox connivens</i>	Barking Owl		R	1994	66	1	1.52	1	1	CR	6	-	0.4	6.4	
205	494	AVES	STRIGIDAE	Typical owls	M00242	<i>Ninox novaeseelandiae</i>	Southern Boobook			2007	2319	365	15.74	213	183	NT	2	0	0.3	2.3	
206	496	AVES	TYTONIDAE	Barn owls	C00249	<i>Tyto javanica</i>	Eastern Barn Owl			2006	892	137	15.36	75	48	LC	1	+	0.2	1.2	
207	498	AVES	TYTONIDAE	Barn owls	Q04248	<i>Tyto novaehollandiae</i>	Masked Owl		E	1982	9	1	11.11	1		DD	0	DD	0	0.0	
208	500	AVES	HALCYONIDAE	Wood kingfishers	S04169	<i>Dacelo novaeguineae</i>	Laughing Kookaburra			2006	7276	933	12.82	397	357	LC	1	0	0.3	1.3	
209	501	AVES	HALCYONIDAE	Wood kingfishers	S00325	<i>Todiramphus pyrrhopygius</i>	Red-backed Kingfisher			2006	1326	137	10.33	98	73	RA	3	0	0.3	3.3	
210	502	AVES	HALCYONIDAE	Wood kingfishers	U00326	<i>Todiramphus sanctus</i>	Sacred Kingfisher			2006	2051	441	21.50	219	197	NT	2	0	0.3	2.3	
211	503	AVES	MEROPIDAE	Bee-eaters	C00329	<i>Merops ornatus</i>	Rainbow Bee-eater			2006	3608	1257	34.84	751	660	LC	1	0	0.3	1.3	
212	505	AVES	CLIMACTERIDAE	Australopapuan treecreepers	S00561	<i>Climacteris affinis</i>	White-browed Treecreeper		R	2006	412	259	62.86	117	111	VU	4	--	0.5	4.5	
213	506	AVES	CLIMACTERIDAE	Australopapuan treecreepers	G04171	<i>Climacteris picumnus</i>	Brown Treecreeper			2007	4787	2103	43.93	842	727	LC	1	0	0.3	1.3	
214	508	AVES	CLIMACTERIDAE	Australopapuan treecreepers	Y04172	<i>Cormobates leucophaea</i>	White-throated Treecreeper			2007	3256	109	3.35	42	41	NT	2	0	0.3	2.3	
215	515	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	C00513	<i>Amytornis striatus</i>	Striated Grasswren		R	2007	719	656	91.24	328	302	EN	5	--	0.5	5.5	
216	520	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	S00529	<i>Malurus cyaneus</i>	Superb Fairy-wren			2007	16609	1800	10.84	645	564	LC	1	0	0.3	1.3	
217	521	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Q00536	<i>Malurus lamberti</i>	Variiegated Fairy-wren			2007	6762	1978	29.25	1043	920	LC	1	0	0.3	1.3	
218	522	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Z00535	<i>Malurus leucopterus</i>	White-winged Fairy-wren			2005	5790	173	2.99	115	84	LC	1	0	0.3	1.3	
219	524	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Y00532	<i>Malurus splendens</i>	Splendid Fairy-wren			2007	1974	1015	51.42	485	423	NT	2	0	0.3	2.3	
221	527	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	W04283	<i>Stipiturus malachurus intermedius</i>	Southern Emu-wren (Mt Lofty Ranges ssp)		EN	E	2006	2736	62	2.27	5	4	CR	6	--	0.5	6.5
222	531	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	U09386	<i>Stipiturus mallee</i>	Mallee Emu-wren		EN	E	2003	40	34	85.00	19	5	CR	6	--	0.5	6.5
224	535	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	A00476	<i>Acanthiza apicalis</i>	Inland Thornbill			2007	4394	1006	22.89	615	571	LC	1	0	0.3	1.3	
225	536	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	E00486	<i>Acanthiza chrysorrhoa</i>	Yellow-rumped Thornbill			2007	9743	1900	19.50	1022	848	LC	1	0	0.3	1.3	
226	537	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	U00482	<i>Acanthiza iredalei</i>	Slender-billed Thornbill		ssp	ssp	2003	423	18	4.26	15	9	VU	4	-	0.4	4.4
227	541	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	M00470	<i>Acanthiza lineata</i>	Striated Thornbill			2007	5236	51	0.97	34	33	LC	1	0	0.3	1.3	
228	542	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00471	<i>Acanthiza nana</i>	Yellow Thornbill			2007	2426	670	27.62	361	303	RA	3	-	0.4	3.4	
229	543	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	W00475	<i>Acanthiza pusilla</i>	Brown Thornbill			2005	5155	143	2.77	62	44	NT	2	0	0.3	2.3	
230	544	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	E04170	<i>Acanthiza reguloides</i>	Buff-rumped Thornbill			2007	2244	101	4.50	63	56	NT	2	0	0.3	2.3	
231	546	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	S00481	<i>Acanthiza uropygialis</i>	Chestnut-rumped Thornbill			2007	5461	2678	49.04	1160	1049	LC	1	0	0.3	1.3	
232	547	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	U00466	<i>Aphelocephala leucopsis</i>	Southern Whiteface			2007	5341	1466	27.45	678	527	NT	2	0	0.3	2.3	
234	550	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	W08007	<i>Calamanthus campestris</i>	Rufous Fieldwren			2003	945	13	1.38	11	8	VU	4	-	0.4	4.4	
235	553	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	K00453	<i>Gerygone albogularis</i>	White-throated Gerygone		R	1989	80	2	2.50	2		RA	3	DD	0	3.0	
236	554	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00463	<i>Gerygone fusca</i>	Western Gerygone		R	1991	88	2	2.27	2	2	DD	0	DD	0	0.0	
237	555	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00499	<i>Hylacola cauta</i>	Shy Heathwren (Shy Hylacola)		R	2007	1295	616	47.57	392	349	RA	3	-	0.4	3.4	
238	559	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	M00498	<i>Hylacola pyrrhopygia</i>	Chestnut-rumped Heathwren		ssp	ssp	2005	302	24	7.95	18	16	EN	5	-	0.4	5.4
239	560	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	K00497	<i>Pyrrholaemus brunneus</i>	Redthroat			2005	1076	123	11.43	81	64	RA	3	0	0.3	3.3	
240	561	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	G04251	<i>Sericornis frontalis</i>	White-browed Scrubwren			2007	6711	24	0.36	18	18	RA	3	0	0.3	3.3	
241	562	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	S00465	<i>Smicromis brevirostris</i>	Weebill			2007	12615	5642	44.72	2106	1926	LC	1	0	0.3	1.3	
242	563	AVES	PARDALOTIDAE	Pardalotes	G04227	<i>Pardalotus punctatus</i>	Spotted Pardalote			2007	8246	3958	48.00	1545	1449	LC	1	0	0.3	1.3	
243	565	AVES	PARDALOTIDAE	Pardalotes	Q00976	<i>Pardalotus striatus</i>	Striated Pardalote			2007	16583	4036	24.34	1570	1416	LC	1	0	0.3	1.3	
244	566	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S04117	<i>Acanthagenys rufogularis</i>	Spiny-cheeked Honeyeater			2007	14901	4850	32.55	1880	1717	LC	1	0	0.3	1.3	
245	567	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W04143	<i>Acanthorhynchus tenuirostris</i>	Eastern Spinebill			2007	4362	14	0.32	8	7	RA	3	0	0.3	3.3	
246	568	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W04127	<i>Anthochaera carunculata</i>	Red Wattlebird			2007	23741	4131	17.40	1448	1310	LC	1	0	0.3	1.3	

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score
247	569	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	G04163	<i>Anthochaera chrysoptera</i>	Little Wattlebird			2007	3403	100	2.94	53	50	NT	2	0	0.3	2.3
249	572	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E00602	<i>Certhionyx variegatus</i>	Pied Honeyeater			2006	858	98	11.42	63	59	RA	3	0	0.3	3.3
250	574	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Y04200	<i>Entomyzon cyanotis</i>	Blue-faced Honeyeater		R	2006	164	117	71.34	83	72	RA	3	++	0.1	3.1
251	575	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Z04131	<i>Epthianura albiglans</i>	White-fronted Chat			2007	4433	744	16.78	427	285	LC	1	0	0.3	1.3
252	576	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E00450	<i>Epthianura aurifrons</i>	Orange Chat			2006	1585	54	3.41	40	32	RA	3	0	0.3	3.3
253	578	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00449	<i>Epthianura tricolor</i>	Crimson Chat			2006	1835	107	5.83	80	63	LC	1	DD	0	1.0
254	579	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00593	<i>Glyciphila melanops</i>	Tawny-crowned Honeyeater			2007	1608	323	20.09	158	135	VU	4	-	0.5	4.5
256	581	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00614	<i>Lichenostomus chrysops</i>	Yellow-faced Honeyeater			2007	5228	118	2.26	71	67	NT	2	0	0.3	2.3
257	582	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Y00620	<i>Lichenostomus cratitius</i>	Purple-gaped Honeyeater		ssp	2007	1350	411	30.44	238	197	RA	3	-	0.4	3.4
259	586	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E04218	<i>Lichenostomus leucotis</i>	White-eared Honeyeater			2007	4156	2364	56.88	1099	1017	LC	1	0	0.3	1.3
261	588	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00622	<i>Lichenostomus ornatus</i>	Yellow-plumed Honeyeater			2007	7089	5524	77.92	1743	1600	LC	1	0	0.3	1.3
262	589	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00625	<i>Lichenostomus penicillatus</i>	White-plumed Honeyeater			2007	16417	2642	16.09	842	719	LC	1	0	0.3	1.3
263	590	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Z00623	<i>Lichenostomus plumulus</i>	Grey-fronted Honeyeater			2006	1325	180	13.58	102	91	RA	3	DD	0	3.0
264	591	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Q00608	<i>Lichenostomus virescens</i>	Singing Honeyeater			2007	17813	2434	13.66	1136	927	LC	1	0	0.3	1.3
265	593	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U04118	<i>Manorina flavigula</i>	Yellow-throated Miner			2007	8091	1611	19.91	882	760	LC	1	0	0.3	1.3
266	595	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U00634	<i>Manorina melanocephala</i>	Noisy Miner			2007	6160	1553	25.21	503	435	LC	1	0	0.3	1.3
267	596	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Z00967	<i>Manorina melanotis</i>	Black-eared Miner		EN E	2006	361	361	100.00	207	200	EN	5	--	0.5	5.5
268	597	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	G00583	<i>Melithreptus brevirostris</i>	Brown-headed Honeyeater			2007	5700	1969	34.54	989	883	LC	1	0	0.3	1.3
269	598	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	A00580	<i>Melithreptus gularis</i>	Black-chinned Honeyeater		ssp	2006	1096	98	8.94	43	43	EN	5	-	0.4	5.4
270	601	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S04133	<i>Melithreptus lunatus</i>	White-naped Honeyeater			2007	3416	68	1.99	44	41	NT	2	0	0.3	2.3
271	602	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M04210	<i>Philemon citreogularis</i>	Little Friarbird		R	2005	205	205	100.00	112	99	RA	3	+	0.2	3.2
273	604	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U04126	<i>Phylidonyris novaehollandiae</i>	New Holland Honeyeater			2007	18861	1539	8.16	412	361	NT	2	0	0.3	2.3
275	606	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00585	<i>Plectorhyncha lanceolata</i>	Striped Honeyeater		R	2006	984	916	93.09	503	454	NT	2	-	0.4	2.4
276	607	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00594	<i>Pumella albiglans</i>	White-fronted Honeyeater			2007	5136	2709	52.75	1009	955	LC	1	0	0.3	1.3
277	608	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00589	<i>Sugomel niger</i>	Black Honeyeater			2005	280	82	29.29	58	39	RA	3	DD	0	3.0
278	609	AVES	POMATOSTOMIDAE	Australopapuan babblers	M00446	<i>Pomatostomus ruficeps</i>	Chestnut-crowned Babbler			2007	1742	1237	71.01	547	468	LC	1	0	0.3	1.3
279	610	AVES	POMATOSTOMIDAE	Australopapuan babblers	K00445	<i>Pomatostomus superciliosus</i>	White-browed Babbler			2007	10706	3130	29.24	1334	1181	LC	1	0	0.3	1.3
280	611	AVES	POMATOSTOMIDAE	Australopapuan babblers	G00443	<i>Pomatostomus temporalis</i>	Grey-crowned Babbler		ssp	1984	49	6	12.24	2		CR	6	-	0.4	6.4
281	614	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	K00437	<i>Cinclosoma castanotum</i>	Chestnut Quail-thrush		ssp	2007	1716	1398	81.47	631	581	NT	2	0	0.3	2.3
282	621	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	E00866	<i>Psophodes cristatus</i>	Chirruping Wedgebill			1988	1284	1	0.08	1		CR	6	-	0.4	6.4
284	624	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	U09414	<i>Psophodes nigrogularis leucogaster</i>	Western Whipbird (Eastern subspecies)		VU E	2003	144	13	9.03	10	2	CR	6	-	0.4	6.4
285	626	AVES	NEOSITTIDAE	Sittellas	C00549	<i>Daphoenositta chrysoptera</i>	Varied Sittella			2007	2555	751	29.39	424	357	NT	2	-	0.4	2.4
286	627	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	W00423	<i>Coracina maxima</i>	Ground Cuckoo-shrike			2004	362	50	13.81	38	17	VU	4	-	0.4	4.4
287	628	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	Y04120	<i>Coracina novaehollandiae</i>	Black-faced Cuckoo-shrike			2007	10493	1884	17.95	987	859	NT	2	-	0.4	2.4
288	629	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	C00425	<i>Coracina papuensis</i>	White-bellied Cuckoo-shrike		R	2004	142	20	14.08	12	5	EN	5	-	0.4	5.4
289	631	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	Z04255	<i>Lalage sueurii</i>	White-winged Triller			2007	2142	380	17.74	260	218	NT	2	-	0.4	2.4
290	632	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	A00408	<i>Colluricincla harmonica</i>	Grey Shrike-thrush			2007	20768	5293	25.49	2140	1958	LC	1	0	0.3	1.3
291	633	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	K04181	<i>Falculunculus frontatus</i>	Crested Shrike-tit		R	2006	955	73	7.64	37	32	EN	5	-	0.4	5.4
292	634	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	G00419	<i>Oreocitta gutturalis</i>	Crested Bellbird			2007	5672	2612	46.05	1060	987	NT	2	-	0.4	2.4
293	635	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	Z00403	<i>Pachycephala inornata</i>	Gilbert's Whistler		R	2007	1359	1037	76.31	505	460	RA	3	-	0.4	3.4
294	638	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	E00398	<i>Pachycephala pectoralis</i>	Golden Whistler			2007	7321	1176	16.06	606	547	NT	2	-	0.4	2.4
295	639	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	K04149	<i>Pachycephala rufiventris</i>	Rufous Whistler			2007	6842	1292	18.88	649	562	RA	3	-	0.4	3.4
296	640	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	M00402	<i>Pachycephala rufogularis</i>	Red-lored Whistler		VU R	2006	257	246	95.72	157	131	CR	6	-	0.4	6.4
297	641	AVES	ORIOLIDAE	Orioles	G00671	<i>Oriolus sagittatus</i>	Olive-backed Oriole		R	2004	93	19	20.43	11	6	RA	3	DD	0	3.0
298	642	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Z04115	<i>Artamus cinereus</i>	Black-faced Woodswallow			2006	4157	144	3.46	112	78	NT	2	0	0.3	2.3
299	643	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	W00547	<i>Artamus cyanopterus</i>	Dusky Woodswallow			2007	5483	1067	19.46	554	470	LC	1	0	0.3	1.3
300	644	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Z00543	<i>Artamus leucorhynchus</i>	White-breasted Woodswallow			2006	613	66	10.77	43	35	RA	3	0	0.3	3.3
301	646	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Q00544	<i>Artamus personatus</i>	Masked Woodswallow			2007	2478	919	37.09	563	522	LC	1	0	0.3	1.3
302	647	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	S00545	<i>Artamus superciliosus</i>	White-browed Woodswallow			2007	2196	1206	54.92	660	581	LC	1	0	0.3	1.3
303	648	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Y00700	<i>Cracticus nigrogularis</i>	Pied Butcherbird			2006	1177	592	50.30	300	287	NT	2	+	0.2	2.2
304	649	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	S00705	<i>Cracticus tibicen</i>	Australian Magpie			2007	34939	5855	16.76	2455	2155	LC	1	0	0.3	1.3
305	650	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	W04151	<i>Cracticus torquatus</i>	Grey Butcherbird			2007	8595	3499	40.71	1496	1400	LC	1	0	0.3	1.3
306	653	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	C00697	<i>Strepera versicolor</i>	Grey Currawong		ssp	2007	10594	1957	18.47	965	911	NT	2	+	0.2	2.2
307	656	AVES	RHIPIDURIDAE	Wagtail and fantails	C00361	<i>Rhipidura albiscapa</i>	Grey Fantail			2007	11908	1198	10.06	502	442	NT	2	-	0.4	2.4
308	657	AVES	RHIPIDURIDAE	Wagtail and fantails	M04114	<i>Rhipidura leucophrys</i>	Willie Wagtail			2007	26267	5082	19.35	1998	1733	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
 DENR Murraylands Region
 Complete Dataset for Fauna Assessments July 2010
 Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score
310	659	AVES	CORVIDAE	Crows	Z00691	<i>Corvus bennetti</i>	Little Crow			2007	3028	289	9.54	193	179	RA	3	-	0.4	3.4
311	660	AVES	CORVIDAE	Crows	A04144	<i>Corvus coronoides</i>	Australian Raven			2007	9446	2922	30.93	1285	1198	LC	1	0	0.3	1.3
312	661	AVES	CORVIDAE	Crows	E00954	<i>Corvus mellori</i>	Little Raven			2007	18248	2105	11.54	988	763	LC	1	+	0.2	1.2
314	663	AVES	CORVIDAE	Crows	Y00868	<i>Corvus tasmanicus</i>	Forest Raven			2005	439	36	8.20	21	20	NT	2	DD	0	2.0
315	664	AVES	MONARCHIDAE	Flycatchers, monarch and magpie-lark	W00415	<i>Grallina cyanoleuca</i>	Magpie-lark			2007	19483	2369	12.16	847	693	LC	1	0	0.3	1.3
317	667	AVES	MONARCHIDAE	Flycatchers, monarch and magpie-lark	K04173	<i>Myiagra inquieta</i>	Restless Flycatcher		R	2007	1957	954	48.75	475	427	VU	4	-	0.4	4.4
318	669	AVES	CORCORACIDAE	Choughs and apostlebirds	S00693	<i>Corcorax melanorhamphos</i>	White-winged Chough		R	2007	4109	1614	39.28	883	751	RA	3	0	0.3	3.3
319	670	AVES	CORCORACIDAE	Choughs and apostlebirds	Z00675	<i>Struthidea cinerea</i>	Apostlebird			2006	506	245	48.42	125	118	VU	4	0	0.3	4.3
320	671	AVES	PETROICIDAE	Australopapuan robins and allies	C00441	<i>Drymodes brunneopygia</i>	Southern Scrub-robin			2007	2129	1209	56.79	506	455	RA	3	-	0.4	3.4
321	672	AVES	PETROICIDAE	Australopapuan robins and allies	K04201	<i>Eopsaltria australis</i>	Eastern Yellow Robin			2003	678	12	1.77	11	11	RA	3	+	0.2	3.2
322	674	AVES	PETROICIDAE	Australopapuan robins and allies	S00385	<i>Melanodryas cucullata</i>	Hooded Robin		ssp	2007	3547	1366	38.51	655	523	RA	3	0	0.3	3.3
323	676	AVES	PETROICIDAE	Australopapuan robins and allies	S00377	<i>Microeca fascians</i>	Jacky Winter		ssp	2007	4327	2437	56.32	1029	931	NT	2	0	0.3	2.3
324	678	AVES	PETROICIDAE	Australopapuan robins and allies	Y00380	<i>Petroica boodang</i>	Scarlet Robin		ssp	2006	3250	71	2.18	37	30	RA	3	-	0.4	3.4
325	679	AVES	PETROICIDAE	Australopapuan robins and allies	K00381	<i>Petroica goodenovii</i>	Red-capped Robin			2007	6537	1807	27.64	822	684	LC	1	0	0.3	1.3
326	680	AVES	PETROICIDAE	Australopapuan robins and allies	M00382	<i>Petroica phoenicea</i>	Flame Robin		V	2002	173	16	9.25	10	7	CR	6	--	0.5	6.5
328	682	AVES	PETROICIDAE	Australopapuan robins and allies	Q00384	<i>Petroica rosea</i>	Rose Robin			2003	77	7	9.09	6	4	RA	3	DD	0	3.0
329	684	AVES	ALAUDIDAE	Larks	Y00648	<i>Mirafra javanica</i>	Horsfield's Bushlark			2005	672	47	6.99	30	17	RA	3	0	0.3	3.3
330	685	AVES	CISTICOLIDAE	Cisticolas	C04209	<i>Cisticola exilis</i>	Golden-headed Cisticola			2007	844	62	7.35	26	20	EN	5	--	0.5	5.5
331	686	AVES	ACROCEPHALIDAE	Warbler	C04233	<i>Acrocephalus australis</i>	Australian Reed-Warbler			2007	2840	611	21.51	250	221	NT	2	-	0.4	2.4
332	687	AVES	MEGALURIDAE	Grassbirds and allies	Y00508	<i>Cincloramphus cruralis</i>	Brown Songlark			2006	2950	298	10.10	242	152	NT	2	0	0.3	2.3
333	688	AVES	MEGALURIDAE	Grassbirds and allies	K00509	<i>Cincloramphus mathewsi</i>	Rufous Songlark			2006	1717	171	9.96	129	90	RA	3	-	0.4	3.4
334	690	AVES	MEGALURIDAE	Grassbirds and allies	E00522	<i>Megalurus gramineus</i>	Little Grassbird			2007	2790	432	15.48	175	157	NT	2	-	0.4	2.4
335	691	AVES	TIMALIIDAE	White-eyes	E00574	<i>Zosterops lateralis</i>	Silvereye			2007	11448	728	6.36	347	297	NT	2	-	0.4	2.4
336	692	AVES	HIRUNDINIDAE	Swallows and martins	M00358	<i>Cheramoeca leucosterna</i>	White-backed Swallow			2006	1524	119	7.81	101	80	RA	3	DD	0	3.0
337	693	AVES	HIRUNDINIDAE	Swallows and martins	K00357	<i>Hirundo neoxena</i>	Welcome Swallow			2009	18849	2634	13.97	1016	847	LC	1	0	0.3	1.3
338	695	AVES	HIRUNDINIDAE	Swallows and martins	A00360	<i>Petrochelidon ariel</i>	Fairy Martin			2006	2221	329	14.81	157	121	RA	3	0	0.3	3.3
339	696	AVES	HIRUNDINIDAE	Swallows and martins	A04128	<i>Petrochelidon nigricans</i>	Tree Martin			2007	9472	1629	17.20	772	631	LC	1	0	0.3	1.3
340	701	AVES	NECTARINIIDAE	Flowerpeckers	U04150	<i>Dicaeum hirundinaceum</i>	Mistletoebird			2007	5694	608	10.68	329	289	NT	2	-	0.4	2.4
342	706	AVES	ESTRILIDAE	Grass-finches (waxbills)	A00652	<i>Stagonopleura guttata</i>	Diamond Firetail		V	2007	1832	257	14.03	100	65	EN	5	-	0.4	5.4
343	707	AVES	ESTRILIDAE	Grass-finches (waxbills)	C00653	<i>Taeniopygia guttata</i>	Zebra Finch			2006	5960	281	4.71	148	96	RA	3	--	0.5	3.5
344	709	AVES	MOTACILLIDAE	Wagtails and pipits	G00647	<i>Anthus novaeseelandiae</i>	Australasian Pipit			2007	6791	565	8.32	390	269	LC	1	0	0.3	1.3
345	716	REPTILIA	CHELIDAE	Side-necked Tortoises	A02016	<i>Chelodina expansa</i>	Broad-shelled Tortoise		V	2001	4	4	100.00	4	1	RA	3	-	0.4	3.4
346	717	REPTILIA	CHELIDAE	Side-necked Tortoises	C02017	<i>Chelodina longicollis</i>	Common Long-necked Tortoise			2005	157	58	36.94	33	15	NT	2	-	0.4	2.4
347	718	REPTILIA	CHELIDAE	Side-necked Tortoises	E02034	<i>Emydura macquarii</i>	Macquarie Tortoise		V	1992	120	21	17.50	10	2	NT	2	-	0.4	2.4
349	725	REPTILIA	AGAMIDAE	Dragon Lizards	S02209	<i>Amphibolurus norrisi</i>	Mallee Tree-dragon			1999	128	34	26.56	25	17	LC	1	0	0.3	1.3
350	729	REPTILIA	AGAMIDAE	Dragon Lizards	C02181	<i>Ctenophorus decresii</i>	Tawny Dragon			1988	648	12	1.85	1		RA	3	0	0.3	3.3
351	731	REPTILIA	AGAMIDAE	Dragon Lizards	K02185	<i>Ctenophorus fordii</i>	Mallee Dragon			2002	1575	788	50.03	152	91	LC	1	0	0.3	1.3
352	738	REPTILIA	AGAMIDAE	Dragon Lizards	W02199	<i>Ctenophorus pictus</i>	Painted Dragon			2004	2060	232	11.26	124	70	LC	1	0	0.3	1.3
353	745	REPTILIA	AGAMIDAE	Dragon Lizards	Z02195	<i>Diporiphora nobbi</i>	Nobbi Dragon			2000	167	104	62.28	64	38	LC	1	0	0.3	1.3
354	750	REPTILIA	AGAMIDAE	Dragon Lizards	K02177	<i>Pogona barbata</i>	Eastern Bearded Dragon			2004	350	32	9.14	26	16	LC	1	0	0.3	1.3
355	753	REPTILIA	AGAMIDAE	Dragon Lizards	Y02204	<i>Pogona vitticeps</i>	Central Bearded Dragon			2007	965	175	18.13	156	128	LC	1	0	0.3	1.3
356	757	REPTILIA	AGAMIDAE	Dragon Lizards	G02255	<i>Tympanocryptis lineata</i>	Five-lined Earless Dragon			2004	383	23	6.01	16	5	NT	2	0	0.3	2.3
357	760	REPTILIA	GEKKONIDAE	Typical Geckos	M02126	<i>Christinus marmoratus</i>	Marbled Gecko			2004	2858	340	11.90	112	67	LC	1	0	0.3	1.3
358	761	REPTILIA	GEKKONIDAE	Typical Geckos	S04193	<i>Gehyra lazelli</i>	Southern Rock Dtella			2003	774	14	1.81	12	4	NT	2	0	0.3	2.3
359	764	REPTILIA	GEKKONIDAE	Typical Geckos	A02092	<i>Gehyra variegata</i>	Tree Dtella			2006	2254	148	6.57	67	54	LC	1	0	0.3	1.3
360	766	REPTILIA	GEKKONIDAE	Typical Geckos	C02105	<i>Heteronotia binocoi</i>	Bynoe's Gecko			2004	2736	183	6.69	96	69	LC	1	0	0.3	1.3
361	769	REPTILIA	CARPHODACTYLIDAE	Australasian Geckos	A02112	<i>Nephurus levis</i>	Smooth Knob-tailed Gecko			2006	945	16	1.69	14	8	LC	1	0	0.3	1.3
362	770	REPTILIA	CARPHODACTYLIDAE	Australasian Geckos	U02138	<i>Nephurus milii</i>	Barking Gecko			2004	1105	74	6.70	53	28	LC	1	0	0.3	1.3
363	773	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	M04490	<i>Diplodactylus calcicolus</i>	South Coast Gecko			1991	151	8	5.30	4	4	VU	4	-	0.4	4.4
364	775	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	Z04491	<i>Diplodactylus furcosus</i>	Ranges Stone Gecko			2003	374	27	7.22	17	14	LC	1	0	0.3	1.3
365	778	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	A02076	<i>Diplodactylus tessellatus</i>	Tessellated Gecko			2004	582	77	13.23	34	25	LC	1	0	0.3	1.3
366	779	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	Q04492	<i>Diplodactylus vittatus (revised)</i>	Eastern Stone Gecko			1999	36	27	75.00	24	19	NT	2	0	0.3	2.3
367	782	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	Y02052	<i>Lucasium byrnei</i>	Pink-blotched Gecko			1992	520	5	0.96	1	1	RA	3	0	0.3	3.3
368	783	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	K02109	<i>Lucasium damaeum</i>	Beaded Gecko			2004	1473	186	12.63	94	65	LC	1	0	0.3	1.3
369	786	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	Z02119	<i>Oedura marmorata</i>	Marbled Velvet Gecko		R	2000	39	7	17.95	4	4	LC	1	0	0.3	1.3
370	787	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	S02137	<i>Rhynchoedura ornata</i>	Beaked Gecko			2003	1371	37	2.70	25	20	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score
371	790	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	Z02055	<i>Strophurus elderi</i>	Jewelled Gecko			2000	178	35	19.66	22	10	NT	2	0	0.3	2.3
372	791	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	W02059	<i>Strophurus intermedius</i>	Southern Spiny-tailed Gecko			1991	274	20	7.30	14	4	NT	2	0	0.3	2.3
373	792	REPTILIA	DIPLODACTYLIDAE	Australian Geckos	E02078	<i>Strophurus williamsi</i>	Eastern Spiny-tailed Gecko			2000	60	41	68.33	27	14	NT	2	0	0.3	2.3
374	794	REPTILIA	PYGOPODIDAE	Legless Lizards	Z02143	<i>Aprasia inaurita</i>	Red-tailed Worm-lizard			2000	114	24	21.05	21	15	NT	2	0	0.3	2.3
375	796	REPTILIA	PYGOPODIDAE	Legless Lizards	M02150	<i>Aprasia striolata</i>	Lined Worm-lizard			2000	445	11	2.47	9	4	NT	2	0	0.3	2.3
376	797	REPTILIA	PYGOPODIDAE	Legless Lizards	U02154	<i>Delma australis</i>	Barred Snake-lizard			2002	459	71	15.47	55	36	LC	1	0	0.3	1.3
377	799	REPTILIA	PYGOPODIDAE	Legless Lizards	W04259	<i>Delma butleri</i>	Spinifex Snake-lizard			2000	262	41	15.65	28	19	LC	1	0	0.3	1.3
378	802	REPTILIA	PYGOPODIDAE	Legless Lizards	Q02160	<i>Delma inornata</i>	Olive Snake-lizard			1994	58	7	12.07	7	1	RA	3	-	0.4	3.4
379	803	REPTILIA	PYGOPODIDAE	Legless Lizards	S02161	<i>Delma molleni</i>	Adelaide Snake-lizard			1991	261	3	1.15	3	2	RA	3	0	0.3	3.3
381	807	REPTILIA	PYGOPODIDAE	Legless Lizards	U02170	<i>Lialis burtonis</i>	Burton's Legless Lizard			2000	278	46	16.55	34	18	LC	1	0	0.3	1.3
382	809	REPTILIA	PYGOPODIDAE	Legless Lizards	E02174	<i>Pygopus lepidopus</i>	Common Scaly-foot			2002	254	16	6.30	14	10	NT	2	0	0.3	2.3
383	811	REPTILIA	PYGOPODIDAE	Legless Lizards	Q04044	<i>Pygopus schraderi</i>	Hooded Scaly-foot			1997	36	1	2.78	1	1	RA	3	0	0.3	3.3
384	812	REPTILIA	SCINCIDAE	Skinks	U02682	<i>Bassiana duperreyi</i>	Eastern Three-lined Skink			1993	674	5	0.74	3	2	RA	3	0	0.3	3.3
385	815	REPTILIA	SCINCIDAE	Skinks	G04323	<i>Cryptoblepharus australis</i>	Desert Wall Skink			1997	360	9	2.50	7	7	NT	2	0	0.3	2.3
386	817	REPTILIA	SCINCIDAE	Skinks	Q04328	<i>Cryptoblepharus pannosus</i>	Speckled Wall Skink			2004	193	90	46.63	60	39	LC	1	0	0.3	1.3
387	821	REPTILIA	SCINCIDAE	Skinks	A02340	<i>Ctenotus atlas</i>	Southern Spinifex Ctenotus			2000	395	75	18.99	27	16	NT	2	0	0.3	2.3
388	822	REPTILIA	SCINCIDAE	Skinks	E02342	<i>Ctenotus brachyonyx</i>	Brown Ctenotus			2000	130	50	38.46	25	12	LC	1	0	0.3	1.3
389	833	REPTILIA	SCINCIDAE	Skinks	Q04108	<i>Ctenotus olympicus</i>	Saltbush Ctenotus			2003	568	11	1.94	5	5	RA	3	0	0.3	3.3
390	834	REPTILIA	SCINCIDAE	Skinks	A04188	<i>Ctenotus orientalis</i>	Spotted Ctenotus			2002	618	107	17.31	66	46	NT	2	0	0.3	2.3
391	838	REPTILIA	SCINCIDAE	Skinks	U02374	<i>Ctenotus regius</i>	Eastern Desert Ctenotus			2004	1733	132	7.62	65	47	LC	1	0	0.3	1.3
392	839	REPTILIA	SCINCIDAE	Skinks	W02375	<i>Ctenotus robustus</i>	Eastern Striped Skink			2002	1029	69	6.71	42	36	NT	2	0	0.3	2.3
393	841	REPTILIA	SCINCIDAE	Skinks	G02379	<i>Ctenotus schomburgkii</i>	Sandplain Ctenotus			2003	1563	173	11.07	61	45	NT	2	0	0.3	2.3
394	843	REPTILIA	SCINCIDAE	Skinks	A02384	<i>Ctenotus strauchii</i>	Short-legged Ctenotus			1990	505	2	0.40	2	2	RA	3	0	0.3	3.3
395	844	REPTILIA	SCINCIDAE	Skinks	C04189	<i>Ctenotus taeniatus</i>	Eyrean Ctenotus			2002	1200	44	3.67	20	11	NT	2	0	0.3	2.3
396	845	REPTILIA	SCINCIDAE	Skinks	K02573	<i>Cyclodomorphus melanops</i>	Spinifex Slender Bluetongue			1997	296	5	1.69	5	2	LC	1	0	0.3	1.3
398	850	REPTILIA	SCINCIDAE	Skinks	S02429	<i>Egernia striolata</i>	Eastern Tree Skink			2004	443	176	39.73	83	58	NT	2	0	0.3	2.3
399	852	REPTILIA	SCINCIDAE	Skinks	U02438	<i>Eremiascincus richardsonii</i>	Broad-banded Sandswimmer			2003	519	36	6.94	20	13	LC	1	0	0.3	1.3
400	854	REPTILIA	SCINCIDAE	Skinks	K02557	<i>Eulamprus quoyii</i>	Eastern Water Skink			2004	92	47	51.09	32	22	NT	2	0	0.3	2.3
402	856	REPTILIA	SCINCIDAE	Skinks	K02441	<i>Hemiergis decresiensis</i>	Three-toed Earless Skink			2000	1299	11	0.85	10	3	LC	1	0	0.3	1.3
403	858	REPTILIA	SCINCIDAE	Skinks	S02445	<i>Hemiergis millewae</i>	Rusty Earless Skink			2000	291	49	16.84	23	12	LC	1	0	0.3	1.3
404	859	REPTILIA	SCINCIDAE	Skinks	U02446	<i>Hemiergis peronii</i>	Four-toed Earless Skink			2000	2425	66	2.72	32	15	NT	2	0	0.3	2.3
405	860	REPTILIA	SCINCIDAE	Skinks	M02450	<i>Lampropholis delicata</i>	Delicate Skink			1997	215	19	8.84	11	10	NT	2	0	0.3	2.3
406	861	REPTILIA	SCINCIDAE	Skinks	Z02451	<i>Lampropholis guichenoti</i>	Garden Skink			1998	2600	5	0.19	4	2	RA	3	0	0.3	3.3
407	862	REPTILIA	SCINCIDAE	Skinks	Q02524	<i>Lerista aenticeps</i>	Yellow-tailed Slider			2000	73	5	6.85	4	4	LC	1	0	0.3	1.3
409	866	REPTILIA	SCINCIDAE	Skinks	G02475	<i>Lerista bougainvillii</i>	Bougainville's Skink			2002	1175	108	9.19	69	52	NT	2	0	0.3	2.3
410	869	REPTILIA	SCINCIDAE	Skinks	E02482	<i>Lerista dorsalis</i>	Southern Four-toed Slider			2007	781	40	5.12	25	16	NT	2	0	0.3	2.3
411	872	REPTILIA	SCINCIDAE	Skinks	Z02487	<i>Lerista labialis</i>	Eastern Two-toed Slider			1992	1271	3	0.24	2	2	RA	3	0	0.3	3.3
412	874	REPTILIA	SCINCIDAE	Skinks	W02499	<i>Lerista punctatovittata</i>	Spotted Slider			2004	315	151	47.94	94	60	LC	1	0	0.3	1.3
413	878	REPTILIA	SCINCIDAE	Skinks	K04421	<i>Lerista timida</i>	Dwarf Three-toed Slider			2004	680	64	9.41	33	23	LC	1	0	0.3	1.3
414	879	REPTILIA	SCINCIDAE	Skinks	C02413	<i>Liopholis inornata</i>	Desert Skink			2000	719	44	6.12	38	13	LC	1	0	0.3	1.3
415	887	REPTILIA	SCINCIDAE	Skinks	W02519	<i>Menetia greyii</i>	Dwarf Skink			2004	2817	300	10.65	157	118	LC	1	0	0.3	1.3
416	888	REPTILIA	SCINCIDAE	Skinks	S02525	<i>Morethia adelaidensis</i>	Adelaide Snake-eye			2004	982	16	1.66	10	5	NT	2	0	0.3	2.3
417	889	REPTILIA	SCINCIDAE	Skinks	U02526	<i>Morethia boulengeri</i>	Common Snake-eye			2004	2036	614	30.16	184	146	LC	1	0	0.3	1.3
418	891	REPTILIA	SCINCIDAE	Skinks	C02529	<i>Morethia obscura</i>	Mallee Snake-eye			2004	1522	299	19.65	150	115	LC	1	0	0.3	1.3
419	904	REPTILIA	SCINCIDAE	Skinks	W02579	<i>Tiliqua occipitalis</i>	Western Bluetongue			1997	240	21	8.75	17	10	LC	1	0	0.3	1.3
420	905	REPTILIA	SCINCIDAE	Skinks	Z02583	<i>Tiliqua rugosa</i>	Sleepy Lizard			2004	2612	498	19.07	304	278	LC	1	0	0.3	1.3
421	906	REPTILIA	SCINCIDAE	Skinks	Y02580	<i>Tiliqua scincoides</i>	Eastern Bluetongue			1997	259	12	4.63	12	10	NT	2	0	0.3	2.3
422	911	REPTILIA	VARANIDAE	Goannas	G02271	<i>Varanus gouldii</i>	Sand Goanna			2009	906	152	16.78	134	109	LC	1	0	0.3	1.3
423	912	REPTILIA	VARANIDAE	Goannas	W02287	<i>Varanus rosenbergi</i>	Heath Goanna	V		2000	300	1	0.33	1	1	RA	3	-	0.4	3.4
424	914	REPTILIA	VARANIDAE	Goannas	Z02283	<i>Varanus varius</i>	Lace Monitor	R		2004	51	25	49.02	22	18	NT	2	0	0.3	2.3
425	915	REPTILIA	TYPHLOPIDAE	Blind Snakes	C04365	<i>Ramphotyphlops bicolor</i>	Southern Blind Snake			2001	189	53	28.04	45	23	LC	1	0	0.3	1.3
426	916	REPTILIA	TYPHLOPIDAE	Blind Snakes	A02588	<i>Ramphotyphlops bitubercolatus</i>	Rough-nosed Blind Snake			2007	236	43	18.22	31	19	LC	1	0	0.3	1.3
427	922	REPTILIA	BOIDAE	Boas and Pythons	C02625	<i>Morelia spilota</i>	Carpet Python		R	2008	271	215	79.34	155	117	RA	3	-	0.4	3.4
428	927	REPTILIA	ELAPIDAE	Elapid Snakes	W02711	<i>Brachyurophis australis</i>	Coral Snake			2000	26	16	61.54	13	4	NT	2	-	0.4	2.4
429	930	REPTILIA	ELAPIDAE	Elapid Snakes	Z02655	<i>Demansia psammophis</i>	Yellow-faced Whipsnake			1996	106	16	15.09	13	5	DD	0	DD	0	0.0
430	934	REPTILIA	ELAPIDAE	Elapid Snakes	U02666	<i>Drysdalia mastersii</i>	Master's Snake			2002	98	7	7.14	7	3	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMNAME	NSX CODE	SPECIES	COMMON NAME	EPBCACTSTATUSCODE	NPWACTSTATUSCODE	LASTOBSERVED_in_ML	TOTAL_in_SA	TOTAL_in_ML	%_ML_REGIONS	AofO_in_ML_All_km2	AofO_in_ML_Recent_km2	MURRAYLANDS Regional Status	MURRAYLANDS Regional Status Score	MURRAYLANDS Regional Trend	MURRAYLANDS Regional Trend Score	MURRAYLANDS Regional Status+Trend Score
431	935	REPTILIA	ELAPIDAE	Elapid Snakes	W02667	<i>Echiopsis curta</i>	Bardick		R	1998	31	8	25.81	8	3	VU	4	-	0.4	4.4
432	940	REPTILIA	ELAPIDAE	Elapid Snakes	S04441	<i>Notechis scutatus</i>	Eastern Tiger Snake	ssp		2004	686	19	2.77	13	7	VU	4	-	0.4	4.4
433	944	REPTILIA	ELAPIDAE	Elapid Snakes	Y02724	<i>Parasuta nigriceps</i>	Mitchell's Short-tailed Snake			2002	119	37	31.09	32	16	LC	1	0	0.3	1.3
434	945	REPTILIA	ELAPIDAE	Elapid Snakes	K02813	<i>Parasuta specabilis</i>	Mallee Black-headed Snake			2002	187	7	3.74	6	3	NT	2	0	0.3	2.3
435	946	REPTILIA	ELAPIDAE	Elapid Snakes	U02690	<i>Pseudechis australis</i>	Mulga Snake			2006	272	9	3.31	8	6	NT	2	0	0.3	2.3
436	947	REPTILIA	ELAPIDAE	Elapid Snakes	C02693	<i>Pseudechis porphyriacus</i>	Red-bellied Black Snake			2004	102	9	8.82	7	3	VU	4	-	0.4	4.4
437	949	REPTILIA	ELAPIDAE	Elapid Snakes	S04425	<i>Pseudonaja aspidorhyncha</i>	Patch-nosed Brown Snake			1984	45	2	4.44	2		NT	2	0	0.3	2.3
438	953	REPTILIA	ELAPIDAE	Elapid Snakes	K02697	<i>Pseudonaja modesta</i>	Five-ringed Snake			2006	200	17	8.50	15	6	NT	2	0	0.3	2.3
439	954	REPTILIA	ELAPIDAE	Elapid Snakes	Z02699	<i>Pseudonaja textilis</i>	Eastern Brown Snake			2004	621	122	19.65	94	65	LC	1	0	0.3	1.3
440	957	REPTILIA	ELAPIDAE	Elapid Snakes	E02722	<i>Suta suta</i>	Curl Snake			2007	580	6	1.03	5	3	LC	1	0	0.3	1.3
441	958	REPTILIA	ELAPIDAE	Elapid Snakes	M02734	<i>Vermicella annulata</i>	Common Bandy Bandy		R	2006	13	7	53.85	7	3	LC	1	0	0.3	1.3
442	963	AMPHIBIA	HYLIDAE	Tree Frogs	U03182	<i>Litoria ewingii</i>	Brown Tree Frog			2005	3512	207	5.89	73	71	NT	2	0	0.3	2.3
443	965	AMPHIBIA	HYLIDAE	Tree Frogs	A03204	<i>Litoria peronii</i>	Peron's Tree Frog			2005	323	309	95.67	153	133	NT	2	0	0.3	2.3
444	966	AMPHIBIA	HYLIDAE	Tree Frogs	G03207	<i>Litoria raniformis</i>	Southern Bell Frog		VU	2005	314	176	56.05	101	88	NT	2	-	0.4	2.4
445	969	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	W03131	<i>Crinia parinsignifera</i>	Murray Valley Froglet			2005	312	309	99.04	108	97	NT	2	0	0.3	2.3
446	971	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	E03134	<i>Crinia signifera</i>	Common Froglet			2005	10097	443	4.39	133	127	NT	2	0	0.3	2.3
447	973	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	M03058	<i>Limnodynastes dumerilii</i>	Banjo Frog			2005	3730	677	18.15	237	213	NT	2	0	0.3	2.3
448	974	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	Z03059	<i>Limnodynastes fletcheri</i>	Long-thumbed Frog			2005	106	84	79.25	54	43	NT	2	-	0.4	2.4
449	975	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03061	<i>Limnodynastes peronii</i>	Striped Marsh Frog			2005	504	7	1.39	6	6	RA	3	0	0.3	3.3
450	976	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	G03063	<i>Limnodynastes tasmaniensis</i>	Spotted Marsh Frog			2005	4799	685	14.27	238	217	LC	1	0	0.3	1.3
451	978	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	S03085	<i>Neobatrachus pictus</i>	Burrowing frog			2004	900	100	11.11	46	36	LC	1	0	0.3	1.3
452	979	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	U03086	<i>Neobatrachus sudelli</i>	Sudell's Frog			2005	205	51	24.88	28	17	LC	1	0	0.3	1.3
453	982	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03117	<i>Pseudophryne bibronii</i>	Brown Toadlet		R	1994	399	4	1.00	4	2	RA	3	-	0.4	3.4
455	986	CEPHALASPIDOMORPHA	GEOTRIIDAE	Lampreys	S09801	<i>Geotria australis</i>	Pouched Lamprey			1932	21	1	4.76	1		CR	6	--	0.5	6.5
456	987	CEPHALASPIDOMORPHA	MORDACIIDAE	Lampreys	U09802	<i>Mordacia mordax</i>	Short-headed Lamprey			2004	35	12	34.29	8	1	CR	6	--	0.5	6.5
457	988	OSTEICHTHYES	ANGUILLIDAE	Freshwater Eels	W09803	<i>Anguilla australis australis</i>	Short-finned Eel			2003	44	7	15.91	7	3	CR	6	--	0.5	6.5
458	989	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	A09804	<i>Atherinosoma microstoma</i>	Smallmouth Hardyhead			2007	280	10	3.57	10	8	VU	4	--	0.5	4.5
459	992	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	U04290	<i>Craterocephalus fluviatilis</i>	Murray Hardyhead		VU	2007	66	25	37.88	19	11	CR	6	--	0.5	6.5
460	995	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	S04397	<i>Craterocephalus stercusmuscarum fulvus</i>	Unspecked Hardyhead			2007	221	165	74.66	128	114	LC	1	+	0.2	1.2
461	996	OSTEICHTHYES	MELANOTAENIDAE	Rainbow Fishes	Y09808	<i>Melanotaenia fluviatilis</i>	Murray Rainbow Fish			2007	164	135	82.32	109	91	LC	1	0	0.3	1.3
462	1000	OSTEICHTHYES	CLUPEIDAE	Bony Bream, Herrings, Pilchards and Sprats	A09812	<i>Nematalosa erebi</i>	Bony Herring			2007	392	200	51.02	165	140	LC	1	0	0.3	1.3
463	1004	OSTEICHTHYES	AMBASSIDAE	Chanda Perches and Allies	Y09816	<i>Ambassis agassizii</i>	Agassiz's Glassfish			1983	11	8	72.73	8		CR	6	0	0.3	6.3
464	1006	OSTEICHTHYES	BOVICHTHYIDAE	Temperate Icefishes	K09817	<i>Pseudaphritis urvillii</i>	Congolli			2006	216	22	10.19	10	4	CR	6	--	0.5	6.5
465	1011	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	C09821	<i>Mogurnda adspersa</i>	Southern Purple-Spotted Gudgeon			2007	28	22	78.57	9	3	CR	6	--	0.5	6.5
467	1016	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	Y09824	<i>Philypnodon grandiceps</i>	Flathead Gudgeon			2007	620	180	29.03	127	106	LC	1	0	0.3	1.3
468	1017	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	K09825	<i>Philypnodon macrostomus</i>	Dwarf Flathead Gudgeon			2007	267	128	47.94	92	87	NT	2	0	0.3	2.3
469	1018	OSTEICHTHYES	GADOPSIDAE	River Blackfish	M09826	<i>Gadopsis marmoratus</i>	River Blackfish			2007	132	17	12.88	7	2	CR	6	--	0.5	6.5
470	1022	OSTEICHTHYES	GOBIIDAE	Gobies	E09830	<i>Pseudogobius olorum</i>	Western Bluespot Goby			2007	194	16	8.25	8	7	VU	4	--	0.5	4.5
471	1023	OSTEICHTHYES	GOBIIDAE	Gobies	G04411	<i>Tasmanogobius lasti</i>	Lagoon goby			2006	76	7	9.21	5	4	VU	4	--	0.5	4.5
472	1024	OSTEICHTHYES	PERCICHTHYIDAE	Pygmy Perches	G09831	<i>Nannoperca australis</i>	Southern Pigmy Perch			2007	375	8	2.13	6	4	CR	6	--	0.5	6.5
473	1025	OSTEICHTHYES	PERCICHTHYIDAE	Pygmy Perches	Y09832	<i>Nannoperca obscura</i>	Yarra Pigmy Perch		VU	2004	97	8	8.25	2	2	CR	6	--	0.5	6.5
474	1027	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	M09834	<i>Maccullochella macquariensis</i>	Trout Cod		EN	EX	1932	1	1	100.00	1		RE	7		7.0
475	1028	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	Z09835	<i>Maccullochella peelii peellii</i>	Murray Cod		VU	2004	47	40	85.11	40	36	EN	5	--	0.5	5.5
476	1029	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	K04405	<i>Macquaria ambigua ambigua</i>	Murray-Darling Golden Perch			2005	156	136	87.18	122	115	VU	4	-	0.4	4.4
477	1031	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	S09837	<i>Macquaria australasica</i>	Macquarie Perch		EX	1918	2	2	100.00	1		RE	7		7.0	
478	1032	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	U09838	<i>Macquaria colonorum</i>	Estuary Perch			2002	7	1	14.29	1	1	CR	6	--	0.5	6.5
479	1036	OSTEICHTHYES	TERAPONIIDAE	Freshwater Grunters or Terapon Perches	K09841	<i>Bidayanus bidyanus</i>	Silver Perch			2004	19	14	73.68	13	9	EN	5	-	0.4	5.4
480	1041	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	S09845	<i>Galaxias brevipinnis</i>	Climbing Galaxias			2007	124	1	0.81	1	1	CR	6	--	0.5	6.5
481	1042	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	U09846	<i>Galaxias maculatus</i>	Common Galaxias			2007	486	47	9.67	24	22	VU	4	--	0.5	4.5
482	1043	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	W09847	<i>Galaxias olidus</i>	Mountain Galaxias			2007	342	11	3.22	5	2	EN	5	--	0.5	5.5
483	1044	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	A09848	<i>Galaxias rostratus</i>	Flathead Galaxias			1900	2	1	50.00	1		RE	7		7.0	
484	1049	OSTEICHTHYES	RETROPINNIDAE	Smelt	Z09851	<i>Retropinna semoni</i>	Smelt			2007	321	176	54.83	136	109	LC	1	0	0.3	1.3
485	1058	OSTEICHTHYES	PLOTOSIDAE	Eel-tailed Catfishes	G09859	<i>Tandanus tandanus</i>	Freshwater Catfish			2007	40	24	60.00	20	12	EN	5	-	0.4	5.4

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	%South Olary Plain	UCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_km2	AofO in South Olary Plain_Recent_km2	Comments (South Olary Plain)
Platypus		0.00								
Short-beaked Echidna	27	2.17	LC	LC	1	0	0.3	23	20	Need some scrub; fire may be threat; good habitat here; lots of digging/scats records
Spotted-tailed Quoll (Tiger Quoll)		0.00								
Southern Ningau	22	11.52	LC	LC	1	0	0.3	16	11	Drought affecting triodia - could be future problem
Giles' Planigale (Paucident Planigale)		0.00								
Fat-tailed Dunnart	24	0.85	LC	LC	1	0	0.3	9	8	Limited to depressions.
Stripe-faced Dunnart	5	0.23	RA d(i)	RA	3	0	0.3	3	3	Likes clay soils, semi arid shrublands, semi arid spp.
Common Dunnart	43	22.99	LC	LC	1	0	0.3	32	23	
Southern Hairy-nosed Wombat	4	0.40	RA d(i,ii)	RA	3	DD	0	2		Glen Shimmin: Rare, unknown trend
Common Wombat		0.00								
Common Brushtail Possum	1	0.08	DD	DD	0	DD	0	1	1	edge of habitat
Burrowing Bettong (Boodie)		0.00								
Brush-tailed Bettong		0.00								
Western Grey Kangaroo	1052	8.58	LC	LC	1	0	0.3	352	259	Common
Eastern Grey Kangaroo	1	3.45	DD	DD	0	DD	0	1	1	No data - 1 record, shot; could be on eastern side of SOP
Euro	15	0.14	LC	LC	1	0	0.3	13	13	
Red-necked Wallaby		0.00								
Red Kangaroo	700	2.48	LC	LC	1	0	0.3	250	175	
Swamp Wallaby		0.00								
Western Pygmy-possum	1	0.11	LC	LC	1	0	0.3	1	1	Restricted to the south, mallee, triodia; should be more records; numbers fluctuate
Little Pygmy-possum		0.00								
Sugar Glider		0.00								
Feathertail Glider		0.00								
Eastern Freetail-Bat		0.00								
White-striped Freetail-bat	15	2.27	LC	LC	1	DD	0	9	5	
Lesser Long-eared Bat	86	4.57	LC	LC	1	0	0.3	28	23	
Greater Long-eared Bat	32	20.78	LC	LC	1	0	0.3	15	8	Healthy habitat/population; no great fires; no evidence of decline; no Anabat records; roost in black oak & mallee
Gould's Wattled Bat	204	7.26	LC	LC	1	0	0.3	33	22	
Chocolate Wattled Bat	2	0.39	DD	DD	0	DD	0	2	2	Should be more records; not usual habitat; edge of range; known from Gluepot
Little Pied Bat	12	80.00	LC	LC	1	0	0.3	7	2	Should be more records; regularly caught at Dangalli
Southern Myotis		0.00								
Inland Broad-nosed Bat	22	10.05	LC	LC	1	0	0.3	12	10	
Inland Forest Bat	108	24.22	LC	LC	1	0	0.3	24	19	
Large Forest Bat	1	1.30						1		Vagrant
Southern Forest Bat	6	1.39	RA d(ii)	RA	3	DD	0	3	2	Should be more records
Little Forest Bat		0.00								
Inland Free-tail Bat (little dick)		0.00	LC	LC	1	0	0.3			no records; common around Chowilla
Southern Free-tail Bat (Big Dick)		0.00								
Dingo	1	0.09						1		Peter Bird: transient/vagrant in SOP - lots of dingoes to the north
Water-rat		0.00								
Mitchell's Hopping-mouse		0.00								
Silky Mouse		0.00								
Bolam's Mouse	69	12.13	LC	LC	1	0	0.3	40	27	
Swamp Rat		0.00								
Emu	491	6.16	LC	LC	1	0	0.3	323	284	
Malleefowl	1984	28.36	EN A2b; C1	EN	5	--	0.5	176	174	
Stubble Quail	6	0.41	DD	DD	0	DD	0	4	3	DD or LC? Rely on stubble so presume ok, but very little information on distribution and/or ecology (PC) - agreement
Brown Quail	1	0.60						1	1	vagrant (PC - agree)
Chestnut Teal	7	0.18	RA c(iii)	RA	3	DD	0	7	7	rare visitor
Grey Teal	90	0.94	LC	LC	1	0	0.3	60	59	regular visitor
Australasian Shoveler	4	0.18	RA c(iii)	RA	3	0	0.3	4	4	
Hardhead	14	0.40	RA c(iii)	RA	3	DD	0	13	12	
Musk Duck		0.00								
Cape Barren Goose		0.00								

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	% South Olary Plain	IUCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_k.m2	AofO in South Olary Plain_Recent_k.m2	Comments (South Olary Plain)
Australian Wood Duck	74	1.10	LC	LC	1	+	0.2	50	48	
Black Swan	6	0.08						6	6	vagrant
Pink-eared Duck	10	0.85	LC	LC	1	0	0.3	8	8	irregular visitor
Blue-billed Duck		0.00								
Freckled Duck	1	0.15						1		vagrant
Australian Shelduck	5	0.11						5	5	vagrant
Great Crested Grebe		0.00								
Hoary-headed Grebe	23	0.47	RA c(ii)	RA	3	0	0.3	18	18	breed on dams
Australasian Grebe	132	3.11	LC	LC	1	0	0.3	75	74	
Diamond Dove		0.00								
Peaceful Dove	27	0.61	RA c(i) - NT	NT	2	DD	0	22	22	patchy, alternatively outflow from river
Crested Pigeon	311	1.44	LC	LC	1	0	0.3	173	168	
Common Bronzewing	678	8.37	LC	LC	1	0	0.3	344	339	hesitant stable throughout
Brush Bronzewing		0.00								
Tawny Frogmouth	35	3.02	LC	LC	1	DD	0	28	26	agreement on status LC; DD trend
Spotted Nightjar	64	13.01	NT	NT	2	DD	0	49	46	concern in grazed areas (PC); loss of leaf litter - NT - highlights need to spatially explicit (variation within subregion)
Australian Owllet-nightjar	157	9.77	LC	LC	1	0	0.3	98	96	DD - stable (GC, KS) data deficient (PC)
Fork-tailed Swift	3	0.89	RA b	RA	3	-	0.4	3	2	frequency of visits less now than historic (GC)? Rare b. probable decline
White-throated Needletail	1	0.45						1		vagrant
Australasian Darter	8	0.60	RA c(iii)	RA	3	0	0.3	7	7	
Little Pied Cormorant	21	0.23	RA c(ii)	RA	3	0	0.3	16	16	
Great Cormorant	16	0.36	RA c(iii)	RA	3	0	0.3	14	14	
Little Black Cormorant	20	0.39	RA c(ii)	RA	3	0	0.3	15	15	
Pied Cormorant	6	0.15						4	4	vagrant
Australian Pelican	8	0.09	RA c(iii)	RA	3	0	0.3	6	6	
Great Egret	4	0.09						4	4	vagrant
Cattle Egret		0.00								
Intermediate Egret	1	0.60						1	1	vagrant
White-necked Heron	20	2.26	RA c(iii)	RA	3	DD	0	16	15	numbers fluctuate
Australasian Bittern		0.00								
Little Egret		0.00								
White-faced Heron	43	0.40	RA c(ii)	RA	3	-	0.4	28	27	
Australian Little Bittern	4	10.00						4	4	vagrant
Nankeen Night-Heron	3	0.42	RA c(iii)	RA	3	DD	0	3	3	
Yellow-billed Spoonbill	6	0.32	RA c(iii)	RA	3	-	0.4	5	5	
Royal Spoonbill		0.00								
Glossy Ibis		0.00								
Australian White Ibis	3	0.05						3	3	vagrant
Straw-necked Ibis	2	0.07						2	2	vagrant
Collared Sparrowhawk	78	4.56	LC	LC	1	0	0.3	49	49	agreement on status; stable (GC)
Brown Goshawk	67	2.71	LC	LC	1	0	0.3	53	52	agreement on status; stable (GC)
Wedge-tailed Eagle	118	1.68	LC	LC	1	0	0.3	87	85	strong agreement for LC across region
Swamp Harrier	2	0.10	RA c(iii) - NT	NT	2	0	0.3	2	2	irregular visitor in response to episodic rainfall (wet lignum swamps) - linked to river populations
Spotted Harrier	3	0.31	RA c(ii) - NT	NT	2	0	0.3	3	3	agreement on trend and status
Black-shouldered Kite	8	0.17	RA c(ii) - NT	NT	2	--	0.5	6	5	agreement on trend and status; definite decline; historic increase however
Letter-winged Kite		0.00								
White-bellied Sea-Eagle	3	0.54						2	2	vagrant
Whistling Kite	33	0.81	RA c(ii) - NT	NT	2	0	0.3	29	28	irregular visitor in response to episodic rainfall (wet lignum swamps) - linked to river populations
Little Eagle	27	2.32	VU D1	VU	4	-	0.4	27	27	
Square-tailed Kite		0.00								
Black Kite	20	0.59	LC	LC	1	+	0.2	20	20	
Eastern Osprey		0.00								
Brown Falcon	88	1.56	LC	LC	1	0	0.3	73	71	LC across the board - agreement
Nankeen Kestrel	142	1.46	LC	LC	1	0	0.3	107	104	LC across the board - agreement
Grey Falcon	4	3.25	RA c(iii)	RA	3	-	0.4	3	2	AB - rareC3 - probably declining based on continental scale population

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	South Olary Plain Records	%South Olary Plain IUCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_km2	AofO in South Olary Plain_Recent_km2	Comments (South Olary Plain)
Australian Hobby	31	1.55 LC	LC	1	0	0.3	28	28	
Peregrine Falcon	27	2.27 RA c(i)	RA	3	0	0.3	25	24	agreement - some question over residency
Black Falcon	1	0.16					1	1	vagrant
Brolga		0.00							
Eurasian Coot	11	0.16 RA c(iii)	RA	3	DD	0	10	10	
Dusky Moorhen	2	0.05					2	2	vagrant
Buff-banded Rail	1	0.32					1	1	vagrant
Lewin's Rail		0.00							
Purple Swampphen	3	0.07					3	3	vagrant
Australian Spotted Crane	2	0.25 RA c(iii)	RA	3	DD	0	2	2	
Baillon's Crane		0.00							
Spotless Crane		0.00							
Black-tailed Native-hen	27	0.72 LC	LC	1	0	0.3	23	23	Numbers fluctuate
Australian Bustard	3	0.85 CR C1	CR	6	-	0.4	3	2	based on fact that there were historic resident populations, but now rare irregular visitors from northern populations
Bush Stone-curlew	1	0.35 CR C1	CR	6	-	0.4	1	1	
Banded Stilt	2	0.12					2	2	vagrant
Black-winged Stilt	1	0.02					1	1	vagrant
Red-necked Avocet	3	0.13 RA c(iii)	RA	3	DD	0	3	3	irregular visitor
Double-banded Plover		0.00							
Red-capped Plover		0.00							
Black-fronted Dotterel	33	0.97 RA c(i)	RA	3	DD	0	22	22	resident, breeds in SOP
Red-kneed Dotterel	12	0.62 RA c(iii)	RA	3	DD	0	11	11	breed in SOP, eruptive species
Masked Lapwing	24	0.21 LC	LC	1	+	0.2	17	14	LC across the board - agreement
Banded Lapwing	22	1.66 LC	LC	1	-	0.4	21	19	
Plains-wanderer		0.00							
Australian Painted Snipe		0.00							
Common Sandpiper		0.00							
Sharp-tailed Sandpiper	3	0.09 RA c(ii)	RA	3	-	0.4	3	3	regular visitor
Curlew Sandpiper		0.00							
Red-necked Stint		0.00							
Latham's Snipe		0.00							
Wood Sandpiper		0.00							
Common Greenshank	1	0.02					1	1	vagrant
Marsh Sandpiper		0.00							
Painted Button-quail		0.00							data deficiency - potentially here but no recs
Little Button-quail	22	3.06 LC	LC	1	0	0.3	20	19	LC across the board - agreement, but data deficiency
Australian Pratincole	1	0.25 RA c(iii)	RA	3	0	0.3	1	1	agreement
Whiskered Tern	1	0.03					1	1	vagrant
Silver Gull	2	0.01					2	2	vagrant
Gull-billed Tern		0.00							
Caspian Tern	5	0.10					5	5	vagrant
Fairy Tern		0.00							
Crested Tern		0.00							
Sulphur-crested Cockatoo	3	0.08 LC	LC	1	0	0.3	3	2	edge of range
Little Corella	10	0.18 LC	LC	1	+	0.2	10	9	agreement on LC - increasing - invader
Long-billed Corella		0.00							
Red-tailed Black Cockatoo (south-east subs)		0.00							
Yellow-tailed Black-Cockatoo		0.00							
Galah	436	1.49 LC	LC	1	0	0.3	203	199	
Major Mitchell's Cockatoo	165	24.44 EN C1	EN	5	-	0.4	112	108	max flock size in last 20y 12-20 birds (AG, KS)
Cockatiel	39	1.92 RA c(ii)	RA	3	-	0.4	34	32	some general statements around stable (KS) - probable decline (GC); visitors
Australian Ringneck	1473	16.05 LC	LC	1	0	0.3	534	528	
Musk Lorikeet		0.00							
Purple-crowned Lorikeet	362	5.49 LC	LC	1	0	0.3	152	151	
Little Lorikeet		0.00							
Swift Parrot		0.00							

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	%South Olary Plain IUCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_k.m2	AofO in South Olary Plain_Recent_k.m2	Comments (South Olary Plain)	
Budgerigar	176	3.94	LC	LC	1	0	0.3	118	117	
Blue-winged Parrot	2	0.28	RA c(ii)	RA	3	0	0.3	2	2	regular visitor
Elegant Parrot	1	0.05						1	1	vagrant
Scarlet-chested Parrot	25	14.97	EN D	EN	5	DD	0	16	12	no evidence of trend, historic decline due to trapping
Blue Bonnet	88	4.01	LC	LC	1	0	0.3	68	65	
Crimson Rosella	10	0.06	LC	LC	1	0	0.3	7	7	edge of range; river birds
Eastern Rosella		0.00								
Regent Parrot	113	20.73	EN C1	EN	5	--	0.5	75	74	upstream of Renmark - huge declines due to almonds? (KS) real data - same population/individuals across regions
Red-rumped Parrot	29	0.31	RA c(ii)	RA	3	0	0.3	25	23	
Mulga Parrot	900	19.89	LC	LC	1	0	0.3	384	380	
Rainbow Lorikeet		0.00								
Fan-tailed Cuckoo	13	0.64	RA c(iii)	RA	3	DD	0	13	12	
Pallid Cuckoo	78	4.19	LC	LC	1	0	0.3	67	64	
Horsfield's Bronze-cuckoo	178	3.93	LC	LC	1	-	0.4	123	119	
Shining Bronze-Cuckoo		0.00								
Black-eared Cuckoo	84	13.19	NT	NT	2	0	0.3	59	57	host on redthroat
Barking Owl		0.00								
Southern Boobook	83	3.58	LC	LC	1	0	0.3	44	42	
Eastern Barn Owl	5	0.56	RA c(iii)	RA	3	DD	0	5	5	
Masked Owl		0.00								
Laughing Kookaburra	5	0.07	LC	LC	1	0	0.3	5	5	edge of range
Red-backed Kingfisher	37	2.79	RA c(iii)	RA	3	0	0.3	33	32	
Sacred Kingfisher	19	0.93	RA c(ii)	RA	3	0	0.3	16	15	
Rainbow Bee-eater	481	13.33	LC	LC	1	0	0.3	281	278	
White-browed Treecreeper	251	60.92	RA c(i)	RA	3	DD	0	111	110	stronghold - habitat specific
Brown Treecreeper	484	10.11	LC	LC	1	0	0.3	212	207	
White-throated Treecreeper		0.00								
Striated Grasswren	574	79.83	VU C1	VU	4	-	0.4	276	272	question over evidence of broad decline based on ex-grazing land being put under conservation tenure
Superb Fairy-wren		0.00								
Variegated Fairy-wren	583	8.62	LC	LC	1	0	0.3	329	325	
White-winged Fairy-wren	28	0.48	LC	LC	1	0	0.3	23	21	debate around whether they are increasing with increase in bluebush (PC) vs declining (KS)
Splendid Fairy-wren	362	18.34	LC	LC	1	0	0.3	163	159	
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00								
Mallee Emu-wren		0.00								
Inland Thornbill	255	5.80	LC	LC	1	0	0.3	156	152	agreement
Yellow-rumped Thornbill	147	1.51	LC	LC	1	0	0.3	101	98	
Slender-billed Thornbill		0.00								
Striated Thornbill		0.00								
Yellow Thornbill	61	2.51	DD	DD	0	DD	0	50	50	DD - possibly not common in SOP, could be yellow rumped
Brown Thornbill		0.00								
Buff-rumped Thornbill		0.00								
Chestnut-rumped Thornbill	1485	27.19	LC	LC	1	0	0.3	540	536	
Southern Whiteface	431	8.07	LC	LC	1	0	0.3	183	178	
Rufous Fieldwren	2	0.21	DD	DD	0	DD	0	2	2	DD - possibly not in SOP
White-throated Gerygone		0.00								
Western Gerygone		0.00								
Shy Heathwren (Shy Hylacola)	270	20.85	RA c(i)	RA	3	DD	0	179	177	grazed areas concern; non-grazed not so much
Chestnut-rumped Heathwren		0.00								
Redthroat	33	3.07	RA c(i)	RA	3	0	0.3	27	27	in response to recovery of Dodonea postgrazing and bluebush increasing
White-browed Scrubwren		0.00								
Weebill	2575	20.41	LC	LC	1	0	0.3	753	748	
Spotted Pardalote	1964	23.82	LC	LC	1	0	0.3	566	563	
Striated Pardalote	1795	10.82	LC	LC	1	0	0.3	580	577	
Spiny-cheeked Honeyeater	2387	16.02	LC	LC	1	0	0.3	754	751	
Eastern Spinebill		0.00								
Red Wattlebird	1458	6.14	LC	LC	1	0	0.3	401	397	

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	% South Olary Plain	IUCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All.km2	AofO in South Olary Plain_Recent.km2	Comments (South Olary Plain)
Little Wattlebird		0.00								
Pied Honeyeater	58	6.76	RA c(iii)	RA	3	0	0.3	37	35	
Blue-faced Honeyeater	3	1.83						3	3	vagrant
White-fronted Chat	78	1.76	LC	LC	1	0	0.3	57	53	
Orange Chat	28	1.77	RA c(ii)	RA	3	0	0.3	18	17	numbers fluctuate widely across the region
Crimson Chat	32	1.74	LC	LC	1	DD	0	21	21	numbers fluctuate widely across the region
Tawny-crowned Honeyeater	6	0.37	RA c(iii)	RA	3	DD	0	5	5	
Yellow-faced Honeyeater		0.00								
Purple-gaped Honeyeater	19	1.41	RA c(i)	RA	3	DD	0	17	17	
White-eared Honeyeater	1061	25.53	LC	LC	1	0	0.3	456	452	
Yellow-plumed Honeyeater	3978	56.12	LC	LC	1	0	0.3	929	925	
White-plumed Honeyeater	118	0.72	RA c(iii)	RA	3	DD	0	72	72	
Grey-fronted Honeyeater	95	7.17	DD	DD	0	DD	0	53	50	
Singing Honeyeater	295	1.66	LC	LC	1	0	0.3	147	143	
Yellow-throated Miner	752	9.29	LC	LC	1	0	0.3	368	362	
Noisy Miner	9	0.15	DD	DD	0	DD	0	9	8	
Black-eared Miner	346	95.84	EN C1	EN	5	--	0.5	201	199	good data for that - 62% decline (PC)
Brown-headed Honeyeater	792	13.89	LC	LC	1	0	0.3	354	350	
Black-chinned Honeyeater		0.00								
White-naped Honeyeater		0.00								
Little Friarbird	4	1.95						4	3	vagrant
New Holland Honeyeater		0.00								
Striped Honeyeater	554	56.30	NT	NT	2	DD	0	314	312	
White-fronted Honeyeater	1995	38.84	LC	LC	1	0	0.3	600	597	
Black Honeyeater	32	11.43	RA c(iii)	RA	3	DD	0	29	26	
Chestnut-crowned Babbler	607	34.85	LC	LC	1	0	0.3	254	249	
White-browed Babbler	1137	10.62	LC	LC	1	0	0.3	470	465	
Grey-crowned Babbler		0.00								
Chestnut Quail-thrush	975	56.82	LC	LC	1	0	0.3	416	412	
Chirruping Wedgebill		0.00								
Western Whipbird (Eastern subspecies)		0.00								
Varied Sittella	234	9.16	LC	LC	1	0	0.3	140	139	holding their own
Ground Cuckoo-shrike	7	1.93	RA c(iii)	RA	3	-	0.4	5	4	stronghold semi-arid and arid woodlands
Black-faced Cuckoo-shrike	521	4.97	LC	LC	1	0	0.3	276	272	
White-bellied Cuckoo-shrike	1	0.70						1	1	vagrant
White-winged Triller	141	6.58	NT	NT	2	-	0.4	97	96	debate around NT (GC) vs LC (AB)
Grey Shrike-thrush	2190	10.55	LC	LC	1	0	0.3	739	734	
Crested Shrike-tit	1	0.10						1	1	vagrant
Crested Bellbird	1969	34.71	LC	LC	1	0	0.3	713	709	
Gilbert's Whistler	682	50.18	NT	NT	2	DD	0	331	330	
Golden Whistler	143	1.95	NT	NT	2	DD	0	100	99	
Rufous Whistler	525	7.67	RA c(i)	RA	3	-	0.4	258	255	
Red-lored Whistler	164	63.81	CR C1	CR	6	-	0.4	106	105	national stronghold
Olive-backed Oriole	3	3.23	RA c(iii)	RA	3	DD	0	1	1	edge of habitat
Black-faced Woodswallow	52	1.25	LC	LC	1	0	0.3	41	39	comes & goes
Dusky Woodswallow	220	4.01	LC	LC	1	0	0.3	137	135	KS sees regularly
White-breasted Woodswallow	5	0.82	RA c(iii)	RA	3	DD	0	5	4	
Masked Woodswallow	445	17.96	LC	LC	1	0	0.3	265	264	
White-browed Woodswallow	584	26.59	LC	LC	1	0	0.3	286	282	
Pied Butcherbird	57	4.84	RA c(iv)	RA	3	+	0.2	40	38	
Australian Magpie	936	2.68	LC	LC	1	0	0.3	406	400	
Grey Butcherbird	1922	22.36	LC	LC	1	0	0.3	669	664	
Grey Currawong	830	7.83	LC	LC	1	0	0.3	387	384	
Grey Fantail	142	1.19	RA c(ii)	RA	3	DD	0	66	62	not breeding here
Willie Wagtail	1069	4.07	LC	LC	1	0	0.3	403	399	

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	% South Olary Plain	UCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_km2	AofO in South Olary Plain_Recent_km2	Comments (South Olary Plain)
Little Crow	162	5.35	RA c(i)	RA	3	DD	0	101	98	
Australian Raven	1066	11.29	LC	LC	1	0	0.3	434	429	
Little Raven	72	0.39	RA c(iv)	RA	3	+	0.2	53	52	
Forest Raven		0.00								
Magpie-lark	132	0.68	RA c(i)	RA	3	0	0.3	61	58	
Restless Flycatcher	424	21.67	VU C1	VU	4	-	0.4	180	179	decline over last 20yrs (KS)
White-winged Chough	300	7.30	RA c(i)	RA	3	DD	0	172	170	
Apostlebird	156	30.83	VU C1	VU	4	-	0.4	72	71	declining due to drought recently in Gluepot (KS)
Southern Scrub-robin	559	26.26	RA c(i)	RA	3	0	0.3	200	198	limited habitat; not large numbers
Eastern Yellow Robin		0.00								
Hooded Robin	448	12.63	RA c(i)	RA	3	0	0.3	203	200	
Jacky Winter	1476	34.11	LC	LC	1	0	0.3	591	588	
Scarlet Robin		0.00								
Red-capped Robin	883	13.51	LC	LC	1	0	0.3	317	313	
Flame Robin		0.00								
Rose Robin		0.00								
Horsfield's Bushlark		0.00								
Golden-headed Cisticola		0.00								
Australian Reed-Warbler	4	0.14						4	4	vagrant
Brown Songlark	15	0.51	RA c(iii)	RA	3	DD	0	14	13	
Rufous Songlark	14	0.82	RA c(iii)	RA	3	DD	0	13	13	
Little Grassbird	3	0.11	RA c(iii)	RA	3	DD	0	3	3	
Silvereye	5	0.04						5	5	vagrant
White-backed Swallow	8	0.52	RA c(iii)	RA	3	DD	0	8	5	
Welcome Swallow	118	0.63	LC	LC	1	0	0.3	85	82	
Fairy Martin	26	1.17	RA c(iii)	RA	3	0	0.3	20	20	
Tree Martin	160	1.69	LC	LC	1	0	0.3	102	100	
Mistletoebird	134	2.35	NT	NT	2	-	0.4	93	91	
Diamond Firetail		0.00								
Zebra Finch	17	0.29	RA c(iii)	RA	3	DD	0	13	12	
Australasian Pipit	80	1.18	LC	LC	1	0	0.3	62	58	
Broad-shelled Tortoise		0.00								
Common Long-necked Tortoise		0.00								
Macquarie Tortoise		0.00								
Mallee Tree-dragon		0.00								
Tawny Dragon		0.00								
Mallee Dragon	340	21.59	LC	LC	1	0	0.3	55	39	common; likes original habitat, sandy mallee
Painted Dragon	56	2.72	LC	LC	1	0	0.3	37	27	common; sandy habitat
Nobbi Dragon	40	23.95	LC	LC	1	0	0.3	32	19	
Eastern Bearded Dragon		0.00								
Central Bearded Dragon	34	3.52	LC	LC	1	0	0.3	34	27	
Five-lined Earless Dragon	5	1.31	RA d(ii)	RA	3	0	0.3	2	1	Sensitive to disturbance; patchy distribution
Marbled Gecko	17	0.59	RA d(i,ii)	RA	3	0	0.3	3	1	climbing spp; likes bark
Southern Rock Dtella	1	0.13	RA d(i,ii)	RA	3	0	0.3	1	1	limited to rocky locations, tend to be outcompeted by gehyra variegata
Tree Dtella	72	3.19	LC	LC	1	0	0.3	35	29	
Bynoe's Gecko	59	2.16	LC	LC	1	0	0.3	35	26	
Smooth Knob-tailed Gecko	15	1.59	LC	LC	1	0	0.3	13	8	
Barking Gecko	3	0.27	RA d(ii)	RA	3	0	0.3	3	2	
South Coast Gecko		0.00								
Ranges Stone Gecko	18	4.81	LC	LC	1	0	0.3	11	11	rocky country
Tessellated Gecko	11	1.89	LC	LC	1	0	0.3	6	5	likes hard clayey soil, lives on clay pans
Eastern Stone Gecko	4	11.11	RA d(ii)	RA	3	0	0.3	4	4	edge of range
Pink-blotched Gecko	5	0.96	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range; likes hot clayey stony habitat
Beaded Gecko	104	7.06	LC	LC	1	0	0.3	62	50	confined to sandy mallee
Marbled Velvet Gecko	7	17.95	LC	LC	1	0	0.3	4	4	difficult to trap and spot, makes numbers of records low; probably more common; lives on black oaks
Beaked Gecko	33	2.41	LC	LC	1	0	0.3	24	19	habitat generalist; termite-eater

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	% South Olary Plain	UCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_k.m2	AofO in South Olary Plain_Recent_k.m2	Comments (South Olary Plain)
Jewelled Gecko	31	17.42	LC	LC	1	0	0.3	19	10	triodia specialist
Southern Spiny-tailed Gecko	3	1.09	RA d(ii)	RA	3	0	0.3	3		likes mallee with shrubby understorey
Eastern Spiny-tailed Gecko	40	66.67	LC	LC	1	0	0.3	26	14	lives on trees
Red-tailed Worm-lizard	10	8.77	LC	LC	1	0	0.3	9	9	needs sand
Lined Worm-lizard		0.00								
Barred Snake-lizard	19	4.14	LC	LC	1	0	0.3	15	11	likes mallee
Spinifex Snake-lizard	33	12.60	LC	LC	1	0	0.3	21	14	needs spinifex
Olive Snake-lizard		0.00								
Adelaide Snake-lizard		0.00								
Burton's Legless Lizard	18	6.47	LC	LC	1	0	0.3	14	9	habitat generalist
Common Scaly-foot	7	2.76	RA d(i)	RA	3	0	0.3	7	4	
Hooded Scaly-foot	1	2.78	RA d(i)	RA	3	0	0.3	1	1	hard to capture, prefers heavy stony soil, open habitat, chenopods
Eastern Three-lined Skink		0.00								
Desert Wall Skink	8	2.22	LC	LC	1	0	0.3	6	6	marginal habitat
Speckled Wall Skink	20	10.36	LC	LC	1	0	0.3	18	12	
Southern Spinifex Ctenotus	26	6.58	LC	LC	1	0	0.3	22	15	needs spinifex
Brown Ctenotus	14	10.77	LC	LC	1	0	0.3	12	6	Should be more records in region; triodia specialist
Saltbush Ctenotus	4	0.70	RA d(ii)	RA	3	0	0.3	3	3	limited habitat
Spotted Ctenotus	2	0.32	RA d(i)	RA	3	0	0.3	2	2	
Eastern Desert Ctenotus	80	4.62	LC	LC	1	0	0.3	43	33	
Eastern Striped Skink	5	0.49	RA d(ii)	RA	3	0	0.3	3	1	
Sandplain Ctenotus	138	8.83	LC	LC	1	0	0.3	48	39	likes sandy plains
Short-legged Ctenotus		0.00								
Eyrean Ctenotus	1	0.08	RA d(i,ii)	RA	3	0	0.3	1		isolated population likely
Spinifex Slender Bluetongue	5	1.69	LC	LC	1	0	0.3	5	2	triodia mallee
Eastern Tree Skink	95	21.44	LC	LC	1	0	0.3	42	30	likes black box
Broad-banded Sandswimmer	14	2.70	LC	LC	1	0	0.3	9	8	
Eastern Water Skink		0.00								
Three-toed Earless Skink		0.00								
Rusty Earless Skink		0.00								
Four-toed Earless Skink		0.00								
Delicate Skink		0.00								
Garden Skink		0.00								
Yellow-tailed Slider	5	6.85	LC	LC	1	0	0.3	4	4	soft sand mallee
Bougainville's Skink	1	0.09	RA d(i,ii)	RA	3	0	0.3	1	1	outlier
Southern Four-toed Slider	6	0.77	RA d(i,ii)	RA	3	0	0.3	5	4	patchy; generalist
Eastern Two-toed Slider	3	0.24	RA d(i,ii)	RA	3	0	0.3	2	2	southern limit of its range
Spotted Slider	52	16.51	LC	LC	1	0	0.3	37	24	generalist
Dwarf Three-toed Slider	42	6.18	LC	LC	1	0	0.3	22	18	heavy soils
Desert Skink	20	2.78	LC	LC	1	0	0.3	17	9	soft sand
Dwarf Skink	40	1.42	LC	LC	1	0	0.3	21	16	habitat generalist
Adelaide Snake-eye	2	0.21	RA d(i)	RA	3	0	0.3	2	1	patchy, should be more records; likes clayey, chenopod soils
Common Snake-eye	41	2.01	LC	LC	1	0	0.3	30	21	likes leaf litter
Mallee Snake-eye	19	1.25	LC	LC	1	0	0.3	16	15	likes sandy heathy mallee
Western Bluetongue	5	2.08	LC	LC	1	0	0.3	5	4	patchy, generalist
Sleepy Lizard	37	1.42	LC	LC	1	0	0.3	32	29	
Eastern Bluetongue		0.00								
Sand Goanna	25	2.76	LC	LC	1	0	0.3	20	17	
Heath Goanna		0.00								
Lace Monitor		0.00								
Southern Blind Snake	22	11.64	LC	LC	1	0	0.3	17	13	
Rough-nosed Blind Snake	14	5.93	LC	LC	1	0	0.3	12	9	
Carpet Python	2	0.74	RA d(i,ii)	RA	3	-	0.4	2		very patchy; rare; only amongst old growth mallee
Coral Snake	13	50.00	LC	LC	1	0	0.3	10	4	sandy, stony habitat
Yellow-faced Whipsnake	5	4.72	DD	DD	0	DD	0	4	2	very secretive; habitat generalist
Master's Snake		0.00								

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	South Olary Plain Records	% South Olary Plain	UCN Status & Criteria (Sth Olary Plain)	Regional Status (Sth Olary Plain)	Regional Status Score SOP	Trend (-, -, 0, +, ++) South Olary Plain	Trend Score SOP	AofO in South Olary Plain_All_km2	AofO in South Olary Plain_Recent_km2	Comments (South Olary Plain)
Bardick	2	6.45	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1	likes triodia mallee
Eastern Tiger Snake		0.00								
Mitchell's Short-tailed Snake	15	12.61	LC	LC	1	0	0.3	12	9	
Mallee Black-headed Snake	2	1.07	RA d(i,ii)	RA	3	0	0.3	1	1	isolated population
Mulga Snake	7	2.57	LC	LC	1	0	0.3	6	5	
Red-bellied Black Snake		0.00								
Patch-nosed Brown Snake	1	2.22	LC	LC	1	0	0.3	1		should be more records
Five-ringed Snake	16	8.00	LC	LC	1	0	0.3	14	5	
Eastern Brown Snake	2	0.32	RA d(i)	RA	3	0	0.3	2	2	
Curl Snake	3	0.52	LC	LC	1	0	0.3	3	3	
Common Bandy Bandy	3	23.08	LC	LC	1	0	0.3	3	3	seldom seen; specialist feeder
Brown Tree Frog		0.00								
Peron's Tree Frog	3	0.93	RA d(i,ii)	RA	3	0	0.3	2	2	edge of range
Southern Bell Frog	5	1.59	RA d(i,ii)	RA	3	-	0.4	3	2	declining due to Chytrid Fungus
Murray Valley Froglet	4	1.28	RA d(i,ii)	RA	3	0	0.3	3	2	
Common Froglet	1	0.01	RA d(i,ii)	RA	3	0	0.3	1	1	
Banjo Frog	5	0.13	RA d(i,ii)	RA	3	0	0.3	5	3	edge of range
Long-thumbed Frog	1	0.94	RA d(i,ii)	RA	3	0	0.3	1	1	
Striped Marsh Frog		0.00								
Spotted Marsh Frog	27	0.56	LC	LC	1	0	0.3	17	12	adaptable spp.
Burrowing frog	19	2.11	LC	LC	1	0	0.3	6	6	doesn't need river
Sudell's Frog	20	9.76	LC	LC	1	0	0.3	13	8	doesn't need river
Brown Toadlet		0.00								
Pouched Lamprey		0.00								
Short-headed Lamprey		0.00								
Short-finned Eel	0	0.00								
Smallmouth Hardyhead	0	0.00								
Murray Hardyhead	0	0.00								
Unspecked Hardyhead		0.00								
Murray Rainbow Fish		0.00								
Bony Herring		0.00								
Agassiz's Glassfish	0	0.00								
Congolli	0	0.00								
Southern Purple-Spotted Gudgeon	0	0.00								
Flathead Gudgeon		0.00								
Dwarf Flathead Gudgeon		0.00								
River Blackfish	0	0.00								
Western Bluespot Goby	0	0.00								
Lagoon goby	0	0.00								
Southern Pigmy Perch	0	0.00								
Yarra Pigmy Perch	0	0.00								
Trout Cod	0	0.00								
Murray Cod	0	0.00								
Murray-Darling Golden Perch	0	0.00								
Macquarie Perch	0	0.00								
Estuary Perch	0	0.00								
Silver Perch	0	0.00								
Climbing Galaxias	0	0.00								
Common Galaxias	0	0.00								
Mountain Galaxias	0	0.00								
Flathead Galaxias	0	0.00								
Smelt		0.00								
Freshwater Catfish	0	0.00								

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++)	Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_kms2	A of O In Murray Scroll Belt_Recent_kms2	Comments (Murray Scroll Belt)
Platypus	3	15.00	CR B2ab(i,ii,iii,iv,v); D	CR	6	--	0.5	3			sighted maybe in floods?? Research & surveys recommended; could be regionally extinct
Short-beaked Echidna	31	2.49	LC	LC	1	0	0.3	23	22		Floods may have been a threat
Spotted-tailed Quoll (Tiger Quoll)	3	42.86	RE	RE	7			2			regionally extinct
Southern Ningauai	1	0.52	DD	DD	0	DD	0	1	1		In isolated triodia patches; need more surveys
Giles' Planigale (Paucident Planigale)	34	8.35	VU B2ab(i,ii)	VU	4	-	0.4	7	3		Need floods to open cracks in clay for habitat; limited habitat
Fat-tailed Dunnart	82	2.92	LC	LC	1	0	0.3	17	6		Doing well here; lack of flooding good
Stripe-faced Dunnart		0.00									
Common Dunnart	27	14.44	NT	NT	2	-	0.4	10	6		Edge of habitat; limited habitat; decline in river health a threat
Southern Hairy-nosed Wombat		0.00									
Common Wombat		0.00									
Common Brushtail Possum	113	9.49	NT	NT	2	-	0.4	54	51		Habitat dying off; locally common
Burrowing Bettong (Boodie)		0.00									
Brush-tailed Bettong		0.00									
Western Grey Kangaroo	217	1.77	LC	LC	1	0	0.3	124	112		Common
Eastern Grey Kangaroo		0.00									
Euro	18	0.17	LC	LC	1	0	0.3	11	11		
Red-necked Wallaby		0.00									
Red Kangaroo	61	0.22	LC	LC	1	0	0.3	40	34		
Swamp Wallaby		0.00									
Western Pygmy-possum	6	0.64	RA d(ii)	RA	3	DD	0	3	1		Should be more records; could be visitors
Little Pygmy-possum		0.00									
Sugar Glider		0.00									
Feathertail Glider	3	17.65	DD	DD	0	DD	0	2	2		Needs survey work; difficult to record
Eastern Freetail-Bat	21	95.45	NT	NT	2	DD	0	17	17		Dependant on river; only found along river in SA - East coast spp.
White-striped Freetail-bat	31	4.69	LC	LC	1	DD	0	27	24		
Lesser Long-eared Bat	29	1.54	LC	LC	1	0	0.3	16	14		
Greater Long-eared Bat	1	0.65	DD	DD	0	DD	0	1	1		Edge of distribution
Gould's Wattled Bat	44	1.57	LC	LC	1	0	0.3	25	19		
Chocolate Wattled Bat	13	2.54	DD	DD	0	DD	0	11	11		records based on echo-location calls, Terry not confident of these calls
Little Pied Bat	1	6.67	DD	DD	0	DD	0	1	1		
Southern Myotis		0.00									
Inland Broad-nosed Bat		0.00									
Inland Forest Bat	21	4.71	LC	LC	1	0	0.3	6	2		
Large Forest Bat		0.00									
Southern Forest Bat	9	2.08	NT	NT	2	DD	0	8	6		Decline in river health a threat; more SAM records
Little Forest Bat	40	20.94	LC	LC	1	0	0.3	31	23		Quite healthy in last yrs survey; restricted to Murray; vulnerable to river changes
Inland Free-tail Bat (little dick)		0.00	LC	LC	1	0	0.3				no records; common around Chowilla
Southern Free-tail Bat (Big Dick)		0.00	NT	NT	2	DD	0				no records
Dingo		0.00									
Water-rat	14	8.81	NT	NT	2	DD	0	7	5		Yabby nets & river decline are threats
Mitchell's Hopping-mouse		0.00	EN B2ab(i,ii,iii)	EN	5	-	0.4				habitat declining
Silky Mouse		0.00									
Bolam's Mouse	31	5.45	LC	LC	1	0	0.3	11	6		
Swamp Rat		0.00									
Emu	79	0.99	LC	LC	1	0	0.3	52	51		
Malleefowl	13	0.19	EN A2b; C1	EN	5	--	0.5	8	3		not primary habitat (PC)
Stubble Quail	4	0.27	DD	DD	0	DD	0	3	2		DD or LC? Rely on stubble so presume ok, but very little information on distribution and/or ecology (PC) - agreement
Brown Quail	10	5.99	DD	DD	0	DD	0	9	9		irruptive - unknown trend, migrant (AB)? DD
Chestnut Teal	67	1.74	RA c(i)	RA	3	0	0.3	38	37		good breeding here
Grey Teal	440	4.59	LC	LC	1	0	0.3	163	156		regular visitor
Australasian Shoveler	111	4.90	RA c(ii)	RA	3	-	0.4	45	42		improvements have been made to wetting/drying of habitat
Hardhead	107	3.08	NT	NT	2	0	0.3	44	44		extreme fluctuations
Musk Duck	18	0.83	VU D1	VU	4	0	0.3	11	11		historical decline; breed at a number of sites
Cape Barren Goose		0.00									

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++)	Murray Scroll Belt	Trend Score MSB	A of O in Murray Scroll Belt_All_kms2	A of O in Murray Scroll Belt_Recent_kms2	Comments (Murray Scroll Belt)
Australian Wood Duck	338	5.03	LC	LC	1	+	0.2	180	178		
Black Swan	267	3.46	LC	LC	1	-	0.4	118	115		
Pink-eared Duck	91	5.89	LC	LC	1	-	0.4	35	35	fluctuating populations	
Blue-billed Duck	5	0.99	EN C1+2a; D	EN	5	-	0.4	5	5	MH has recently seen breeding	
Freckled Duck	33	4.79	VU C2ab; D1	VU	4	-	0.4	17	16		
Australian Shelduck	261	5.94	LC	LC	1	0	0.3	131	128		
Great Crested Grebe	16	0.79	VU D1	VU	4	DD	0	14	13	eruptions	
Hoary-headed Grebe	102	2.09	LC	LC	1	0	0.3	38	38	historical decline	
Australasian Grebe	129	3.04	LC	LC	1	-	0.4	58	57	wetland habitat under threat	
Diamond Dove	8	0.80	RA c(i) d(i)	RA	3	DD	0	8	7	GC reckons DDs are in Black Box/Dodonaea, local popns; small and scattered populations; rare based on C1 and D1; resident	
Peaceful Dove	323	7.30	LC	LC	1	0	0.3	161	155	primary habitat	
Crested Pigeon	756	3.50	LC	LC	1	+	0.2	284	277		
Common Bronzewing	181	2.23	LC	LC	1	0	0.3	105	103		
Brush Bronzewing		0.00									
Tawny Frogmouth	29	2.50	LC	LC	1	DD	0	29	27	agreement on status LC; DD trend	
Spotted Nightjar	7	1.42	RA d(ii) - NT	NT	2	DD	0	5	3	rare-->NT (GC); trend DD	
Australian Owlet-nightjar	50	3.11	LC	LC	1	0	0.3	35	34	DD - stable (GC, KS) data deficient (PC)	
Fork-tailed Swift	4	1.18	RA b	RA	3	-	0.4	4	3	frequency of visits less now than historic (GC)? Rare b. probable decline	
White-throated Needletail		0.00									
Australasian Darter	276	20.80	RA b	RA	3	-	0.4	149	146		
Little Pied Cormorant	228	2.52	NT	NT	2	-	0.4	136	135	need floods for breeding	
Great Cormorant	253	5.76	RA c(i)	RA	3	-	0.4	146	142	large colonies lost due to wetland drying	
Little Black Cormorant	259	5.07	NT	NT	2	-	0.4	133	130	two wetlands where they breed (same as Little Pied Cormorant)	
Pied Cormorant	149	3.69	RA c(i)	RA	3	-	0.4	88	86		
Australian Pelican	498	5.49	LC	LC	1	-	0.4	225	221	don't breed in MSB	
Great Egret	183	4.17	VU D1	VU	4	-	0.4	113	112	dependent on river health	
Cattle Egret	1	0.33						1	1	vagrant	
Intermediate Egret	24	14.37	RA c(iii)	RA	3	-	0.4	16	16		
White-necked Heron	46	5.19	RA c(ii)	RA	3	-	0.4	32	31		
Australasian Bittern		0.00								occur in MSB (Mike H.) vagrant	
Little Egret	10	0.85	RA c(iii)	RA	3	-	0.4	10	10		
White-faced Heron	255	2.37	NT	NT	2	-	0.4	146	142	not much recruitment due to lack of floods	
Australian Little Bittern	1	2.50	CR D	CR	6	DD	0	1	1		
Nankeen Night-Heron	17	2.38	EN C1	EN	5	-	0.4	15	15		
Yellow-billed Spoonbill	184	9.83	EN C1	EN	5	-	0.4	97	94	need flooding to breed	
Royal Spoonbill	36	1.78	EN D	EN	5	-	0.4	31	31	need flooding to breed	
Glossy Ibis	4	1.25	RA c(iii)	RA	3	-	0.4	4	3	visitor	
Australian White Ibis	202	3.08	VU C1	VU	4	-	0.4	117	115	definitely resident, need flooding to breed	
Straw-necked Ibis	106	3.56	VU C1	VU	4	-	0.4	68	66		
Collared Sparrowhawk	27	1.58	NT - LC	LC	1	0	0.3	23	19	NT-->LC(GC); probably stable (GC)	
Brown Goshawk	23	0.93	NT - LC	LC	1	0	0.3	23	20	NT-->LC(GC); probably stable (GC)	
Wedge-tailed Eagle	60	0.86	LC	LC	1	0	0.3	46	44	strong agreement for LC across region	
Swamp Harrier	67	3.20	VU D1	VU	4	-	0.4	40	39	linked to drying of wetlands, disconnect of habitat from water; definite decline along river, not enough info to make endangered esp. as pop. potentially with Vic	
Spotted Harrier	8	0.82	RA c(ii) - NT	NT	2	0	0.3	8	7	agreement on trend and status	
Black-shouldered Kite	49	1.07	RA c(ii) - NT	NT	2	--	0.5	34	32	agreement on trend and status; definite decline; historic increase however	
Letter-winged Kite		0.00									
White-bellied Sea-Eagle	12	2.15	CR C1+2a; D	CR	6	--	0.5	11	9	lot of trouble linked to decline of river health	
Whistling Kite	634	15.58	LC	LC	1	0	0.3	275	267		
Little Eagle	44	3.78	VU D1	VU	4	-	0.4	40	34		
Square-tailed Kite	1	1.75	CR C1+2a; D	CR	6	--	0.5	1	1	restricted to mesic habitat	
Black Kite	128	3.75	LC	LC	1	+	0.2	84	84		
Eastern Osprey	2	0.63	CR C1+2a; D	CR	6	--	0.5	2	1	lot of trouble linked to decline of river health	
Brown Falcon	33	0.58	LC	LC	1	0	0.3	28	26	LC across the board - agreement	
Nankeen Kestrel	134	1.38	LC	LC	1	0	0.3	88	86	LC across the board - agreement	
Grey Falcon		0.00									

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++) Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_kms2	A of O In Murray Scroll Belt_Recent_kms2	Comments (Murray Scroll Belt)	
Australian Hobby	38	1.90	LC	1	0	0.3	36	35		
Peregrine Falcon	52	4.37	RA c(i)	RA	3	0	47	40	agreement	
Black Falcon	1	0.16					1	1	vagrant	
Brolga	1	0.24	CR D	CR	6	-	0.5	1	historical decline, vagrant now	
Eurasian Coot	233	3.46	NT	NT	2	-	0.4	103	101	not breeding as much as they would in a flood
Dusky Moorhen	98	2.59	EN C1	EN	5	-	0.5	59	59	
Buff-banded Rail	10	3.25	EN D	EN	5	-	0.4	9	7	definitely low numbers
Lewin's Rail		0.00	CR D	CR	6	DD	0			do occur here
Purple Swampphen	247	6.13	RA c(i)	RA	3	0	0.3	117	115	still breeding, low scattered numbers; habitat is better; need reed beds
Australian Spotted Crake	16	1.99	RA c(ii)	RA	3	-	0.4	11	11	decline due to lack of floods
Baillon's Crake	5	2.43	CR C1	CR	6	-	0.4	5	5	breeding visitor
Spotless Crake	6	1.93	VU D1	VU	4	DD	0	5	3	live in reedbeds in water
Black-tailed Native-hen	150	4.00	LC	LC	1	0	0.3	90	89	
Australian Bustard	7	1.97	CR C1	CR	6	-	0.4	5	1	
Bush Stone-curlew	19	6.67	CR C1	CR	6	-	0.4	17	13	CR based on real data; core population for ML
Banded Stilt	24	1.41	RA c(iii)	RA	3	DD	0	11	10	
Black-winged Stilt	239	4.77	VU C1	VU	4	-	0.4	63	57	
Red-necked Avocet	171	7.51	RA c(ii)	RA	3	DD	0	45	38	regular visitor
Double-banded Plover	1	0.20	RA c(iii)	RA	3	-	0.4	1		
Red-capped Plover	85	1.97	VU C1	VU	4	-	0.5	23	19	regular visitor, definite decline
Black-fronted Dotterel	274	8.09	NT	NT	2	-	0.4	89	84	resident, breeds in MSB; depends on river health
Red-kneed Dotterel	180	9.30	RA c(i)	RA	3	DD	0	66	63	
Masked Lapwing	428	3.88	LC	LC	1	0	0.3	145	139	LC across the board - agreement
Banded Lapwing	25	1.89	RA c(i) - NT	NT	2	-	0.4	8	7	not necessarily suitable habitat
Plains-wanderer	2	3.85	CR D	CR	6	-	0.4	2		lack of survey effort
Australian Painted Snipe	3	3.66	CR D	CR	6	-	0.4	2	2	
Common Sandpiper	5	0.67	RA c(iii)	RA	3	DD	0	4	4	irregular visitor
Sharp-tailed Sandpiper	52	1.63	RA c(ii)	RA	3	-	0.4	13	10	regular visitor, declined
Curlew Sandpiper	5	0.26						3	2	vagrant
Red-necked Stint	21	0.52	RA c(ii)	RA	3	-	0.4	8	7	
Latham's Snipe	2	0.60	CR D	CR	6	DD	0	1		
Wood Sandpiper	8	2.63	CR D	CR	6	-	0.4	4	3	
Common Greenshank	23	0.55	CR C1	CR	6	-	0.5	4	3	definite decline
Marsh Sandpiper	8	1.04	CR D	CR	6	-	0.4	3	1	probable decline thru out
Painted Button-quail		0.00								
Little Button-quail		0.00								
Australian Pratincole	3	0.74	RA c(iii)	RA	3	0	0.3	3	3	agreement
Whiskered Tern	30	0.78	EN C1	EN	5	-	0.5	24	24	visitors, definite decline
Silver Gull	241	1.76	LC	LC	1	-	0.4	107	106	decline due to water drying
Gull-billed Tern	4	0.89						3	3	vagrant
Caspian Tern	223	4.62	RA c(ii)	RA	3	-	0.4	128	127	regular visitor
Fairy Tern		0.00								
Crested Tern	2	0.04						2	1	vagrant
Sulphur-crested Cockatoo	131	3.50	LC	LC	1	++	0.1	78	75	spreading up the river
Little Corella	203	3.62	LC	LC	1	++	0.1	119	118	definite increase along river
Long-billed Corella		0.00								
Red-tailed Black Cockatoo (south-east subs)		0.00								
Yellow-tailed Black-Cockatoo		0.00								
Galah	421	1.44	LC	LC	1	0	0.3	194	189	
Major Mitchell's Cockatoo	16	2.37	EN C1	EN	5	-	0.4	12	8	not core habitat
Cockatiel	27	1.33	RA c(ii)	RA	3	-	0.4	27	27	not core habitat
Australian Ringneck	216	2.35	LC	LC	1	0	0.3	119	113	
Musk Lorikeet	11	0.17	RA c(ii)	RA	3	+	0.2	8	8	rare but probable increase (linked to drying out of country leading to contracting to river)
Purple-crowned Lorikeet	100	1.52	LC	LC	1	0	0.3	63	63	
Little Lorikeet		0.00								
Swift Parrot		0.00								

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++)	Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_kms2	A of O In Murray Scroll Belt_Recent_kms2	Comments (Murray Scroll Belt)
Budgerigar	13	0.29	NT	NT	2	-	0.4	12	12	linked to functional upper floodplain; numbers fluctuate	
Blue-winged Parrot	1	0.14	RA c(ii)	RA	3	0	0.3	1	1	regular visitor	
Elegant Parrot	1	0.05						1	1	vagrant	
Scarlet-chested Parrot	6	3.59						3	1	vagrant	
Blue Bonnet	160	7.30	LC	LC	1	0	0.3	76	75		
Crimson Rosella	729	4.04	LC	LC	1	0	0.3	252	244		
Eastern Rosella		0.00									
Regent Parrot	289	53.03	EN C1	EN	5	--	0.5	131	119	upstream of Renmark - huge declines due to almonds? (KS) real data - same population/individuals across regions	
Red-rumped Parrot	688	7.30	LC	LC	1	0	0.3	257	249		
Mulga Parrot	86	1.90	LC	LC	1	0	0.3	63	61		
Rainbow Lorikeet	5	0.06	RA c(ii)	RA	3	+	0.2	5	5		
Fan-tailed Cuckoo	9	0.44	RA c(iii)	RA	3	DD	0	8	6		
Pallid Cuckoo	82	4.40	LC	LC	1	0	0.3	58	58		
Horsfield's Bronze-cuckoo	118	2.60	LC	LC	1	-	0.4	83	80		
Shining Bronze-Cuckoo		0.00									
Black-eared Cuckoo	13	2.04	NT	NT	2	0	0.3	12	11		
Barking Owl	1	1.52	CR D	CR	6	-	0.4	1	1	birds recorded upstream over border	
Southern Boobook	45	1.94	LC	LC	1	0	0.3	41	40		
Eastern Barn Owl	13	1.46	LC	LC	1	DD	0	11	7		
Masked Owl		0.00									
Laughing Kookaburra	274	3.77	LC	LC	1	0	0.3	166	161		
Red-backed Kingfisher	30	2.26	RA c(iii)	RA	3	0	0.3	21	18		
Sacred Kingfisher	181	8.82	NT	NT	2	0	0.3	100	95		
Rainbow Bee-eater	170	4.71	LC	LC	1	0	0.3	103	98		
White-browed Treecreeper	2	0.49	DD	DD	0	DD	0	2		may have been there based on habitat - no recs except museum skins - possibly extinct???	
Brown Treecreeper	565	11.80	LC	LC	1	0	0.3	205	197		
White-throated Treecreeper		0.00									
Striated Grasswren		0.00									
Superb Fairy-wren	523	3.15	LC	LC	1	0	0.3	201	198	some discussion over loss of lignum habitat in the future	
Variegated Fairy-wren	309	4.57	LC	LC	1	0	0.3	151	142		
White-winged Fairy-wren	37	0.64	LC	LC	1	0	0.3	22	21		
Splendid Fairy-wren	13	0.66	RA c(i); d(i)	RA	3	DD	0	12	8		
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00									
Mallee Emu-wren		0.00									
Inland Thornbill	14	0.32	LC	LC	1	0	0.3	9	9	agreement	
Yellow-rumped Thornbill	188	1.93	LC	LC	1	0	0.3	104	100		
Slender-billed Thornbill		0.00									
Striated Thornbill		0.00									
Yellow Thornbill	61	2.51	VU C1	VU	4	-	0.4	27	25	loss of habitat	
Brown Thornbill		0.00									
Buff-rumped Thornbill		0.00									
Chestnut-rumped Thornbill	297	5.44	LC	LC	1	0	0.3	125	121		
Southern Whiteface	166	3.11	LC	LC	1	0	0.3	91	84		
Rufous Fieldwren		0.00									
White-throated Gerygone		0.00									
Western Gerygone		0.00	DD	DD	0	DD	0			DD - occasional breeding records (KS) - possibly rareC3	
Shy Heathwren (Shy Hylacola)	1	0.08	DD	DD	0	DD	0	1	1	edge of range	
Chestnut-rumped Heathwren		0.00									
Redthroat	33	3.07	VU D1	VU	4	DD	0	13	11		
White-browed Scrubwren		0.00									
Weebill	461	3.65	LC	LC	1	0	0.3	163	159		
Spotted Pardalote	86	1.04	LC	LC	1	0	0.3	46	44		
Striated Pardalote	515	3.11	LC	LC	1	0	0.3	207	202		
Spiny-cheeked Honeyeater	322	2.16	LC	LC	1	0	0.3	165	159		
Eastern Spinebill		0.00	RA c(iii)	RA	3	DD	0			occur on river - NO RECORDS	
Red Wattlebird	266	1.12	LC	LC	1	0	0.3	118	118		

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++) Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_kms2	A of O In Murray Scroll Belt_Recent_kms2	Comments (Murray Scroll Belt)
Little Wattlebird		0.00								
Pied Honeyeater	11	1.28	RA c(iii)	RA	3	0	0.3	7	7	
Blue-faced Honeyeater	85	51.83	RA c(i)	RA	3	++	0.1	59	52	possible historic decline followed by town development leading to recent increase
White-fronted Chat	120	2.71	LC	LC	1	0	0.3	65	63	
Orange Chat	8	0.50	RA c(ii)	RA	3	0	0.3	5	4	numbers fluctuate widely across the region
Crimson Chat	9	0.49	LC	LC	1	DD	0	7	7	numbers fluctuate widely across the region
Tawny-crowned Honeyeater	3	0.19						2	1	vagrant
Yellow-faced Honeyeater		0.00								
Purple-gaped Honeyeater		0.00								
White-eared Honeyeater	14	0.34	LC	LC	1	0	0.3	13	13	edge of range
Yellow-plumed Honeyeater	77	1.09	LC	LC	1	0	0.3	47	44	
White-plumed Honeyeater	778	4.74	LC	LC	1	0	0.3	266	259	
Grey-fronted Honeyeater	7	0.53	DD	DD	0	DD	0	4	3	edge of range
Singing Honeyeater	243	1.36	LC	LC	1	0	0.3	125	123	
Yellow-throated Miner	138	1.71	LC	LC	1	0	0.3	68	67	
Noisy Miner	397	6.44	LC	LC	1	0	0.3	165	162	
Black-eared Miner		0.00								
Brown-headed Honeyeater	38	0.67	LC	LC	1	0	0.3	33	30	
Black-chinned Honeyeater		0.00								
White-naped Honeyeater		0.00								
Little Friarbird	182	88.78	RA c(i)	RA	3	+	0.2	98	87	
New Holland Honeyeater	20	0.11	RA c(iv)	RA	3	+	0.2	5	4	moving into the area in towns; only moved in 10-15 yr ago
Striped Honeyeater	117	11.89	NT	NT	2	DD	0	72	67	
White-fronted Honeyeater	48	0.93	LC	LC	1	0	0.3	34	31	
Black Honeyeater	2	0.71	RA c(iii)	RA	3	DD	0	2	1	
Chestnut-crowned Babbler	176	10.10	LC	LC	1	0	0.3	85	82	
White-browed Babbler	96	0.90	LC	LC	1	0	0.3	62	59	
Grey-crowned Babbler		0.00								
Chestnut Quail-thrush	2	0.12	LC	LC	1	0	0.3	1	1	actually in dryland - boundary issue
Chirruping Wedgebill	1	0.08	CR D	CR	6	-	0.4	1		essentially extinct - 1 small population
Western Whipbird (Eastern subspecies)		0.00								
Varied Sittella	21	0.82	NT	NT	2	-	0.4	16	14	linked to black box - concern on loss of habitat
Ground Cuckoo-shrike	4	1.10	RA c(iii)	RA	3	-	0.4	4	3	
Black-faced Cuckoo-shrike	288	2.55	NT	NT	2	-	0.4	157	155	historic decline - from big flocks to small flocks throughout (MH)
White-bellied Cuckoo-shrike	6	4.23						3	1	vagrant
White-winged Triller	32	1.49	NT	NT	2	-	0.4	24	23	
Grey Shrike-thrush	446	2.15	LC	LC	1	0	0.3	193	188	
Crested Shrike-tit		0.00	CR D	CR	6	-	0.4			no records but occurs here
Crested Bellbird	32	0.56	RA c(i)	RA	3	-	0.4	18	16	marginal habitat
Gilbert's Whistler	57	4.19	RA c(i)	RA	3	-	0.4	42	40	based on lignum habitat degradation
Golden Whistler	8	0.11	RA c(ii)	RA	3	DD	0	7	7	
Rufous Whistler	169	2.47	RA c(i)	RA	3	-	0.4	79	73	
Red-lored Whistler		0.00								
Olive-backed Oriole	11	11.83	RA c(iii)	RA	3	DD	0	7	3	
Black-faced Woodswallow	15	0.36	RA c(i)	RA	3	0	0.3	13	10	not ideal habitat
Dusky Woodswallow	130	2.37	LC	LC	1	0	0.3	80	80	
White-breasted Woodswallow	48	7.83	RA c(ii)	RA	3	0	0.3	28	25	
Masked Woodswallow	22	0.89	LC	LC	1	0	0.3	13	11	NW sees large flocks most years
White-browed Woodswallow	37	1.68	LC	LC	1	0	0.3	28	27	
Pied Butcherbird	369	31.35	LC	LC	1	0	0.3	190	188	
Australian Magpie	638	1.83	LC	LC	1	0	0.3	276	271	
Grey Butcherbird	257	2.99	LC	LC	1	0	0.3	140	139	
Grey Currawong	30	0.28	RA c(iv)	RA	3	+	0.2	21	20	expanding into river corridor
Grey Fantail	92	0.77	LC	LC	1	0	0.3	60	60	breeding here
Willie Wagtail	653	2.49	LC	LC	1	0	0.3	275	269	

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++)	Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_kms2	A of O In Murray Scroll Belt_Recent_kms2	Comments (Murray Scroll Belt)
Little Crow	41	1.35	RA c(ii)	RA	3	DD	0	19	18		
Australian Raven	560	5.93	LC	LC	1	0	0.3	268	261		
Little Raven	115	0.63	LC	LC	1	+	0.2	76	74		
Forest Raven		0.00									
Magpie-lark	630	3.23	LC	LC	1	0	0.3	253	248		
Restless Flycatcher	51	2.61	EN C1	EN	5	-	0.4	39	38		
White-winged Chough	120	2.92	RA c(i)	RA	3	DD	0	75	71		
Apostlebird	46	9.09	VU C1	VU	4	-	0.4	32	29		disappearing (KS)
Southern Scrub-robin		0.00									
Eastern Yellow Robin		0.00									
Hooded Robin	96	2.71	RA c(i)	RA	3	0	0.3	60	56		
Jacky Winter	37	0.86	RA c(i)	RA	3	DD	0	23	21		not typical habitat
Scarlet Robin	2	0.06						2	1		vagrant
Red-capped Robin	185	2.83	LC	LC	1	0	0.3	103	97		
Flame Robin		0.00									
Rose Robin		0.00									
Horsfield's Bushlark		0.00									
Golden-headed Cisticola	12	1.42	EN D	EN	5	DD	0	7	7		data deficient on population size, but most likely declining due to functionality
Australian Reed-Warbler	271	9.54	NT	NT	2	-	0.4	117	115		
Brown Songlark	15	0.51	RA c(iii)	RA	3	DD	0	14	13		
Rufous Songlark	23	1.34	RA c(ii)	RA	3	DD	0	20	18		GC says stable; consensus says DD
Little Grassbird	193	6.92	NT	NT	2	-	0.4	85	82		
Silvereye	100	0.87	NT	NT	2	-	0.5	50	49		status and trend from KS
White-backed Swallow	27	1.77	RA c(ii)	RA	3	DD	0	19	18		
Welcome Swallow	574	3.05	LC	LC	1	0	0.3	243	238		
Fairy Martin	75	3.38	RA c(ii)	RA	3	DD	0	41	38		
Tree Martin	448	4.73	LC	LC	1	0	0.3	193	186		
Mistletoebird	102	1.79	NT	NT	2	-	0.4	64	61		
Diamond Firetail		0.00	CR D	CR	6	DD	0				no records but occurs here
Zebra Finch	69	1.16	RA b	RA	3	--	0.5	41	38		
Australasian Pipit	40	0.59	LC	LC	1	0	0.3	37	33		
Broad-shelled Tortoise	4	100.00	RA d(ii)	RA	3	-	0.4	4	1		More records sourced thru Deb Bower (Uni Canberra)
Common Long-necked Tortoise	24	15.29	NT	NT	2	-	0.4	19	12		will move inland through use of dams and artificial water sources, but like all murray river turtles threatened by river degradation
Macquarie Tortoise	14	11.67	NT	NT	2	-	0.4	5	2		will move inland through use of dams and artificial water sources, but like all murray river turtles threatened by river degradation
Mallee Tree-dragon		0.00									
Tawny Dragon		0.00									
Mallee Dragon	3	0.19	LC	LC	1	0	0.3	3			common; likes original habitat, sandy mallee
Painted Dragon	19	0.92	LC	LC	1	0	0.3	8	1		common; sandy habitat
Nobbi Dragon	1	0.60	RA d(i)	RA	3	0	0.3	1			not typical habitat
Eastern Bearded Dragon		0.00									
Central Bearded Dragon	20	2.07	LC	LC	1	0	0.3	15	11		
Five-lined Earless Dragon		0.00									
Marbled Gecko	164	5.74	LC	LC	1	0	0.3	41	28		climbing spp; likes bark
Southern Rock Dtella	2	0.26	RA d(i,ii)	RA	3	0	0.3	1	1		
Tree Dtella	65	2.88	LC	LC	1	0	0.3	27	22		
Bynoe's Gecko	36	1.32	LC	LC	1	0	0.3	14	11		
Smooth Knob-tailed Gecko		0.00									
Barking Gecko	6	0.54	LC	LC	1	0	0.3	5	2		
South Coast Gecko		0.00									
Ranges Stone Gecko	5	1.34	LC	LC	1	0	0.3	3	2		common around Renmark
Tessellated Gecko	66	11.34	LC	LC	1	0	0.3	28	20		likes hard clayey soil, lives on clay pans
Eastern Stone Gecko		0.00									
Pink-blotched Gecko		0.00									
Beaded Gecko	39	2.65	LC	LC	1	0	0.3	10	4		confined to sandy mallee
Marbled Velvet Gecko		0.00									
Beaked Gecko	4	0.29	RA d(i,ii)	RA	3	0	0.3	1	1		habitat generalist; termite-eater

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++)	Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_km2	A of O In Murray Scroll Belt_Recent_km2	Comments (Murray Scroll Belt)
Jewelled Gecko	4	2.25	RA d(i,ii)	RA	3	0	0.3	3			triodia specialist
Southern Spiny-tailed Gecko		0.00									
Eastern Spiny-tailed Gecko	1	1.67	RA d(i,ii)	RA	3	-	0.4	1			single likely record, but may have now dissapeared in this area
Red-tailed Worm-lizard	3	2.63	RA d(ii)	RA	3	0	0.3	3			needs sand
Lined Worm-lizard		0.00									
Barred Snake-lizard		0.00									
Spinifex Snake-lizard		0.00									
Olive Snake-lizard		0.00									
Adelaide Snake-lizard		0.00									
Burton's Legless Lizard	5	1.80	LC	LC	1	0	0.3	5	1		habitat generalist
Common Scaly-foot		0.00									
Hooded Scaly-foot		0.00									
Eastern Three-lined Skink		0.00									
Desert Wall Skink	1	0.28	RA d(i,ii)	RA	3	DD	0	1	1		edge of range; checked by Mark H
Speckled Wall Skink	39	20.21	LC	LC	1	0	0.3	20	15		
Southern Spinifex Ctenotus		0.00									
Brown Ctenotus		0.00									
Saltbush Ctenotus	7	1.23	RA d(ii)	RA	3	0	0.3	2	2		limited habitat
Spotted Ctenotus	1	0.16	RA d(i,ii)	RA	3	DD	0	1			localised
Eastern Desert Ctenotus	36	2.08	LC	LC	1	0	0.3	10	6		
Eastern Striped Skink		0.00									
Sandplain Ctenotus	17	1.09	LC	LC	1	0	0.3	7	5		likes sandy plains
Short-legged Ctenotus		0.00									
Eyrean Ctenotus		0.00									
Spinifex Slender Bluetongue		0.00									
Eastern Tree Skink	70	15.80	LC	LC	1	0	0.3	35	26		likes black box
Broad-banded Sandswimmer	10	1.93	LC	LC	1	0	0.3	4	2		
Eastern Water Skink	29	31.52	NT	NT	2	0	0.3	17	11		Confined to river; threatened by river degradation
Three-toed Earless Skink		0.00									
Rusty Earless Skink		0.00									
Four-toed Earless Skink		0.00									
Delicate Skink		0.00									
Garden Skink		0.00									
Yellow-tailed Slider		0.00									
Bougainville's Skink		0.00									
Southern Four-toed Slider		0.00									
Eastern Two-toed Slider		0.00									
Spotted Slider	40	12.70	LC	LC	1	0	0.3	18	11		generalist
Dwarf Three-toed Slider	8	1.18	LC	LC	1	0	0.3	3	2		heavy soils
Desert Skink		0.00									
Dwarf Skink	56	1.99	LC	LC	1	0	0.3	31	27		habitat generalist
Adelaide Snake-eye	4	0.42	LC	LC	1	0	0.3	1	1		likes clayey, chenopod soils
Common Snake-eye	342	16.80	LC	LC	1	0	0.3	73	64		likes leaf litter
Mallee Snake-eye	3	0.20	RA d(i)	RA	3	0	0.3	3	1		likes sandy heathy mallee
Western Bluetongue		0.00									
Sleepy Lizard	60	2.30	LC	LC	1	0	0.3	39	35		
Eastern Bluetongue		0.00									
Sand Goanna	24	2.65	LC	LC	1	0	0.3	23	17		
Heath Goanna		0.00									
Lace Monitor	24	47.06	NT	NT	2	0	0.3	21	18		depends on river health
Southern Blind Snake	1	0.53	DD	DD	0	DD	0	1			lack of records
Rough-nosed Blind Snake	7	2.97	LC	LC	1	0	0.3	5	4		
Carpet Python	177	65.31	NT	NT	2	0	0.3	124	97		depends on river
Coral Snake	1	3.85	RA d(i,ii)	RA	3	-	0.4	1			limited habitat
Yellow-faced Whipsnake	3	2.83	DD	DD	0	DD	0	3			very secretive; habitat generalist
Master's Snake		0.00									

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Scroll Belt Records	%Murray Scroll Belt	IUCN Status & Criteria (Murray Scroll Belt)	Regional Status (Murray Scroll Belt)	Regional Status Score MSB	Trend (-, -, 0, +, ++)	Murray Scroll Belt	Trend Score MSB	A of O In Murray Scroll Belt_All_km2	A of O In Murray Scroll Belt_Recent_km2	Comments (Murray Scroll Belt)
Bardick	1	3.23	VU B2ab(i,ii,iii)	VU	4	-	0.4	1			likes triodia mallee
Eastern Tiger Snake	2	0.29	VU C1+2a	VU	4	-	0.4	2	1		
Mitchell's Short-tailed Snake	4	3.36	RA d(ii)	RA	3	-	0.4	4			
Mallee Black-headed Snake		0.00									
Mulga Snake	2	0.74	RA d(i,ii)	RA	3	0	0.3	2	1		
Red-bellied Black Snake		0.00									
Patch-nosed Brown Snake		0.00	LC	LC	1	0	0.3				no records but occurs here
Five-ringed Snake	1	0.50	RA d(i,ii)	RA	3	0	0.3	1	1		
Eastern Brown Snake	27	4.35	LC	LC	1	0	0.3	13	8		
Curl Snake	1	0.17	LC	LC	1	0	0.3	1			
Common Bandy Bandy	2	15.38	DD	DD	0	DD	0	2			seldom seen; specialist feeder
Brown Tree Frog		0.00									
Peron's Tree Frog	175	54.18	NT	NT	2	0	0.3	78	70		depends on river
Southern Bell Frog	116	36.94	NT	NT	2	-	0.4	63	55		declining due to Chytrid Fungus
Murray Valley Froglet	252	80.77	NT	NT	2	0	0.3	82	76		depends on river
Common Froglet	13	0.13	NT	NT	2	0	0.3	12	12		lives in farm dams
Banjo Frog	242	6.49	NT	NT	2	0	0.3	83	77		can burrow into ground
Long-thumbed Frog	45	42.45	NT	NT	2	-	0.4	32	25		
Striped Marsh Frog		0.00									
Spotted Marsh Frog	374	7.79	LC	LC	1	0	0.3	108	101		adaptable spp.
Burrowing frog	7	0.78	LC	LC	1	0	0.3	6	6		doesn't need river
Sudell's Frog	13	6.34	LC	LC	1	0	0.3	7	6		doesn't need river
Brown Toadlet		0.00									
Pouched Lamprey	0	0.00	CR A2c	CR	6	--	0.5				B Zampatti - no records in last 10 yrs
Short-headed Lamprey	7	20.00	CR A2ac	CR	6	--	0.5	4	1		Some more recent records; no freshwater output led to decline in 2008.
Short-finned Eel	1	2.27	CR A2c	CR	6	--	0.5	1			Can't get into system. Western edge of range. Long lived 10-12yrs. Not naturally common in MSB
Smallmouth Hardyhead	0	0.00									
Murray Hardyhead	9	13.64	CR A2c; B1ab(ii,iii,iv,v)	CR	6	--	0.5	6	3		
Unspecked Hardyhead	58	26.24	LC	LC	1	++	0.1	54	46		Water levels have increased
Murray Rainbow Fish	57	34.76	LC	LC	1	+	0.2	53	43		Water levels have increased
Bony Herring	89	22.70	LC	LC	1	0	0.3	79	63		Channel specialists
Agassiz's Glassfish	2	18.18	CR B1ab(i,iii,iv)	CR	6	0	0.3	2			Loss of wetlands; could be extinct Bzampatti
Congolli	3	1.39	RE	RE	7			1			Presumed extinct; not seen since 1960's
Southern Purple-Spotted Gudgeon	0	0.00	RE	RE	7						Presumed extinct - no records, but probably occurred here
Flathead Gudgeon	63	10.16	LC	LC	1	0	0.3	56	45		
Dwarf Flathead Gudgeon	35	13.11	NT	NT	2	0	0.3	33	30		B Zampatti felt should be DD
River Blackfish	0	0.00	RE	RE	7						Presumed extinct - no records, but probably occurred here
Western Bluespot Goby	0	0.00									
Lagoon goby	0	0.00									
Southern Pigmy Perch	0	0.00									
Yarra Pigmy Perch	0	0.00									
Trout Cod	0	0.00	RE	RE	7						Presumed extinct - no records, but probably occurred here
Murray Cod	27	57.45	EN A2bcd	EN	5	--	0.5	27	25		Poor recruit but breeding in Chowilla, checked by B Zampatti
Murray-Darling Golden Perch	65	41.67	VU A2bc	VU	4	-	0.4	61	60		Lack of recruitment; not breeding B Zampatti
Macquarie Perch	2	100.00	RE	RE	7			1			Presumed extinct
Estuary Perch	0	0.00									Never occurred here
Silver Perch	6	31.58	EN A2bc	EN	5	-	0.4	6	6		Ok by Ben Smith, SARDI
Climbing Galaxias	0	0.00									
Common Galaxias	0	0.00									
Mountain Galaxias	0	0.00									
Flathead Galaxias	0	0.00									
Smelt	71	22.12	LC	LC	1	0	0.3	61	44		
Freshwater Catfish	5	12.50	EN A2bc	EN	5	-	0.4	5	4		Like fresh habitat; don't know where breeding

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Mallee Records	%Murray Mallee UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++) Murray Mallee	Trend Score Murray Mallee	A of O in Murray Mallee_All_km2	A of O in Murray Mallee_Recent_km2	Comments (Murray Mallee)	
Platypus	1	5.00	CR B2ab(i,ii,iii,iv,v); D	CR	6	--	0.5	1	sighted maybe in floods?? Research & surveys recommended; could be regionally extinct	
Short-beaked Echidna	73	5.86	LC	LC	1	0	0.3	64	49	
Spotted-tailed Quoll (Tiger Quoll)		0.00								
Southern Ningai		0.00								
Giles' Planigale (Paucident Planigale)		0.00								
Fat-tailed Dunnart	33	1.17	RA a	RA	3	-	0.4	18	4	Limited habitat; likes open grasslands; lots of old records
Stripe-faced Dunnart		0.00								
Common Dunnart	30	16.04	NT	NT	2	-	0.4	13	9	Limited (loss of) habitat; fragmented distribution
Southern Hairy-nosed Wombat	138	13.94	NT	NT	2	-	0.4	59	38	Threatened by drought, farmers, mangle. Farmers saying population explosion, or are they moving? Have been reintroduced in areas. DEH issues permits. David Taggart says current population only a third of what it was in mid 1990's (120 per night), but stable at present (40-45 per night). Glen Shimmin says probable continuing decline, even though there could be a range expansion in some places
Common Wombat		0.00								
Common Brushtail Possum	40	3.36	NT	NT	2	-	0.4	29	22	Habitat dying off
Burrowing Bettong (Boodie)	1	4.55	RE	RE	7			1		Regionally extinct
Brush-tailed Bettong	1	6.67	RE	RE	7			1	1	In Yookamurra Sanctuary
Western Grey Kangaroo	326	2.66	LC	LC	1	0	0.3	218	177	Common
Eastern Grey Kangaroo		0.00								
Euro	8	0.08	RA d(ii)	RA	3	0	0.3	7	7	Limited habitat
Red-necked Wallaby		0.00								
Red Kangaroo	124	0.44	LC	LC	1	0	0.3	70	53	On western side
Swamp Wallaby	2	6.06	DD	DD	0	DD	0	2	2	Spreading N, NW
Western Pygmy-possum	7	0.74	EN B2ab(i,ii,iii)	EN	5	-	0.4	7	2	Took 3 yrs of trapping to catch 1. Land clearance a threat; limited habitat left
Little Pygmy-possum		0.00								
Sugar Glider		0.00								
Feathertail Glider		0.00								
Eastern Freetail-Bat	1	4.55	NT	NT	2	DD	0	1	1	Should be more records
White-striped Freetail-bat	15	2.27	LC	LC	1	DD	0	14	8	
Lesser Long-eared Bat	80	4.25	LC	LC	1	0	0.3	40	30	
Greater Long-eared Bat		0.00								
Gould's Wattled Bat	141	5.02	LC	LC	1	0	0.3	37	25	
Chocolate Wattled Bat	47	9.18	DD	DD	0	DD	0	17	10	lack of survey effort
Little Pied Bat		0.00								
Southern Myotis	6	100.00	DD	DD	0	DD	0	2	1	Only 1 known location near Swan Reach; suspect there's plenty more along the river; potentially under threat; river reliant; hard to catch; could need fish
Inland Broad-nosed Bat	1	0.46	DD	DD	0	DD	0	1		lack of survey effort; little info on this spp.
Inland Forest Bat	4	0.90	DD	DD	0	DD	0	3	2	Probably Rare; edge of range, restricted to northern edge
Large Forest Bat	18	23.38	RA d(i,ii)	RA	3	DD	0	6	3	Restricted to s/w of region
Southern Forest Bat	34	7.85	LC	LC	1	DD	0	18	12	Bit of a stronghold
Little Forest Bat	35	18.32	NT	NT	2	DD	0	21	17	Should be more records; subject to river health
Inland Free-tail Bat (little dick)		0.00								
Southern Free-tail Bat (Big Dick)		0.00	NT	NT	2	DD	0			no records
Dingo		0.00								
Water-rat	13	8.18	NT	NT	2	DD	0	10	7	Yabby nets & river decline are threats
Mitchell's Hopping-mouse	14	1.97	VU B2ab(i,ii,iii)	VU	4	-	0.4	11	2	Habitat decline
Silky Mouse		0.00								
Bolam's Mouse		0.00								
Swamp Rat	21	4.34	RA d(i,ii)	RA	3	DD	0	4	2	Edge of range, DD.
Emu	197	2.47	NT - LC	LC	1	-	0.4	136	105	don't breed much in mallee
Malleefowl	2112	30.18	CR A2b; C1	CR	6	--	0.5	112	92	worse than SOP; few source populations; drought related
Stubble Quail	84	5.71	LC	LC	1	0	0.3	62	26	improved data in MM, on croplands
Brown Quail	2	1.20						1	1	vagrant (PC - agree)
Chestnut Teal	254	6.58	RA c(i)	RA	3	0	0.3	58	47	
Grey Teal	668	6.97	LC	LC	1	0	0.3	182	141	regular visitor
Australasian Shoveler	111	4.90	RA c(ii)	RA	3	-	0.4	42	39	improvements have been made to wetting/drying of habitat
Hardhead	128	3.69	NT	NT	2	0	0.3	51	43	
Musk Duck	119	5.51	VU D1	VU	4	0	0.3	44	29	historical decline; breed at a number of sites
Cape Barren Goose	98	6.64	RA c(ii)	RA	3	0	0.3	21	16	edge of range

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, 0, +, ++) Murray Mallee	Trend Score Murray Mallee	A of O_in_Murray Mallee_All_km2	A of O_in_Murray Mallee_Recent_km2	Comments (Murray Mallee)	
Australian Wood Duck	383	5.70	LC	LC	1	+	0.2	155	127	
Black Swan	699	9.06	LC	LC	1	-	0.4	206	162	
Pink-eared Duck	95	6.14	LC	LC	1	-	0.4	32	27	
Blue-billed Duck	42	8.33	EN C1+2a; D	EN	5	-	0.4	16	11	MH has recently seen breeding
Freckled Duck	47	6.82	VU C2ab; D1	VU	4	-	0.4	14	12	
Australian Shelduck	317	7.22	LC	LC	1	0	0.3	105	92	
Great Crested Grebe	36	1.77	EN D	EN	5	DD	0	22	17	
Hoary-headed Grebe	167	3.42	LC	LC	1	0	0.3	67	53	historical decline
Australasian Grebe	128	3.02	LC	LC	1	-	0.4	69	58	wetland habitat under threat
Diamond Dove	11	1.10	RA c(i) d(i)	RA	3	DD	0	6	4	edge effect due to boundary issues; extension of scroll belt populations
Peaceful Dove	858	19.39	NT - LC	LC	1	0	0.3	293	231	west of river linked to MLR; scattered populations east of river
Crested Pigeon	2298	10.65	LC	LC	1	0	0.3	830	625	
Common Bronzewing	1037	12.80	LC	LC	1	0	0.3	492	376	decline relative to historic distribution (eg PE distribution), but not confident that the decline is ongoing
Brush Bronzewing	12	0.71	EN C1	EN	5	-	0.4	7	7	inherently found in small proportion of region; at edge of range; boundary issue; unlikely to recruit from SE (Tintin) due to small and declining pop. in SE (AB); continuous population with SE; unknown influence of SE
Tawny Frogmouth	102	8.79	NT - LC	LC	1	0	0.3	74	53	agreement on status LC; stable (NW) - major historic decline; NT --> LC (GC)
Spotted Nightjar	96	19.51	VU C1 - RA ab	RA	3	-	0.4	64	39	GC - VU-->Rare potential loss of remnant quality (PC) lags (DJR)
Australian Owllet-nightjar	245	15.25	NT - LC	LC	1	-	0.4	123	82	NT-->LC(GC); fair chance of decline (AB, GC)
Fork-tailed Swift	32	9.47	RA b	RA	3	-	0.4	17	7	frequency of visits less now than historic (GC)? Rare b. probable decline
White-throated Needletail	2	0.91	RA b	RA	3	-	0.4	1	1	frequency of visits less now than historic (GC)? Rare b. probable decline
Australasian Darter	390	29.39	RA c(i)	RA	3	0	0.3	147	132	
Little Pied Cormorant	499	5.51	NT	NT	2	-	0.4	173	134	need floods for breeding
Great Cormorant	523	11.90	RA c(i)	RA	3	-	0.4	166	145	large colonies lost due to wetland drying
Little Black Cormorant	531	10.40	NT	NT	2	-	0.4	148	123	need floods for breeding
Pied Cormorant	204	5.06	RA c(i)	RA	3	-	0.4	92	75	
Australian Pelican	1192	13.15	LC	LC	1	-	0.4	273	220	don't breed in MM
Great Egret	422	9.63	VU D1	VU	4	-	0.4	112	93	dependent on river health
Cattle Egret	53	17.38	RA c(ii)	RA	3	DD	0	22	15	
Intermediate Egret	9	5.39	RA c(iii)	RA	3	-	0.4	9	7	
White-necked Heron	57	6.43	RA c(ii)	RA	3	-	0.4	37	30	
Australasian Bittern	6	2.96	CR D	CR	6	-	0.4	6	3	
Little Egret	28	2.38	RA c(iii)	RA	3	-	0.4	23	17	
White-faced Heron	678	6.30	NT	NT	2	-	0.4	204	147	
Australian Little Bittern	11	27.50	CR D	CR	6	DD	0	4	2	
Nankeen Night-Heron	58	8.12	EN C1	EN	5	-	0.4	32	29	
Yellow-billed Spoonbill	301	16.09	EN C1	EN	5	-	0.4	113	90	need flooding to breed
Royal Spoonbill	203	10.05	EN D	EN	5	-	0.4	65	52	need flooding to breed
Glossy Ibis	27	8.41	RA c(iii)	RA	3	-	0.4	15	10	
Australian White Ibis	654	9.98	VU C1	VU	4	-	0.4	195	135	
Straw-necked Ibis	616	20.68	VU C1	VU	4	-	0.4	186	113	
Collared Sparrowhawk	110	6.43	NT - LC	LC	1	0	0.3	61	47	NT-->LC(GC); probably stable (GC)
Brown Goshawk	199	8.04	NT - LC	LC	1	0	0.3	111	69	NT-->LC(GC); probably stable (GC)
Wedge-tailed Eagle	359	5.12	LC	LC	1	0	0.3	205	162	strong agreement for LC across region (continues to be subject to persecution - poisoning)
Swamp Harrier	280	13.38	VU D1	VU	4	-	0.4	107	71	on river part of region linked to drying of wetlands, disconnect of habitat from water; definite decline along river, not enough info to make endangered esp. as pop. potentially with Vic
Spotted Harrier	77	7.86	RA c(ii) - NT	NT	2	0	0.3	60	34	agreement on trend and status
Black-shouldered Kite	494	10.78	RA c(ii) - NT	NT	2	--	0.5	204	107	agreement on trend and status; definite decline; historic increase however
Letter-winged Kite	4	4.55	RA c(iii) - NT	NT	2	0	0.3	3	1	discussion around broader population processes; probably stable, but linked to what's going on at continental scale in which DD
White-bellied Sea-Eagle	11	1.97	CR C1+2a; D	CR	6	--	0.5	8	8	lot of trouble linked to decline of river health
Whistling Kite	1046	25.71	LC	LC	1	0	0.3	342	280	
Little Eagle	322	27.64	VU D1	VU	4	-	0.4	155	103	
Square-tailed Kite	2	3.51						1	1	vagrant
Black Kite	614	17.99	LC	LC	1	++	0.1	156	139	definite increase (AB, DR)
Eastern Osprey	1	0.31	CR C1+2a; D	CR	6	--	0.5	1	1	lot of trouble linked to decline of river health
Brown Falcon	584	10.32	LC	LC	1	0	0.3	296	195	LC across the board - agreement
Nankeen Kestrel	842	8.66	LC	LC	1	0	0.3	396	236	LC across the board - agreement
Grey Falcon	7	5.69	RA c(iii)	RA	3	-	0.4	5	2	AB - rareC3 - probably declining based on continental scale population (AB)

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++) Murray Mallee	Trend Score Murray Mallee	A of O_in_Murray Mallee_All_km2	A of O_in_Murray Mallee_Recent_km2	Comments (Murray Mallee)	
Australian Hobby	130	6.50	NT - LC	LC	1	0	0.3	69	54	GC - status and trend - agreement
Peregrine Falcon	148	12.45	RA c(i)	RA	3	0	0.3	65	54	agreement
Black Falcon	84	13.08	VU D1	VU	4	-	0.4	44	33	some discussion around rare v vulnerable based on population size; probable decline based on Milang recs (AB)
Brolga	1	0.24	CR	CR	6	--	0.5	1		current status is vagrant
Eurasian Coot	684	10.16	NT	NT	2	-	0.4	153	128	
Dusky Moorhen	436	11.51	EN C1	EN	5	--	0.5	98	80	
Buff-banded Rail	19	6.17	EN D	EN	5	-	0.4	13	10	
Lewin's Rail	8	8.51	CR D	CR	6	-	0.4	7	4	edge of range: occur in dense reed beds
Purple Swampphen	744	18.47	RA c(i)	RA	3	--	0.5	168	130	Loss of habitat below Lock 1.
Australian Spotted Crake	51	6.35	RA c(ii)	RA	3	-	0.4	25	20	needs swamp
Baillon's Crake	8	3.88	CR C1	CR	6	-	0.4	4	3	
Spotless Crake	71	22.83	EN C1	EN	5	-	0.4	17	11	
Black-tailed Native-hen	366	9.75	LC	LC	1	0	0.3	142	101	
Australian Bustard	17	4.79	CR C1	CR	6	-	0.4	14	7	based on fact that there were historic resident populations, but now rare irregular visitors from northern populations
Bush Stone-curlew	10	3.51	CR C1	CR	6	-	0.4	9	3	
Banded Stilt	16	0.94	RA c(iii)	RA	3	DD	0	13	13	
Black-winged Stilt	415	8.28	VU C1	VU	4	-	0.4	85	61	
Red-necked Avocet	90	3.95	RA c(ii)	RA	3	DD	0	36	32	
Double-banded Plover	8	1.60	RA c(ii)	RA	3	-	0.4	6	4	
Red-capped Plover	77	1.79	VU C1	VU	4	--	0.5	39	28	
Black-fronted Dotterel	276	8.15	RA c(i)	RA	3	-	0.4	81	54	not regular wetlands
Red-kneed Dotterel	213	11.00	VU C1; D1	VU	4	--	0.5	54	39	definite decline
Masked Lapwing	806	6.94	LC	LC	1	+	0.2	199	145	LC across the board - agreement
Banded Lapwing	128	9.67	RA c(i) - NT	NT	2	-	0.4	71	30	decline in Pinnaroo region - switch between BLW and MLW
Plains-wanderer	1	1.92	CR D	CR	6	-	0.4	1		data deficient particular on historic distribution
Australian Painted Snipe	6	7.32	CR D	CR	6	-	0.4	5	4	
Common Sandpiper	23	3.07	RA c(iii)	RA	3	DD	0	7	5	irregular visitor
Sharp-tailed Sandpiper	110	3.44	RA c(ii)	RA	3	-	0.4	43	28	
Curlew Sandpiper	14	0.72	RA c(ii)	RA	3	--	0.5	10	7	definite decline
Red-necked Stint	46	1.13	RA c(ii)	RA	3	-	0.4	24	18	
Latham's Snipe	24	7.14	CR C1	CR	6	-	0.4	10	9	
Wood Sandpiper	22	7.24	CR D	CR	6	-	0.4	11	7	
Common Greenshank	63	1.52	CR C1	CR	6	-	0.4	30	21	probable decline
Marsh Sandpiper	16	2.09	CR D	CR	6	-	0.4	11	10	
Painted Button-quail	20	3.51	VU D1	VU	4	DD	0	16	10	needs woodland mallee habitat
Little Button-quail	27	3.75	DD	DD	0	DD	0	18	4	
Australian Pratincole	10	2.46	RA c(iii)	RA	3	0	0.3	7	2	agreement
Whiskered Tern	256	6.65	EN C1	EN	5	--	0.5	82	55	same as MSB as wetlands dropped out
Silver Gull	830	6.05	LC	LC	1	-	0.4	176	121	decline due to water drying
Gull-billed Tern	12	2.67	EN D	EN	5	-	0.4	11	9	stronghold inland in lakes
Caspian Tern	381	7.90	RA c(ii)	RA	3	-	0.4	127	110	regular visitor, probable decline
Fairy Tern	6	0.46	CR D	CR	6	-	0.4	4	2	probably declining
Crested Tern	123	2.85	RA c(ii)	RA	3	-	0.4	38	30	
Sulphur-crested Cockatoo	282	7.54	LC	LC	1	+	0.2	103	89	spreading up the river
Little Corella	627	11.19	LC	LC	1	++	0.1	177	159	definite increase along river
Long-billed Corella	1	0.12						1		vagrant - dead loftys bird
Red-tailed Black Cockatoo (south-east subs)		0.00								
Yellow-tailed Black-Cockatoo	4	0.06						4	2	vagrant
Galah	3154	10.78	LC	LC	1	0	0.3	1119	850	
Major Mitchell's Cockatoo	36	5.33	CR C1	CR	6	-	0.4	31	27	2 breeding areas approx
Cockatiel	255	12.57	RA c(ii)	RA	3	-	0.4	164	78	
Australian Ringneck	1548	16.87	LC	LC	1	0	0.3	663	512	LC but historic decline
Musk Lorikeet	174	2.75	RA c(ii)	RA	3	+	0.2	54	46	rare but probable increase (linked to drying out of country leading to contracting to river)
Purple-crowned Lorikeet	763	11.56	NT	NT	2	-	0.4	305	246	struggling in MLR also
Little Lorikeet	2	3.23						1		vagrant
Swift Parrot		0.00								

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++) Murray Mallee	Trend Score Murray Mallee	A of O in Murray Mallee_All_k.m2	A of O in Murray Mallee_Recent_k.m2	Comments (Murray Mallee)	
Budgerigar	183	4.10	NT	2	-	0.4	129	67		
Blue-winged Parrot	15	2.08	RA c(ii)	RA	3	0	3	11	regular visitor	
Elegant Parrot	170	8.97	VU D1	VU	4	DD	0	70	41 mostly restricted to SE wetter MM (near lakes) - VU and DD trend across resident area, but rare irregular visitor across majority of range	
Scarlet-chested Parrot	2	1.20	RA c(iii)	RA	3	DD	0	2		
Blue Bonnet	345	15.74	NT	2	-	0.4	194	174	inferred based on historic decline and ongoing degradation of remaining habitat	
Crimson Rosella	884	4.90	LC	LC	1	0	305	226		
Eastern Rosella	6	0.22					4	4	vagrant - AB	
Regent Parrot	123	22.57	EN C1	EN	5	--	0.5	54	46 upstream of Renmark - huge declines due to almonds? (KS) real data - same population/individuals across regions	
Red-rumped Parrot	1343	14.26	LC	LC	1	0	3	447	286	
Mulga Parrot	788	17.42	NT	2	0	0.3	391	286		
Rainbow Lorikeet	105	1.16	RA c(ii)	RA	3	+	0.2	41	34	AB documented increase (recent invasion from wetter areas - not recorded historically)
Fan-tailed Cuckoo	46	2.25	NT	2	-	0.4	34	22	linked to lofts population also declining	
Pallid Cuckoo	169	9.07	NT	2	-	0.4	110	54		
Horsfield's Bronze-cuckoo	458	10.10	LC	LC	1	-	0.4	226	146	
Shining Bronze-Cuckoo	5	1.09					5	3	vagrant	
Black-eared Cuckoo	73	11.46	RA c(ii)	RA	3	-	0.4	58	35	
Barking Owl		0.00	RE	RE	7					possibly extinct - potential habitat why not ever seen??
Southern Boobook	207	8.93	RA b	RA	3	-	0.4	114	88	
Eastern Barn Owl	110	12.33	LC	LC	1	+	0.2	52	32	increase inferred from agriculture - link to mice
Masked Owl	1	11.11	DD	DD	0	DD	0	1		only 1 record
Laughing Kookaburra	545	7.49	LC	LC	1	0	0.3	174	139	
Red-backed Kingfisher	64	4.83	RA c(ii)	RA	3	-	0.4	38	19	
Sacred Kingfisher	221	10.78	NT	2	0	0.3	88	73		
Rainbow Bee-eater	500	13.86	LC	LC	1	0	0.3	293	216	historic decline
White-browed Treecreeper	6	1.46	CR C2a(i,ii)	CR	6	--	0.5	4	1	
Brown Treecreeper	977	20.41	NT	2	-	0.4	392	291	southern mallee distinct from northern mallee - big declines in south, relatively stable in north	
White-throated Treecreeper		0.00								
Striated Grasswren	33	4.59	CR D	CR	6	--	0.5	14		essentially extinct
Superb Fairy-wren	979	5.89	LC	LC	1	0	0.3	277	204	reliant on lignum
Variegated Fairy-wren	904	13.37	LC	LC	1	0	0.3	429	326	LC for the time being
White-winged Fairy-wren	108	1.87	NT	2	0	0.3	70	42	NT - DR maybe declining but DD	
Splendid Fairy-wren	470	23.81	NT	2	DD	0	187	140		
Southern Emu-wren (Mt Lofty Ranges ssp)	62	2.27	CR C1; D	CR	6	--	0.5	5	4	edge of range - limited to fleurieu swamps (ask Marcus Pickett)
Mallee Emu-wren	10	25.00	RE	RE	7			4	1	extinct - records for Lamers and Pinnas are actually for Ngarkat
Inland Thornbill	216	4.92	NT	2	-	0.4	140	110	GC changed from stable to declining	
Yellow-rumped Thornbill	1300	13.34	LC	LC	1	0	0.3	636	476	
Slender-billed Thornbill	3	0.71	DD	DD	0	DD	0	2		is ssp A iredalei hedleyi here
Striated Thornbill	11	0.21					7	6	vagrant	
Yellow Thornbill	498	20.53	NT	2	DD	0	242	188		
Brown Thornbill	78	1.51	RA d(i)	RA	3	0	0.3	21	4	only very SW records nr Finniss - remainder are IT
Buff-rumped Thornbill	14	0.62	RA c(iii)	RA	3	DD	0	13	10	
Chestnut-rumped Thornbill	777	14.23	LC	LC	1	-	0.4	404	307	northern vs southern issue - common in northern, debate over whether there is a decline in the southern
Southern Whiteface	849	15.90	NT	2	-	0.4	387	252	northern vs southern issue - common in northern, decline in the southern	
Rufous Fieldwren	2	0.21	DD	DD	0	DD	0	1		DD - unlikely to be here but don't know actual location
White-throated Gerygone		0.00								
Western Gerygone		0.00								
Shy Heathwren (Shy Hylacola)	168	12.97	VU C1	VU	4	-	0.4	84	56	more frequent in southern mallee than northern mallee; probably extinct in Pinnaroo IBRA assn
Chestnut-rumped Heathwren		0.00								
Redthroat	56	5.20	RA d(i)	RA	3	DD	0	40	26	historically found much further south west of river, Meningie, possibly historic decline
White-browed Scrubwren	10	0.15	RA d(i)	RA	3	0	0.3	7		edge of range
Weebill	1859	14.74	LC	LC	1	0	0.3	809	645	
Spotted Pardalote	1134	13.75	LC	LC	1	0	0.3	538	454	
Striated Pardalote	1453	8.76	LC	LC	1	0	0.3	638	496	
Spiny-cheeked Honeyeater	1763	11.83	LC	LC	1	0	0.3	722	574	
Eastern Spinebill	12	0.28	RA c(iii)	RA	3	0	0.3	6	6	edge of range - MLR birds
Red Wattlebird	1848	7.78	LC	LC	1	0	0.3	625	499	

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee	UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++)	Trend Score Murray Mallee	A of O in Murray Mallee_All_km2	A of O in Murray Mallee_Recent_km2	Comments (Murray Mallee)
Little Wattlebird	27	0.79	RA c(iii)	RA	3	DD	0	14	11	
Pied Honeyeater	27	3.15	RA c(iii)	RA	3	0	0.3	17	15	
Blue-faced Honeyeater	9	5.49	RA c(i); d(i)	RA	3	DD	0	8	6	
White-fronted Chat	478	10.78	LC	LC	1	0	0.3	249	120	
Orange Chat	16	1.01	RA c(iii)	RA	3	0	0.3	15	10	numbers fluctuate widely across the region
Crimson Chat	52	2.83	LC	LC	1	DD	0	41	27	numbers fluctuate widely across the region
Tawny-crowned Honeyeater	72	4.48	VU C1	VU	4	--	0.5	30	16	debate over residency - how much habitat was there historically?
Yellow-faced Honeyeater	21	0.40	RA c(iii)	RA	3	DD	0	16	15	
Purple-gaped Honeyeater	209	15.48	RA b	RA	3	-	0.4	109	78	possibly declining - locally stable in southern mallee (FMCP, MCP, MBFiring Range) but historic declines in north
White-eared Honeyeater	638	15.35	RA a; b	RA	3	-	0.4	284	213	historic decline related to clearance
Yellow-plumed Honeyeater	1166	16.45	LC	LC	1	-	0.4	566	437	historic decline related to clearance - general debate around historic declines (and ongoing declines) in relation to historic broadacre clearance - all woodland dependent species are most likely to have declined historically, and some proportion are probably suffering an extinction debt (and are therefore still declining) as a result of this clearance
White-plumed Honeyeater	1521	9.26	LC	LC	1	0	0.3	410	295	
Grey-fronted Honeyeater	77	5.81	RA d(ii)	RA	3	DD	0	44	38	
Singing Honeyeater	1822	10.23	LC	LC	1	0	0.3	797	598	
Yellow-throated Miner	681	8.42	LC	LC	1	0	0.3	421	308	
Noisy Miner	911	14.79	LC	LC	1	0	0.3	211	148	
Black-eared Miner	14	3.88	CR D	CR	6	DD	0	5	1	
Brown-headed Honeyeater	826	14.49	LC	LC	1	0	0.3	393	301	
Black-chinned Honeyeater	11	1.00	CR C1; D	CR	6	--	0.5	8	8	edge of range
White-naped Honeyeater	31	0.91	RA c(iii)	RA	3	DD	0	21	19	
Little Friarbird	19	9.27	RA c(i); d(i)	RA	3	DD	0	10	9	
New Holland Honeyeater	1076	5.70	LC	LC	1	0	0.3	199	155	
Striped Honeyeater	243	24.70	RA a; b	RA	3	-	0.4	115	74	
White-fronted Honeyeater	415	8.08	LC	LC	1	0	0.3	224	183	
Black Honeyeater	42	15.00	RA c(iii)	RA	3	DD	0	23	10	
Chestnut-crowned Babbler	452	25.95	NT	NT	2	-	0.4	206	136	west of river OK, immediately south of river (northern mallee) decline
White-browed Babbler	1551	14.49	LC	LC	1	0	0.3	577	440	
Grey-crowned Babbler		0.00								
Chestnut Quail-thrush	344	20.05	RA b	RA	3	-	0.4	157	118	
Chirruping Wedgebill		0.00								
Western Whipbird (Eastern subspecies)		0.00								
Varied Sittella	404	15.81	NT	NT	2	-	0.4	210	149	agreement - declining from edge
Ground Cuckoo-shrike	38	10.50	EN C1	EN	5	-	0.4	28	9	resident west of river, but declining due to habitat degradation
Black-faced Cuckoo-shrike	966	9.21	NT	NT	2	-	0.4	461	344	
White-bellied Cuckoo-shrike	8	5.63						6	2	vagrant
White-winged Triller	166	7.75	NT	NT	2	-	0.4	107	71	
Grey Shrike-thrush	2039	9.82	LC	LC	1	0	0.3	820	654	
Crested Shrike-tit	47	4.92	EN D	EN	5	-	0.4	20	15	linked to loftys population also declining
Crested Bellbird	491	8.66	RA b	RA	3	-	0.4	242	182	much less dense in southern mallee than northern mallee, and possibly declined more rapidly in south than north (NW)
Gilbert's Whistler	269	19.79	VU B1ab(i,ii,iv); C1	VU	4	--	0.5	112	75	
Golden Whistler	551	7.53	RA b	RA	3	-	0.4	231	182	more common in south than north; more GOW habitat remaining in south than north (NW)
Rufous Whistler	484	7.07	RA b	RA	3	-	0.4	237	161	patch throughout, reasonably common in Callitris around Murray Bridge
Red-lored Whistler	32	12.45	CR C1; D	CR	6	-	0.4	20	7	drought a threat
Olive-backed Oriole	5	5.38	RA c(iii)	RA	3	DD	0	3	2	
Black-faced Woodswallow	73	1.76	NT	NT	2	DD	0	55	27	some evidence of increase with clearance (GC)
Dusky Woodswallow	566	10.32	NT	NT	2	-	0.4	252	174	
White-breasted Woodswallow	13	2.12	RA c(iii)	RA	3	DD	0	10	6	
Masked Woodswallow	306	12.35	LC	LC	1	0	0.3	188	154	
White-browed Woodswallow	421	19.17	NT	NT	2	-	0.4	238	169	
Pied Butcherbird	161	13.68	RA c(iv)	RA	3	+	0.2	67	60	
Australian Magpie	3544	10.14	LC	LC	1	0	0.3	1347	1066	
Grey Butcherbird	970	11.29	NT	NT	2	-	0.4	464	381	
Grey Currawong	760	7.17	NT	NT	2	DD	0	336	292	
Grey Fantail	763	6.41	NT	NT	2	-	0.4	269	217	
Willie Wagtail	2906	11.06	LC	LC	1	0	0.3	1051	805	

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++) Murray Mallee	Trend Score Murray Mallee	A of O in Murray Mallee_All_km2	A of O in Murray Mallee_Recent_km2	Comments (Murray Mallee)
Little Crow	36	1.19	VU D1	VU	4	-	0.4	31	25 localised populations; needs scrub
Australian Raven	1002	10.61	NT	NT	2	-	0.4	416	346
Little Raven	1747	9.57	LC	LC	1	+	0.2	727	509
Forest Raven		0.00							
Magpie-lark	1539	7.90	LC	LC	1	0	0.3	477	333
Restless Flycatcher	400	20.44	RA b	RA	3	-	0.4	204	159 NW sees frequently
White-winged Chough	1090	26.53	NT	NT	2	+	0.2	557	439 commonly encountered (NW)
Apostlebird	43	8.50	RA c(iv)	RA	3	+	0.2	21	18 southern limit; expanding
Southern Scrub-robin	359	16.86	VU C1	VU	4	-	0.4	142	102 were once common on southern mallee (NW)
Eastern Yellow Robin	1	0.15						1	1 vagrant
Hooded Robin	738	20.81	RA b	RA	3	-	0.4	332	210 breeds in northern mallee (NW)
Jacky Winter	757	17.49	RA b	RA	3	-	0.4	316	229
Scarlet Robin	7	0.22						7	2 vagrant
Red-capped Robin	625	9.56	NT	NT	2	-	0.4	328	208 historic decline related to clearance, but seem to be doing ok
Flame Robin	13	7.51	CR C1	CR	6	--	0.5	7	5 declining throughout SA
Rose Robin	5	6.49	RA c(iii)	RA	3	DD	0	5	4 edge of range - in SW corner
Horsfield's Bushlark	35	5.21	RA d(ii)	RA	3	0	0.3	24	12 Lynn Pedler - probably under-recorded
Golden-headed Cisticola	50	5.92	EN C1	EN	5	--	0.5	19	13
Australian Reed-Warbler	336	11.83	NT	NT	2	-	0.4	129	102
Brown Songlark	242	8.20	LC	LC	1	0	0.3	192	108 common in 2009 in southern mallee (NW)
Rufous Songlark	119	6.93	NT	NT	2	-	0.4	84	48
Little Grassbird	236	8.46	NT	NT	2	-	0.4	87	72
Silvereye	476	4.16	NT	NT	2	-	0.4	200	155
White-backed Swallow	55	3.61	RA c(ii)	RA	3	DD	0	49	36 white-backed swallows hibernate (GC)
Welcome Swallow	1816	9.63	LC	LC	1	0	0.3	598	439
Fairy Martin	225	10.13	RA c(ii)	RA	3	DD	0	93	61 perhaps declining (AB) consensus says DD
Tree Martin	935	9.87	NT	NT	2	-	0.4	424	294
Mistletoebird	332	5.83	NT	NT	2	DD	0	150	117
Diamond Firetail	228	12.45	EN C1	EN	5	--	0.5	80	45
Zebra Finch	191	3.20	RA b	RA	3	--	0.5	93	46
Australasian Pipit	404	5.95	LC	LC	1	0	0.3	256	148
Broad-shelled Tortoise		0.00	RA d(i,ii)	RA	3	-	0.4		They have been sighted as far as murray bridge, but in patchy degrading river; no records; many confirmed records sourced thru Deb Bower (Uni Canberra)
Common Long-necked Tortoise	34	21.66	NT	NT	2	-	0.4	14	3 will move inland through use of dams and artificial water sources, but like all murray river turtles threatened by river degradation
Macquarie Tortoise	7	5.83	NT	NT	2	-	0.4	5	will move inland through use of dams and artificial water sources, but like all murray river turtles threatened by river degradation
Mallee Tree-dragon	6	4.69	LC	LC	1	0	0.3	5	5 very well camouflaged; depends on original habitat; only in remnants
Tawny Dragon	12	1.85	RA c(i); d(i,ii)	RA	3	0	0.3	1	outlier pop near Purnong - checked by Mark H
Mallee Dragon	223	14.16	LC	LC	1	0	0.3	24	11 common; likes original habitat, sandy mallee
Painted Dragon	56	2.72	LC	LC	1	0	0.3	30	13 common; sandy habitat
Nobbi Dragon	51	30.54	LC	LC	1	0	0.3	23	14
Eastern Bearded Dragon	21	6.00	LC	LC	1	0	0.3	17	9 rainfall-limited spp; easy to miss id; edge of range
Central Bearded Dragon	90	9.33	LC	LC	1	0	0.3	77	66
Five-lined Earless Dragon	18	4.70	NT	NT	2	DD	0	14	4 habitat loss
Marbled Gecko	114	3.99	LC	LC	1	0	0.3	41	24 climbing spp; likes bark
Southern Rock Dtella	11	1.42	LC	LC	1	0	0.3	10	2 adaptable; lives in buildings
Tree Dtella	11	0.49	LC	LC	1	0	0.3	5	3 probably under-reported
Bynoe's Gecko	87	3.18	LC	LC	1	0	0.3	46	32
Smooth Knob-tailed Gecko		0.00							
Barking Gecko	59	5.34	LC	LC	1	0	0.3	40	21
South Coast Gecko	8	5.30	VU B1ab(i)+2ab(i)	VU	4	-	0.4	4	4 very isolated population; harder limestone country; in Ferries Mc CP
Ranges Stone Gecko	4	1.07	LC	LC	1	0	0.3	3	1 edge of range; lack of surveys
Tessellated Gecko		0.00							
Eastern Stone Gecko	8	22.22	LC	LC	1	0	0.3	7	3 likes remnants
Pink-blotched Gecko		0.00							
Beaded Gecko	7	0.48	LC	LC	1	0	0.3	3	1 confined to sandy mallee
Marbled Velvet Gecko		0.00							
Beaked Gecko		0.00							

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++) Murray Mallee	Trend Score Murray Mallee	A of O in Murray Mallee_All_km2	A of O in Murray Mallee_Recent_km2	Comments (Murray Mallee)
Jewelled Gecko		0.00							
Southern Spiny-tailed Gecko	8	2.92	LC	LC	1	0	0.3	5	1 likes mallee with shrubby understorey
Eastern Spiny-tailed Gecko		0.00							
Red-tailed Worm-lizard	1	0.88	DD	DD	0	DD	0	1	should be in this region
Lined Worm-lizard	7	1.57	RA d(i)	RA	3	-	0.3	6	2 edge of range
Barred Snake-lizard	13	2.83	LC	LC	1	0	0.3	11	8 likes mallee
Spinifex Snake-lizard	5	1.91	LC	LC	1	0	0.3	4	3 needs spinifex
Olive Snake-lizard	6	10.34	RA d(i,ii)	RA	3	-	0.4	6	1 rare & patchy; isolated pop. of eastern spp.
Adelaide Snake-lizard	3	1.15	RA d(i,ii)	RA	3	0	0.3	3	2 patchy; limited to grassy woodland
Burton's Legless Lizard	10	3.60	LC	LC	1	0	0.3	4	1 habitat generalist
Common Scaly-foot		0.00							
Hooded Scaly-foot		0.00							
Eastern Three-lined Skink		0.00							
Desert Wall Skink		0.00							
Speckled Wall Skink	29	15.03	LC	LC	1	0	0.3	20	10
Southern Spinifex Ctenotus	49	12.41	RA d(i,ii)	RA	3	0	0.3	5	1 limited habitat
Brown Ctenotus	13	10.00	LC	LC	1	0	0.3	5	2 Should be more records in region; tridodia specialist
Saltbush Ctenotus		0.00							
Spotted Ctenotus	37	5.99	LC	LC	1	0	0.3	23	15
Eastern Desert Ctenotus	16	0.92	LC	LC	1	0	0.3	12	8
Eastern Striped Skink	19	1.85	LC	LC	1	0	0.3	11	11
Sandplain Ctenotus	18	1.15	RA d(i,ii)	RA	3	0	0.3	6	1 on the edge of its range
Short-legged Ctenotus	2	0.40	RA d(i,ii)	RA	3	0	0.3	2	2 on the edge of its range; in Brookfield CP
Eyrean Ctenotus	1	0.08	RA d(i,ii)	RA	3	0	0.3	1	1 soft sanddune specialist; in mallee remnants
Spinifex Slender Bluetongue		0.00							
Eastern Tree Skink	9	2.03	RA d(i,ii)	RA	3	0	0.3	5	2 likes black box
Broad-banded Sandswimmer	12	2.31	LC	LC	1	0	0.3	7	3 limited to west side of river; habitat generalist
Eastern Water Skink	18	19.57	NT	NT	2	-	0.3	15	11 Confined to river; threatened by river degradation
Three-toed Earless Skink	11	0.85	LC	LC	1	0	0.3	10	3 needs humid refuges
Rusty Earless Skink	35	12.03	LC	LC	1	0	0.3	16	9
Four-toed Earless Skink	62	2.56	LC	LC	1	0	0.3	30	14 sandy soils generalist
Delicate Skink	2	0.93	RA d(i,ii)	RA	3	0	0.3	2	2 edge of range
Garden Skink	2	0.08	RA d(i,ii)	RA	3	0	0.3	2	1 edge of range; temperate spp.
Yellow-tailed Slider		0.00							
Bougainville's Skink	67	5.70	LC	LC	1	0	0.3	38	33
Southern Four-toed Slider	34	4.35	LC	LC	1	0	0.3	20	12 only west of river
Eastern Two-toed Slider		0.00							
Spotted Slider	54	17.14	LC	LC	1	0	0.3	35	21 generalist
Dwarf Three-toed Slider	14	2.06	LC	LC	1	0	0.3	8	3 heavy soils; west of river; lack of records
Desert Skink	9	1.25	NT	NT	2	-	0.4	7	7 concern over lack of records - unknown threats possibly lack of habitat
Dwarf Skink	154	5.47	LC	LC	1	0	0.3	74	54 habitat generalist
Adelaide Snake-eye	10	1.04	LC	LC	1	0	0.3	7	3 likes clayey, chenopod soils
Common Snake-eye	217	10.66	LC	LC	1	0	0.3	75	56 likes leaf litter
Mallee Snake-eye	152	9.99	LC	LC	1	0	0.3	59	46 likes sandy heathy mallee
Western Bluetongue	5	2.08	LC	LC	1	0	0.3	4	1 patchy, generalist
Sleepy Lizard	267	10.22	LC	LC	1	0	0.3	163	153
Eastern Bluetongue	10	3.86	LC	LC	1	0	0.3	10	9 limited area
Sand Goanna	94	10.38	LC	LC	1	0	0.3	83	70
Heath Goanna		0.00							
Lace Monitor	1	1.96	RA d(i)	RA	3	DD	0	1	1 depends on river health
Southern Blind Snake	23	12.17	LC	LC	1	0	0.3	21	8
Rough-nosed Blind Snake	20	8.47	LC	LC	1	0	0.3	12	5
Carpet Python	36	13.28	RA d(i)	RA	3	-	0.4	29	20
Coral Snake	2	7.69	RA d(i,ii)	RA	3	-	0.4	2	
Yellow-faced Whipsnake	8	7.55	DD	DD	0	DD	0	6	3 very secretive; habitat generalist
Master's Snake		0.00							

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Murray Mallee Records	%Murray Mallee	UCN Status & Criteria (Murray Mallee)	Regional Status (Murray Mallee)	Regional Status Score Murray Mallee	Trend (-, -, 0, +, ++, +++) Murray Mallee	Trend Score Murray Mallee	A of O in Murray Mallee_All_km2	A of O in Murray Mallee_Recent_km2	Comments (Murray Mallee)
Bardick		0.00								
Eastern Tiger Snake	16	2.33	VU C1+2a	VU	4	-	0.4	10	6	
Mitchell's Short-tailed Snake	15	12.61	LC	LC	1	0	0.3	13	5	
Mallee Black-headed Snake	1	0.53	RA d(i,ii)	RA	3	0	0.3	1		Should be more common north western corner of murray mallee area
Mulga Snake		0.00								
Red-bellied Black Snake	9	8.82	VU B2ab(i,ii,iii)	VU	4	-	0.4	7	3	
Patch-nosed Brown Snake	1	2.22	RA d(i)	RA	3	0	0.3	1		should be more records
Five-ringed Snake		0.00								
Eastern Brown Snake	78	12.56	LC	LC	1	0	0.3	65	43	
Curl Snake		0.00								
Common Bandy Bandy	2	15.38	DD	DD	0	DD	0	2		seldom seen; specialist feeder
Brown Tree Frog	201	5.72	NT	NT	2	-	0.4	68	66	threatened by the health of the river
Peron's Tree Frog	129	39.94	NT	NT	2	0	0.3	72	60	depends on river
Southern Bell Frog	54	17.20	NT	NT	2	-	0.4	34	30	declining due to Chytrid Fungus
Murray Valley Froglet	53	16.99	NT	NT	2	0	0.3	23	19	depends on river
Common Froglet	401	3.97	NT	NT	2	0	0.3	108	102	lives in farm dams
Banjo Frog	404	10.83	LC	LC	1	0	0.3	136	123	can burrow into ground
Long-thumbed Frog	38	35.85	NT	NT	2	-	0.4	21	17	
Striped Marsh Frog		0.00								
Spotted Marsh Frog	267	5.56	LC	LC	1	0	0.3	104	96	adaptable spp.
Burrowing frog	11	1.22	LC	LC	1	0	0.3	7	3	doesn't need river
Sudell's Frog	16	7.80	LC	LC	1	0	0.3	6	1	doesn't need river
Brown Toadlet		0.00								
Pouched Lamprey	1	4.76	CR A2c	CR	6	--	0.5	1		I old record. Barrages are locked therefore no movement in or out. Lifespan 5-7 yrs.
Short-headed Lamprey	4	11.43	CR A2ac	CR	6	--	0.5	3	1	
Short-finned Eel	6	13.64	CR A2c	CR	6	--	0.5	6	3	
Smallmouth Hardyhead	10	3.57	VU B2ab(i,ii,iii,iv)	VU	4	--	0.5	10	8	Naturally Rare. Lost from Reedy Ck.
Murray Hardyhead	16	24.24	CR A2c; B1ab(ii,iii,iv,v)	CR	6	--	0.5	13	8	Recent sightings from Murray Bridge
Unspecked Hardyhead	105	47.51	NT	NT	2	-	0.4	72	65	Loss of wetlands has reduced population dramatically; however, have increased in main river channel - habitat shift. B Zampatti
Murray Rainbow Fish	77	46.95	NT	NT	2	-	0.4	55	49	Loss of wetlands has reduced population dramatically; however, have increased in main river channel - habitat shift. B Zampatti
Bony Herring	109	27.81	LC	LC	1	0	0.3	84	71	Channel specialists
Agassiz's Glassfish	6	54.55	CR B1ab(i,iii,iv)	CR	6	-	0.4	6		Loss of wetlands; last one seen in 1983; life span 2 yrs
Congolli	19	8.80	CR A2c	CR	6	--	0.5	9	6	Not common outside lower lakes
Southern Purple-Spotted Gudgeon	22	78.57	CR B1ab(i,ii,iii,iv)	CR	6	--	0.5	9	3	
Flathead Gudgeon	116	18.71	LC	LC	1	0	0.3	70	62	
Dwarf Flathead Gudgeon	92	34.46	NT	NT	2	-	0.4	58	55	B Zampatti felt should be DD
River Blackfish	17	12.88	CR A2ac; B2ab(iii,v)	CR	6	--	0.5	7	2	Only in Marne River
Western Bluespot Goby	16	8.25	VU A2c	VU	4	--	0.5	8	7	Decline based on R Murray Channel
Lagoon goby	7	9.21	VU A2c	VU	4	--	0.5	5	4	
Southern Pigmy Perch	8	2.13	CR A2ac	CR	6	--	0.5	6		390% reduction in pop; in Angus R mouth & lower Finnis
Yarra Pigmy Perch	8	8.25	CR A2ac	CR	6	--	0.5	2	2	In lower Finnis; could be extinct
Trout Cod	1	100.00	RE	RE	7			1		Presumed extinct
Murray Cod	13	27.66	CR A2bcd	CR	6	--	0.5	13	11	Poor recruitment, checked with B Zampatti
Murray-Darling Golden Perch	71	45.51	VU A2bc	VU	4	-	0.4	61	56	Lack of recruitment
Macquarie Perch	0	0.00	RE	RE	7					
Estuary Perch	1	14.29	CR B1ab(iii,iv)	CR	6	--	0.5	1	1	1 record from 1990; no access
Silver Perch	8	42.11	CR A2bc	CR	6	-	0.4	7	3	Ok by Ben Smith, SARDI
Climbing Galaxias	1	0.81	CR A2c	CR	6	--	0.5	1	1	wrong ID on this record
Common Galaxias	47	9.67	EN A2c - VU A2c	VU	4	--	0.5	24	22	Breeding in L Alexandrina-could decline very quickly if lake dries up; lost all wetland habitat below Blanchetown; can't get out to sea
Mountain Galaxias	11	3.22	CR B1ab(ii,iii) - EN B1ab(ii,iii)	EN	5	--	0.5	5	2	In Marne & Angus Rivers; not breeding
Flathead Galaxias	1	50.00	RE	RE	7			1		Presumed extinct; 1 record from 1880
Smelt	103	32.09	LC	LC	1	0	0.3	73	62	
Freshwater Catfish	19	47.50	EN A2bc	EN	5	-	0.4	15	9	Like fresh habitat

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	IUCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee	Trend Score Lowan Mallee	A of O in Lowan Mallee_All km2	A of O in Lowan Mallee_Recent km2	Comments (Lowan Mallee)
Platypus		0.00									
Short-beaked Echidna	46	3.69	LC	LC	1	0	0.3	37	27	Adelaide Uni has lots of records not in database	
Spotted-tailed Quoll (Tiger Quoll)		0.00									
Southern Ningau	20	10.47	LC	LC	1	0	0.3	10	6	Likely to be doing well in Billiatt & Ngarkat; fire a threat; limited habitat	
Giles' Planigale (Paucident Planigale)		0.00									
Fat-tailed Dunnart	12	0.43	RA d(ii)	RA	3	0	0.3	8	4	Ngarkat stronghold	
Stripe-faced Dunnart		0.00									
Common Dunnart	20	10.70	LC	LC	1	0	0.3	15	13		
Southern Hairy-nosed Wombat		0.00									
Common Wombat	3	1.34	VU B2ab(i,ii)	VU	4	-	0.4	3	1	Fragmented habitat	
Common Brushtail Possum	35	2.94	VU B2ab(i,ii,iii)	VU	4	-	0.4	11	11	Fragmented habitat	
Burrowing Bettong (Boodie)		0.00									
Brush-tailed Bettong		0.00									
Western Grey Kangaroo	150	1.22	LC	LC	1	0	0.3	98	86	Common	
Eastern Grey Kangaroo	2	6.90	DD	DD	0	DD	0	2	2	Significant decline around Kingston SE; abundant around Mount Gambier (R Johnson)	
Euro		0.00									
Red-necked Wallaby	14	6.64	RA d(i,ii)	RA	3	DD	0	8	8	Data deficient	
Red Kangaroo	1	0.00						1	1	Vagrant; edge of range	
Swamp Wallaby	7	21.21	RA d(ii)	RA	3	+	0.2	7	7	Spreading N,NW; range expansion in SE; lots of young single males sighted (R Johnson)	
Western Pygmy-possum	27	2.86	RA d(ii)	RA	3	-	0.4	18	13	Large fires a threat, esp in North LM; lack of records; checked with D Paton	
Little Pygmy-possum	10	9.80	RA d(ii)	RA	3	-	0.4	8	6	Edge of range; checked with D Paton	
Sugar Glider	10	11.49	VU B2ab(iii)	VU	4	-	0.4	4	3	Cats a threat; dependent on tall trees	
Feathertail Glider	1	5.88	DD	DD	0	DD	0	1	1	Needs survey work	
Eastern Freetail-Bat		0.00									
White-striped Freetail-bat	8	1.21	DD	DD	0	DD	0	5	3	Lack of survey effort	
Lesser Long-eared Bat	30	1.59	LC	LC	1	0	0.3	12	8		
Greater Long-eared Bat		0.00									
Gould's Wattled Bat	20	0.71	LC	LC	1	0	0.3	4	3	Lack of data - should be more records	
Chocolate Wattled Bat	6	1.17	DD	DD	0	DD	0	3	3	lack of survey effort	
Little Pied Bat		0.00									
Southern Myotis		0.00									
Inland Broad-nosed Bat		0.00									
Inland Forest Bat		0.00									
Large Forest Bat	1	1.30	RA d(i,ii)	RA	3	DD	0	1	1	Edge of range	
Southern Forest Bat		0.00									
Little Forest Bat	5	2.62	DD	DD	0	DD	0	3	2	Edge of range	
Inland Free-tail Bat (little dick)		0.00									
Southern Free-tail Bat (Big Dick)		0.00	DD	DD	0	DD	0			Edge of range; no records	
Dingo		0.00	RA d(i,ii)	RA	3	DD	0			(no records) Peter Bird: Dingoes persist at Box Flat in Ngarkat, although baited regularly since 2000. Dingoes persist in Big Desert WP, Vic	
Water-rat		0.00									
Mitchell's Hopping-mouse	20	2.81	RA d(ii)	RA	3	0	0.3	13	5	Ngarkat stronghold. Extreme fluctuations(rainfall); checked with D Paton	
Silky Mouse	303	39.92	LC	LC	1	0	0.3	74	59		
Bolam's Mouse		0.00									
Swamp Rat		0.00									
Emu	176	2.21	LC	LC	1	0	0.3	106	98		
Malleefowl	433	6.19	EN A2b; C1	EN	5	-	0.4	89	84	general agreement of EN; no influence from SE (Tintin) - unknown influence; probable-definite decline (GC)	
Stubble Quail	15	1.02	LC	LC	1	0	0.3	12	7	LC - on burnt patches in Ngarkat	
Brown Quail	1	0.60						1	1	vagrant (PC - agree)	
Chestnut Teal	3	0.08						3	2	vagrant	
Grey Teal	11	0.11	LC	LC	1	0	0.3	11	10	limited habitat; irregular visitor	
Australasian Shoveler	2	0.09						2	1	vagrant	
Hardhead	2	0.06						2	1	vagrant	
Musk Duck	1	0.05						1	1	vagrant	
Cape Barren Goose		0.00									

**Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)**

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	IUCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee	Trend Score Lowan Mallee	A of O in Lowan Mallee_All km2	A of O in Lowan Mallee_Recent km2	Comments (Lowan Mallee)
Australian Wood Duck	16	0.24	LC	LC	1	+		0.2	14	13	
Black Swan	5	0.06							5	2	vagrant
Pink-eared Duck	3	0.19							3	1	vagrant
Blue-billed Duck	1	0.20							1	1	vagrant
Freckled Duck		0.00									
Australian Shelduck	27	0.61	RA c(iv)	RA	3	+		0.2	21	20	
Great Crested Grebe	1	0.05							1	1	vagrant
Hoary-headed Grebe	1	0.02							1	1	vagrant
Australasian Grebe	3	0.07	RA c(ii)	RA	3	0		0.3	3	2	
Diamond Dove		0.00									
Peaceful Dove	46	1.04	RA c(i),d(ii) - NT	NT	2	DD		0	32	32	not common; wrong habitat generally; different habitat (blue gum in southern blob has majority of recs) - stable for GC; DD for PC, AB
Crested Pigeon	141	0.65	LC	LC	1	0		0.3	104	98	
Common Bronzewing	296	3.65	LC	LC	1	0		0.3	204	195	not confident that the decline is ongoing
Brush Bronzewing	7	0.41	EN C1	EN	5	-		0.4	6	4	inherently found in small proportion of region; at edge of range; boundary issue; unlikely to recruit from SE (Timin) due to small and declining pop. in SE (AB); continuous pop. with SE; unknown influence of SE
Tawny Frogmouth	33	2.84	NT - LC	LC	1	DD		0	23	20	agreement on status LC; DD - major historic decline; NT --> LC (GC)
Spotted Nightjar	16	3.25	VU C1 - RA ab	RA	3	DD		0	14	8	GC - VU-->Rare potential loss of remnant quality (PC) lags (DJR)
Australian Owllet-nightjar	41	2.55	NT - LC	LC	1	-		0.4	24	19	NT-->LC(GC); fair chance of decline (AB, GC)
Fork-tailed Swift	2	0.59	RA b	RA	3	-		0.4	2	1	frequency of visits less now than historic (GC)? Rare b. probable decline
White-throated Needletail	3	1.36	RA b	RA	3	-		0.4	3	1	frequency of visits less now than historic (GC)? Rare b. probable decline
Australasian Darter		0.00									
Little Pied Cormorant	2	0.02							2	2	vagrant
Great Cormorant	4	0.09							4	3	vagrant
Little Black Cormorant	2	0.04							2	2	vagrant
Pied Cormorant		0.00									
Australian Pelican	3	0.03							3	3	vagrant
Great Egret	3	0.07							3	3	vagrant
Cattle Egret		0.00									
Intermediate Egret		0.00									
White-necked Heron	13	1.47	RA c(iii)	RA	3	-		0.4	11	9	breed in SE
Australasian Bittern		0.00									
Little Egret		0.00									
White-faced Heron	15	0.14	RA c(ii)	RA	3	-		0.4	12	10	
Australian Little Bittern		0.00									
Nankeen Night-Heron		0.00									
Yellow-billed Spoonbill	7	0.37							6	6	vagrant
Royal Spoonbill		0.00									
Glossy Ibis		0.00									
Australian White Ibis	2	0.03							2	1	vagrant
Straw-necked Ibis	7	0.23							6	5	vagrant
Collared Sparrowhawk	30	1.75	NT - LC	LC	1	0		0.3	23	18	NT-->LC(GC); probably stable (GC)
Brown Goshawk	51	2.06	NT - LC	LC	1	0		0.3	36	30	NT-->LC(GC); probably stable (GC)
Wedge-tailed Eagle	106	1.51	LC	LC	1	0		0.3	73	67	strong agreement for LC across region
Swamp Harrier	3	0.14	RA c(iii) - NT	NT	2	0		0.3	3	1	irregular visitor in response to episodic rainfall (wet lignum swamps) - linked to river populations
Spotted Harrier	8	0.82	RA c(ii) - NT	NT	2	0		0.3	8	6	agreement on trend and status
Black-shouldered Kite	39	0.85	RA c(ii) - NT	NT	2	--		0.5	30	26	agreement on trend and status; definite decline; historic increase however
Letter-winged Kite	1	1.14							1	1	vagrant
White-bellied Sea-Eagle		0.00									
Whistling Kite	12	0.29	RA c(ii) - NT	NT	2	0		0.3	8	5	irregular visitor in response to episodic rainfall (wet lignum swamps) - linked to river populations
Little Eagle	17	1.46	VU D1	VU	4	-		0.4	14	11	
Square-tailed Kite	1	1.75							1	1	vagrant
Black Kite	12	0.35	LC	LC	1	+		0.2	12	10	
Eastern Osprey		0.00									
Brown Falcon	80	1.41	LC	LC	1	0		0.3	62	56	LC across the board - agreement
Nankeen Kestrel	51	0.52	LC	LC	1	0		0.3	36	32	LC across the board - agreement
Grey Falcon	2	1.63	RA c(iii)	RA	3	-		0.4	2	1	AB - rareC3 - probably declining based on continental scale population (AB)

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	IUCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee Trend Score	A of O in Lowan Mallee_All km2	A of O in Lowan Mallee_Recent km2	Comments (Lowan Mallee)
Australian Hobby	10	0.50	NT- LC	LC	1	0	0.3	6	5	GC - status and trend - agreement
Peregrine Falcon	10	0.84	RA c(i)	RA	3	0	0.3	7	4	agreement
Black Falcon	1	0.16						1		vagrant
Brolga	1	0.24	CR	CR	6	--	0.5	1		now vagrant
Eurasian Coot	6	0.09	RA c(iii)	RA	3	DD	0	6	4	
Dusky Moorhen	2	0.05						1	1	vagrant
Buff-banded Rail	1	0.32						1		vagrant
Lewin's Rail		0.00								
Purple Swampphen	2	0.05						1	1	vagrant
Australian Spotted Crake		0.00								
Baillon's Crake		0.00								
Spotless Crake		0.00								
Black-tailed Native-hen	16	0.43	LC	LC	1	0	0.3	13	13	
Australian Bustard	2	0.56	CR C1	CR	6	-	0.4	2	2	based on fact that there were historic resident populations, but now rare irregular visitors from northern populations
Bush Stone-curlew	1	0.35	CR C1	CR	6	-	0.4	1	1	
Banded Stilt	1	0.06						1		vagrant
Black-winged Stilt	2	0.04						2	1	vagrant
Red-necked Avocet	1	0.04						1		vagrant
Double-banded Plover		0.00								
Red-capped Plover	1	0.02						1	1	vagrant
Black-fronted Dotterel	1	0.03						1		vagrant
Red-kneed Dotterel		0.00								
Masked Lapwing	31	0.27	LC	LC	1	+	0.2	24	19	LC across the board - agreement
Banded Lapwing	14	1.06	RA c(i) - NT	NT	2	-	0.4	13	8	
Plains-wanderer	1	1.92	CR D	CR	6	-	0.4	1		lack of survey effort
Australian Painted Snipe		0.00								
Common Sandpiper		0.00								
Sharp-tailed Sandpiper		0.00								
Curlew Sandpiper		0.00								
Red-necked Stint		0.00								
Latham's Snipe		0.00								
Wood Sandpiper		0.00								
Common Greenshank	1	0.02						1	1	vagrant
Marsh Sandpiper		0.00								
Painted Button-quail	23	4.04	VU D1	VU	4	-	0.4	15	13	in amongst SE populations but all declining - DD
Little Button-quail	3	0.42	DD	DD	0	DD	0	3	2	
Australian Pratincole		0.00								
Whiskered Tern		0.00								
Silver Gull	2	0.01						2	1	vagrant
Gull-billed Tern		0.00								
Caspian Tern		0.00								
Fairy Tern		0.00								
Crested Tern		0.00								
Sulphur-crested Cockatoo	154	4.12	LC	LC	1	0	0.3	72	72	
Little Corella	3	0.05	LC	LC	1	++	0.1	3	2	
Long-billed Corella	81	9.82	LC	LC	1	0	0.3	40	39	
Red-tailed Black Cockatoo (south-east subs)	1	33.33	EN C1	EN	5	-	0.4	1		should be more records, checked status with Pcooley
Yellow-tailed Black-Cockatoo	75	1.11	VU C1	VU	4	-	0.4	43	41	Winter non-breeding visitor; definite decline around Ngarkat, compared to 1990's use less than 50% (could be up to 80%) of former habitat; numbers ca 50-90% less - DCP.
Galah	667	2.28	LC	LC	1	0	0.3	368	363	
Major Mitchell's Cockatoo	7	1.04	CR C1	CR	6	-	0.4	6	4	not core habitat (for breeding anyway)
Cockatiel	33	1.63	RA c(ii)	RA	3	-	0.4	24	20	
Australian Ringneck	173	1.89	LC	LC	1	0	0.3	114	107	LC but historic decline
Musk Lorikeet	163	2.58	LC	LC	1	0	0.3	77	76	
Purple-crowned Lorikeet	96	1.45	NT	NT	2	-	0.4	56	55	
Little Lorikeet	8	12.90	EN D	EN	5	-	0.4	4	3	
Swift Parrot	6	16.22	CR D	CR	6	--	0.5	5	4	GC confident - linked to similar mechanisms as eastern states + edge of populations

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	UCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee Trend Score	A of O in Lowan Mallee_All km2	A of O in Lowan Mallee_Recent km2	Comments (Lowan Mallee)
Budgerigar	16	0.36	NT	NT	2	-	0.4	14	10	
Blue-winged Parrot	15	2.08	RA c(ii)	RA	3	0	0.3	12	10	regular visitor
Elegant Parrot	9	0.47						8	7	DCP says vagrant
Scarlet-chested Parrot	2	1.20	RA c(iii)	RA	3	DD	0	2	2	rare C3 - based on irregular records
Blue Bonnet	30	1.37	NT	NT	2	-	0.4	19	16	inferred based on historic decline and ongoing degradation of remaining habitat
Crimson Rosella	188	1.04	LC	LC	1	0	0.3	86	86	
Eastern Rosella	215	7.77	LC	LC	1	0	0.3	103	102	
Regent Parrot	19	3.49	EN C1	EN	5	--	0.5	14	12	upstream of Renmark - huge declines due to almonds? (KS) real data - same population/individuals across regions
Red-rumped Parrot	220	2.34	LC	LC	1	0	0.3	108	105	
Mulga Parrot	132	2.92	LC	LC	1	0	0.3	97	92	
Rainbow Lorikeet	47	0.52	LC	LC	1	0	0.3	28	28	
Fan-tailed Cuckoo	24	1.17	NT	NT	2	-	0.4	18	15	
Pallid Cuckoo	16	0.86	NT	NT	2	-	0.4	11	10	
Horsfield's Bronze-cuckoo	81	1.79	LC	LC	1	-	0.4	69	62	
Shining Bronze-Cuckoo	5	1.09	RA c(ii)	RA	3	-	0.4	5	3	
Black-eared Cuckoo	11	1.73	RA c(ii)	RA	3	-	0.4	9	6	
Barking Owl		0.00								
Southern Boobook	30	1.29	NT	NT	2	-	0.4	14	13	
Eastern Barn Owl	9	1.01	LC	LC	1	+	0.2	7	4	increase inferred from agriculture - link to mice
Masked Owl		0.00								
Laughing Kookaburra	109	1.50	LC	LC	1	0	0.3	52	52	
Red-backed Kingfisher	6	0.45	RA c(ii)	RA	3	-	0.4	6	4	
Sacred Kingfisher	20	0.98	NT	NT	2	0	0.3	15	14	
Rainbow Bee-eater	106	2.94	LC	LC	1	0	0.3	74	68	
White-browed Treecreeper		0.00								
Brown Treecreeper	77	1.61	NT	NT	2	-	0.4	33	32	
White-throated Treecreeper	107	3.29	NT	NT	2	0	0.3	40	40	
Striated Grasswren	47	6.54	EN B2ab(i,ii,iii,iv); C1	EN	5	--	0.5	36	29	need to check Billiatt population; Ngkarat population stuffed
Superb Fairy-wren	295	1.78	LC	LC	1	0	0.3	164	159	
Variegated Fairy-wren	182	2.69	LC	LC	1	0	0.3	134	127	
White-winged Fairy-wren		0.00								
Splendid Fairy-wren	170	8.61	NT	NT	2	DD	0	123	116	
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00								
Mallee Emu-wren	24	60.00	CR B1ab(i,ii,iii); C1	CR	6	--	0.5	15	4	
Inland Thornbill	521	11.86	LC	LC	1	0	0.3	310	300	widely distributed, stable - checked DCP
Yellow-rumped Thornbill	265	2.72	LC	LC	1	0	0.3	181	174	
Slender-billed Thornbill	15	3.55	VU C1	VU	4	-	0.4	13	9	is ssp A iredalei hedleyi here; widely distributed, populaion fluctuates depending on post fire veg stage; numbers may be higher now than 10yr ago - checked DCP
Striated Thornbill	40	0.76	LC	LC	1	0	0.3	27	27	
Yellow Thornbill	50	2.06	NT	NT	2	DD	0	42	40	
Brown Thornbill	64	1.24	LC	LC	1	0	0.3	40	39	only southern section of subregion, Ngkarat recs IT
Buff-rumped Thornbill	87	3.88	LC	LC	1	0	0.3	50	46	widely distributed, stable - checked DCP
Chestnut-rumped Thornbill	119	2.18	LC	LC	1	-	0.4	91	85	
Southern Whiteface	20	0.37	RA d(i)	RA	3	-	0.4	17	13	discussion over whether they have declined in lowan, or are inherently rare, declining in southern part of subregion, but not northern
Rufous Fieldwren	9	0.95	VU C1	VU	4	-	0.4	8	6	copers with regenerating heaths; widely distributed; checked DCP
White-throated Gerygone	2	2.50	RA c(iii)	RA	3	DD	0	2		
Western Gerygone	2	2.27						2	2	vagrant
Shy Heathwren (Shy Hylacola)	177	13.67	NT	NT	2	-	0.4	128	115	copers with regenerating heaths; widely distributed; checked DCP
Chestnut-rumped Heathwren	18	5.96	EN C1	EN	5	-	0.4	12	11	lower Lowan loss of habitat historically
Redthroat	1	0.09	DD	DD	0	DD	0	1		
White-browed Scrubwren	14	0.21	RA d(i)	RA	3	0	0.3	11	11	
Weebill	747	5.92	LC	LC	1	0	0.3	381	374	
Spotted Pardalote	774	9.39	LC	LC	1	0	0.3	395	388	
Striated Pardalote	273	1.65	LC	LC	1	0	0.3	145	141	
Spiny-cheeked Honeyeater	378	2.54	LC	LC	1	0	0.3	239	233	
Eastern Spinebill	2	0.05						2	1	vagrant
Red Wattlebird	559	2.35	LC	LC	1	0	0.3	304	296	

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	UCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee Trend Score	A of O in Lowan Mallee, All km2	A of O in Lowan Mallee, Recent km2	Comments (Lowan Mallee)
Little Wattlebird	73	2.15	LC	LC	1	0	0.3	39	39	
Pied Honeyeater	2	0.23						2	2	vagrant
Blue-faced Honeyeater	20	12.20	RA c(i)	RA	3	DD	0	13	11	
White-fronted Chat	68	1.53	LC	LC	1	0	0.3	56	49	
Orange Chat	2	0.13	RA c(iii)	RA	3	0	0.3	2	1	numbers fluctuate widely across the region
Crimson Chat	14	0.76	LC	LC	1	DD	0	11	8	numbers fluctuate widely across the region
Tawny-crowned Honeyeater	242	15.05	VU A2a; C2b	VU	4	--	0.5	121	113	Ngarkat population likely to be endangered, Billiatt endangered, lower Lowan stable??
Yellow-faced Honeyeater	97	1.86	LC	LC	1	0	0.3	55	52	
Purple-gaped Honeyeater	183	13.56	NT	NT	2	-	0.4	112	102	
White-eared Honeyeater	651	15.66	LC	LC	1	-	0.4	346	339	
Yellow-plumed Honeyeater	303	4.27	LC	LC	1	-	0.4	201	194	
White-plumed Honeyeater	225	1.37	LC	LC	1	0	0.3	94	93	
Grey-fronted Honeyeater	1	0.08	DD	DD	0	DD	0	1		
Singing Honeyeater	74	0.42	LC	LC	1	0	0.3	67	63	
Yellow-throated Miner	40	0.49	LC	LC	1	0	0.3	25	23	only in Billiatt block
Noisy Miner	236	3.83	LC	LC	1	0	0.3	118	117	
Black-eared Miner		0.00								
Brown-headed Honeyeater	313	5.49	LC	LC	1	0	0.3	209	202	
Black-chinned Honeyeater	87	7.94	VU C1	VU	4	-	0.4	35	35	
White-naped Honeyeater	37	1.08	LC	LC	1	0	0.3	23	22	
Little Friarbird		0.00								
New Holland Honeyeater	443	2.35	LC	LC	1	0	0.3	208	202	
Striped Honeyeater	2	0.20	RA c(iii)	RA	3	DD	0	2	1	rare (GC) or vagrant (AG)?
White-fronted Honeyeater	251	4.89	LC	LC	1	0	0.3	151	144	
Black Honeyeater	6	2.14	RA c(iii)	RA	3	DD	0	4	2	
Chestnut-crowned Babbler	2	0.11	DD	DD	0	DD	0	2	1	
White-browed Babbler	346	3.23	LC	LC	1	0	0.3	225	217	
Grey-crowned Babbler	6	12.24	CR D	CR	6	-	0.4	2		
Chestnut Quail-thrush	77	4.49	RA b	RA	3	-	0.4	57	50	largely Billiatt records; Ngarkat gone, Billiatt RareB; checked DCP
Chirruping Wedgebill		0.00								
Western Whipbird (Eastern subspecies)	13	9.03	CR D	CR	6	-	0.4	10	2	could be extinct
Varied Sittella	92	3.60	NT	NT	2	-	0.4	58	55	
Ground Cuckoo-shrike	1	0.28						1	1	vagrant
Black-faced Cuckoo-shrike	129	1.23	NT	NT	2	-	0.4	93	88	
White-bellied Cuckoo-shrike	5	3.52	EN D	EN	5	-	0.4	2	1	southern block, linked into SE birds
White-winged Triller	41	1.91	NT	NT	2	-	0.4	32	28	
Grey Shrike-thrush	618	2.98	LC	LC	1	0	0.3	388	382	
Crested Shrike-tit	25	2.62	EN D	EN	5	-	0.4	16	16	
Crested Bellbird	120	2.12	RA b	RA	3	-	0.4	87	80	
Gilbert's Whistler	29	2.13	VU B1ab(i,ii,iv); C1	VU	4	-	0.4	20	15	rarely seen in Ngarkat; has definitely disappeared from 1 site
Golden Whistler	474	6.47	NT	NT	2	DD	0	268	259	see DCP Ngarkat data, but mostly in Billiatt - unsure of decline status
Rufous Whistler	114	1.67	NT	NT	2	-	0.4	75	73	
Red-lored Whistler	50	19.46	CR C1	CR	6	-	0.4	31	19	need sandy mallee habitat with shrubs
Olive-backed Oriole		0.00								
Black-faced Woodswallow	4	0.10						3	2	vagrant
Dusky Woodswallow	151	2.75	NT	NT	2	-	0.4	85	81	
White-breasted Woodswallow		0.00								
Masked Woodswallow	146	5.89	LC	LC	1	0	0.3	97	93	
White-browed Woodswallow	164	7.47	NT	NT	2	-	0.4	108	103	
Pied Butcherbird	5	0.42						3	1	vagrant
Australian Magpie	737	2.11	LC	LC	1	0	0.3	426	418	
Grey Butcherbird	350	4.07	LC	LC	1	0	0.3	223	216	
Grey Currawong	337	3.18	NT	NT	2	DD	0	221	215	
Grey Fantail	201	1.69	NT	NT	2	-	0.4	107	103	
Willie Wagtail	454	1.73	LC	LC	1	0	0.3	269	260	

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	IUCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee Trend Score	A of O_in_Lowan Mallee_All_km2	A of O_in_Lowan Mallee_Recent_km2	Comments (Lowan Mallee)
Little Crow	50	1.65	VU D1	VU	4	-	0.4	42	38	localised poplutions; needs scrub
Australian Raven	294	3.11	NT	NT	2	-	0.4	167	162	
Little Raven	171	0.94	LC	LC	1	+	0.2	132	128	
Forest Raven	36	8.20	NT	NT	2	DD	0	21	20	edge of range
Magpie-lark	68	0.35	LC	LC	1	0	0.3	56	54	
Restless Flycatcher	79	4.04	RA b	RA	3	-	0.4	52	51	
White-winged Chough	104	2.53	RA c(i)	RA	3	-	0.4	79	71	
Apostlebird		0.00								
Southern Scrub-robin	289	13.57	RA a; b	RA	3	-	0.4	162	154	has declined in area and numbers - threatened by fire and drought - checked DCP
Eastern Yellow Robin	11	1.62	RA c(iv)	RA	3	+	0.2	10	10	
Hooded Robin	84	2.37	RA b	RA	3	-	0.4	60	57	
Jacky Winter	167	3.86	NT	NT	2	DD	0	99	93	
Scarlet Robin	62	1.91	RA c(i)	RA	3	-	0.4	28	27	
Red-capped Robin	114	1.74	LC	LC	1	0	0.3	74	66	
Flame Robin	3	1.73	CR C1	CR	6	--	0.5	3	2	
Rose Robin	2	2.60	RA c(iii)	RA	3	DD	0	1	1	
Horsfield's Bushlark	9	1.34	RA d(ii)	RA	3	0	0.3	3	2	Lynn Pedler - probably under-recorded
Golden-headed Cisticola		0.00								
Australian Reed-Warbler		0.00								
Brown Songlark	26	0.88	LC	LC	1	0	0.3	22	18	
Rufous Songlark	15	0.87	NT	NT	2	-	0.4	12	11	
Little Grassbird		0.00								
Silvereye	147	1.28	NT	NT	2	-	0.4	92	88	
White-backed Swallow	29	1.90	RA c(ii)	RA	3	DD	0	25	21	
Welcome Swallow	126	0.67	LC	LC	1	0	0.3	90	88	
Fairy Martin	3	0.14						3	2	vagrant
Tree Martin	86	0.91	NT	NT	2	-	0.4	53	51	
Mistletoebird	40	0.70	NT	NT	2	DD	0	22	20	
Diamond Firetail	29	1.58	EN C1	EN	5	-	0.4	20	20	
Zebra Finch	4	0.07	EN D	EN	5	DD	0	1	1	
Australasian Pipit	41	0.60	LC	LC	1	0	0.3	35	30	
Broad-shelled Tortoise		0.00								
Common Long-necked Tortoise		0.00								
Macquarie Tortoise		0.00								
Mallee Tree-dragon	28	21.88	LC	LC	1	0	0.3	20	12	very well camouflaged; depends on original habitat; only in remnants
Tawny Dragon		0.00								
Mallee Dragon	222	14.10	LC	LC	1	0	0.3	70	41	common; likes original habitat, sandy mallee
Painted Dragon	101	4.90	LC	LC	1	0	0.3	49	29	common; sandy habitat
Nobbi Dragon	12	7.19	LC	LC	1	0	0.3	8	5	
Eastern Bearded Dragon	11	3.14	LC	LC	1	0	0.3	9	7	farmland spp.
Central Bearded Dragon	31	3.21	LC	LC	1	0	0.3	30	24	
Five-lined Earless Dragon		0.00	LC	LC	1	0	0.3			records in Ngarkat, not yet processed, but seem relatively common in post fire sites
Marbled Gecko	45	1.57	LC	LC	1	0	0.3	27	14	climbing spp; likes bark
Southern Rock Dtella		0.00								
Tree Dtella		0.00								
Bynoe's Gecko	1	0.04	RA d(ii)	RA	3	0	0.3	1	1	likely specimen but may be on edge of range due to cooler climate
Smooth Knob-tailed Gecko		0.00								
Barking Gecko	6	0.54	LC	LC	1	0	0.3	5	3	
South Coast Gecko		0.00								
Ranges Stone Gecko		0.00								
Tessellated Gecko		0.00								
Eastern Stone Gecko	15	41.67	LC	LC	1	0	0.3	13	12	likes different soil types
Pink-blotched Gecko		0.00								
Beaded Gecko	36	2.44	LC	LC	1	0	0.3	19	10	confined to sandy mallee
Marbled Velvet Gecko		0.00								
Beaked Gecko		0.00								

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	UCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee Trend Score	A of O in Lowan Mallee_All km2	A of O in Lowan Mallee_Recent km2	Comments (Lowan Mallee)
Jewelled Gecko		0.00								
Southern Spiny-tailed Gecko	8	2.92	LC	LC	1	0	0.3	5	3	likes mallee with shrubby understorey
Eastern Spiny-tailed Gecko		0.00								
Red-tailed Worm-lizard	10	8.77	LC	LC	1	0	0.3	8	6	needs sand
Lined Worm-lizard	4	0.90	LC	LC	1	0	0.3	3	2	common around Ngarkat
Barred Snake-lizard	39	8.50	LC	LC	1	0	0.3	29	17	likes mallee
Spinifex Snake-lizard	2	0.76	LC	LC	1	0	0.3	2	2	needs spinifex
Olive Snake-lizard		0.00								
Adelaide Snake-lizard		0.00								
Burton's Legless Lizard	13	4.68	LC	LC	1	0	0.3	11	7	habitat generalist
Common Scaly-foot	9	3.54	LC	LC	1	0	0.3	7	6	
Hooded Scaly-foot		0.00								
Eastern Three-lined Skink	5	0.74	RA d(i,ii)	RA	3	0	0.3	3	2	
Desert Wall Skink		0.00								
Speckled Wall Skink	2	1.04	RA d(i,ii)	RA	3	0	0.3	2	2	could be coming in from East
Southern Spinifex Ctenotus		0.00								
Brown Ctenotus	23	17.69	LC	LC	1	0	0.3	8	4	triodia specialist
Saltbush Ctenotus		0.00								
Spotted Ctenotus	67	10.84	LC	LC	1	0	0.3	40	29	
Eastern Desert Ctenotus		0.00								
Eastern Striped Skink	45	4.37	LC	LC	1	0	0.3	28	24	
Sandplain Ctenotus		0.00								
Short-legged Ctenotus		0.00								
Eyrean Ctenotus	42	3.50	LC	LC	1	0	0.3	18	11	soft sanddune specialist; in mallee remnants
Spinifex Slender Bluetongue		0.00								
Eastern Tree Skink		0.00								
Broad-banded Sandswimmer		0.00								
Eastern Water Skink		0.00								
Three-toed Earless Skink		0.00								
Rusty Earless Skink	14	4.81	LC	LC	1	0	0.3	7	3	
Four-toed Earless Skink	4	0.16	RA d(i)	RA	3	DD	0	2	1	should be more records; sandy soils generalist
Delicate Skink	17	7.91	LC	LC	1	0	0.3	9	8	
Garden Skink	3	0.12	RA d(i,ii)	RA	3	0	0.3	2	1	edge of range; temperate spp.
Yellow-tailed Slider		0.00								
Bougainville's Skink	40	3.40	LC	LC	1	0	0.3	30	18	
Southern Four-toed Slider		0.00								
Eastern Two-toed Slider		0.00								
Spotted Slider	5	1.59	LC	LC	1	0	0.3	4	4	generalist
Dwarf Three-toed Slider		0.00								
Desert Skink	15	2.09	LC	LC	1	0	0.3	14	4	soft sand
Dwarf Skink	50	1.77	LC	LC	1	0	0.3	31	21	habitat generalist
Adelaide Snake-eye		0.00								
Common Snake-eye	14	0.69	LC	LC	1	0	0.3	6	5	likes leaf litter
Mallee Snake-eye	125	8.21	LC	LC	1	0	0.3	72	53	likes sandy heathy mallee
Western Bluetongue	11	4.58	LC	LC	1	0	0.3	8	5	patchy, generalist
Sleepy Lizard	134	5.13	LC	LC	1	0	0.3	70	61	
Eastern Bluetongue	2	0.77	RA d(ii)	RA	3	0	0.3	2	1	
Sand Goanna	9	0.99	LC	LC	1	0	0.3	8	5	
Heath Goanna	1	0.33	RA d(i)	RA	3	-	0.4	1	1	Ngarkat a stronghold; should be more records
Lace Monitor		0.00								
Southern Blind Snake	7	3.70	LC	LC	1	0	0.3	6	2	
Rough-nosed Blind Snake	2	0.85	RA d(i)	RA	3	0	0.3	2	1	limited
Carpet Python		0.00								
Coral Snake		0.00								
Yellow-faced Whipsnake		0.00								
Master's Snake	7	7.14	LC	LC	1	0	0.3	7	3	

Regional Species Conservation Assessments
DENR Murraylands Region
Complete Dataset for Fauna Assessments July 2010
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lowan Mallee Records	%Lowan Mallee	IUCN Status & Criteria (Lowan Mallee)	Regional Status (Lowan Mallee)	Regional Status Score Lowan Mallee	Trend (-, -, 0, +, ++)	Lowan Mallee Trend Score	A of O in Lowan Mallee - All km2	A of O in Lowan Mallee - Recent km2	Comments (Lowan Mallee)
Bardick	5	16.13	VU B2ab(i,ii,iii)	VU	4	-	0.4	5	2	likes triodia mallee
Eastern Tiger Snake	1	0.15	RA d(i,ii)	RA	3	-	0.4	1		
Mitchell's Short-tailed Snake	3	2.52	LC	LC	1	0	0.3	3	2	lack of records
Mallee Black-headed Snake	4	2.14	LC	LC	1	0	0.3	4	2	
Mulga Snake		0.00								
Red-bellied Black Snake		0.00								
Patch-nosed Brown Snake		0.00								
Five-ringed Snake		0.00								
Eastern Brown Snake	15	2.42	LC	LC	1	0	0.3	14	12	
Curl Snake		0.00								
Common Bandy Bandy		0.00								
Brown Tree Frog	5	0.14	RA d(i,ii)	RA	3	0	0.3	4	4	
Peron's Tree Frog	2	0.62	RA d(i,ii)	RA	3	0	0.3	1	1	
Southern Bell Frog	1	0.32	RA d(i,ii)	RA	3	-	0.4	1	1	declining due to Chytrid Fungus
Murray Valley Froglet		0.00								
Common Froglet	28	0.28	RA d(i,ii)	RA	3	0	0.3	12	12	
Banjo Frog	26	0.70	LC	LC	1	0	0.3	13	10	can burrow into ground
Long-thumbed Frog		0.00								
Striped Marsh Frog	3	0.60	RA d(i)	RA	3	0	0.3	3	3	needs long-lasting swamps
Spotted Marsh Frog	17	0.35	LC	LC	1	0	0.3	9	8	adaptable spp.
Burrowing frog	63	7.00	LC	LC	1	0	0.3	27	21	
Sudell's Frog	2	0.98	RA d(i,ii)	RA	3	0	0.3	2	2	
Brown Toadlet	4	1.00	RA d(i)	RA	3	-	0.4	4	2	
Pouched Lamprey		0.00								
Short-headed Lamprey		0.00								
Short-finned Eel		0.00								
Smallmouth Hardyhead		0.00								Could occur here
Murray Hardyhead		0.00								
Unspecked Hardyhead		0.00								
Murray Rainbow Fish		0.00								
Bony Herring		0.00								
Agassiz's Glassfish		0.00								
Congolli		0.00								
Southern Purple-Spotted Gudgeon		0.00								
Flathead Gudgeon		0.00								
Dwarf Flathead Gudgeon		0.00								
River Blackfish		0.00								
Western Bluespot Goby		0.00								
Lagoon goby		0.00								
Southern Pigmy Perch		0.00								
Yarra Pigmy Perch		0.00								
Trout Cod		0.00								
Murray Cod		0.00								
Murray-Darling Golden Perch		0.00								
Macquarie Perch		0.00								
Estuary Perch		0.00								
Silver Perch		0.00								
Climbing Galaxias		0.00								
Common Galaxias		0.00								
Mountain Galaxias		0.00								
Flathead Galaxias		0.00								
Smelt		0.00								
Freshwater Catfish		0.00								