

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoO_in_SE_All_km2	AoO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score	
1	1	MAMMALIA	ORNITHORHYNCHIDAE	Platypus	S01001	<i>Ornithorhynchus anatinus</i>	Platypus		E	1960	20	3	15.00			RE	7			7.0	
2	2	MAMMALIA	TACHYGLOSSIDAE	Echidnas	W01003	<i>Tachyglossus aculeatus</i>	Short-beaked Echidna			2006	1298	25	19.89	197	165	LC	1	0	0.3	1.3	
3	8	MAMMALIA	DASYURIDAE	Dasyurids	Y01008	<i>Dasyurus maculatus</i>	Spotted-tailed Quoll (Tiger Quoll)	EN	E	1922			42.86			RE	7			7.0	
4	9	MAMMALIA	DASYURIDAE	Dasyurids	K01009	<i>Dasyurus viverrinus</i>	Eastern Quoll		E	1922			20.00			RE	7			7.0	
5	11	MAMMALIA	DASYURIDAE	Dasyurids	E04138	<i>Antechinus agilis</i>	Agile Antechinus		E	2001			100.00			RA	3	DD	0	3.0	
6	12	MAMMALIA	DASYURIDAE	Dasyurids	Z01027	<i>Antechinus flavipes</i>	Yellow-footed Antechinus		V	2004	884	153	17.31	44	17	RA	3	-	0.4	3.4	
7	13	MAMMALIA	DASYURIDAE	Dasyurids	M01034	<i>Antechinus minimus</i>	Swamp Antechinus		E	2009	63	63	100.00	29	8	EN	5	-	0.4	5.4	
8	15	MAMMALIA	DASYURIDAE	Dasyurids	A04224	<i>Phascogale tapoatafa</i>	Brush-tailed Phascogale		E	1986			22.22			CR	6	-	0.4	6.4	
9	23	MAMMALIA	DASYURIDAE	Dasyurids	A01072	<i>Sminthopsis crassicaudata</i>	Fat-tailed Dunnart			2000	2880	32	1.11	21	2	RA	3	-	0.4	3.4	
10	28	MAMMALIA	DASYURIDAE	Dasyurids	S01061	<i>Sminthopsis murina</i>	Common Dunnart			1997	19	9	4.71	9	4	RA	3	DD	0	3.0	
12	36	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	G04375	<i>Isodon obesulus obesulus</i>	Southern Brown Bandicoot (SA mainland and KI ssp)	EN	V	1997	20	20	9.95	14		VU	4	-	0.4	4.4	
13	41	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	U01098	<i>Perameles gunnii</i>	Eastern Barred Bandicoot	EN	E	1893			100.00			RE	7	-		7.0	
14	42	MAMMALIA	PERAMELIDAE	Bandicoots and bilbies	M01106	<i>Macrotis lagotis</i>	Bilby (Greater Bilby)		VU	V	1945	16	31.25			RE	7			7.0	
15	45	MAMMALIA	PHASCOLARCTIDAE	Koala	E01162	<i>Phascolarctos cinereus</i>	Koala			2005	192	5	2.60	5	4	RA	3	+	0.2	3.2	
17	47	MAMMALIA	VOMBATIDAE	Wombats	K01165	<i>Vombatus ursinus</i>	Common Wombat		R	2006	225	222	98.67	168	73	NT	2	0	0.3	2.3	
18	48	MAMMALIA	PHALANGERIDAE	Brushtail-possums, cuscuses and the Scaly-tailed Possum	K01113	<i>Trichosurus vulpecula</i>	Common Brush-tail Possum		R	2005	1560	168	10.77	92	64	LC	1	0	0.3	1.3	
19	55	MAMMALIA	POTORIDAE	Potoroos, bettons and the Musky Rat-kangaroo	Z01175	<i>Potorous tridactylus</i>	Long-nosed Potoroo		VU	E	2007	1	1	100.00			RA	3	DD	0	3.0
21	57	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	Z01263	<i>Macropus fuliginosus</i>	Western Grey Kangaroo			2006	1238	539	4.35	273	232	LC	1	+	0.2	1.2	
22	58	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	S01265	<i>Macropus giganteus</i>	Eastern Grey Kangaroo		R	1997	29	19	65.52	11	3	NT	2	+	0.2	2.2	
23	59	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	S01257	<i>Macropus greyi</i>	Toolache Wallaby		EX	E	1984			88.89			RE	7			7.0
24	60	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	U01266	<i>Macropus robustus</i>	Euro			1991	1058		0.01			DD	0	DD	0	0.0	
25	61	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	K01261	<i>Macropus rufogriseus</i>	Red-necked Wallaby		R	2005	215	200	93.02	119	89	NT	2	++	0.1	2.1	
27	67	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	E01242	<i>Wallabia bicolor</i>	Swamp Wallaby		V	2005	33	24	72.73	22	2	LC	1	++	0.1	1.1	
28	69	MAMMALIA	MACROPODIDAE	Wallabies, kangaroos and tree-kangaroos	U01194	<i>Lagorchestes leporides</i>	Eastern Hare-wallaby		EX	E	1892			100.00			RE	7			7.0
30	75	MAMMALIA	BURRAMYIDAE	Pygmy-possums	W01151	<i>Cercartetus concinnus</i>	Western Pygmy-possum			2000	99	133	13.38	78	47	RA	3	0	0.3	3.3	
31	76	MAMMALIA	BURRAMYIDAE	Pygmy-possums	A01152	<i>Cercartetus lepidus</i>	Little Pygmy-possum			2000	108	86	79.63	52	35	RA	3	0	0.3	3.3	
32	77	MAMMALIA	BURRAMYIDAE	Pygmy-possums	U01150	<i>Cercartetus nanus</i>	Eastern Pygmy-possum		V	2006	41	4	100.00	16	14	VU	4	DD	0	4.0	
33	78	MAMMALIA	PSEUDOCHEIRIDAE	Ringtail possums and the Greater Glider	C01129	<i>Pseudochelirus pterogirinus</i>	Common Ringtail Possum			2005	682	136	19.94	67	46	NT	2	0	0.3	2.3	
34	79	MAMMALIA	PETAURIDAE	Striped Possum, Leadbeater's Possum and wrist-winged gliders	U04222	<i>Petaurus australis</i>	Yellow-bellied Glider		E	1997			100.00			CR	6	0	0.3	6.3	
35	80	MAMMALIA	PETAURIDAE	Striped Possum, Leadbeater's Possum and wrist-winged gliders	E01138	<i>Petaurus breviceps</i>	Sugar Glider		R	2007	90	79	87.78	58	37	NT	2	0	0.3	2.3	
36	81	MAMMALIA	PETAURIDAE	Striped Possum, Leadbeater's Possum and wrist-winged gliders	E04226	<i>Petaurus norfolcensis</i>	Squirrel Glider		E	1991			100.00			EN	5	DD	0	5.0	
37	82	MAMMALIA	ACROBATIDAE	Feathertail Glider	G01147	<i>Acrobates pygmaeus</i>	Feathertail Glider		E	1960	17	12	70.59			EN	5	DD	0	5.0	
38	114	MAMMALIA	OTARIDAE	Eared seals	G01543	<i>Arctocephalus forsteri</i>	New Zealand Fur-seal			2008	18	21	11.60	27	23	LC	1	+	0.2	1.2	
39	115	MAMMALIA	OTARIDAE	Eared seals	E01542	<i>Arctocephalus pusillus</i>	Australian Fur-seal		R	2008	32	23	71.88	23	10	RA	3	0	0.3	3.3	
40	116	MAMMALIA	OTARIDAE	Eared seals	U04258	<i>Arctocephalus tropicalis</i>	Subantarctic Fur-seal		E	2000	19	6	31.58			RA	3	0	0.3	3.3	
41	117	MAMMALIA	OTARIDAE	Eared seals	Z01539	<i>Neophoca cinerea</i>	Australian Sea-lion		VU	V	2008	382	13	3.40	26	18	VU	4	DD	0	4.0
42	118	MAMMALIA	PHOCIDAE	'True' seals	S01549	<i>Hydrurga leptonyx</i>	Leopard Seal		R	1990	1	2	18.18			RA	3	DD	0	3.0	
45	121	MAMMALIA	PHOCIDAE	'True' seals	M01546	<i>Mirounga leonina</i>	Southern Elephant Seal		R	1997	10	5	50.00	6	4	RA	3	DD	0	3.0	
47	163	MAMMALIA	MURIDAE	Murids	U01426	<i>Conilurus alpinus</i>	White-footed Tree-rat		EX	E	1966			100.00			RE	7			7.0
48	164	MAMMALIA	MURIDAE	Murids	Z01415	<i>Hydromys chrysogaster</i>	Water-rat			2002	166	49	29.52	31	6	RA	3	-	0.4	3.4	
49	173	MAMMALIA	MURIDAE	Murids	Y01480	<i>Notomys mitchelli</i>	Mitchell's Hopping-mouse			1984	772		0.26			CR	6	-	0.5	6.5	
50	175	MAMMALIA	MURIDAE	Murids	K01457	<i>Pseudomys apodemoides</i>	Silky Mouse			2002	766	462	60.31	95	58	NT	2	0	0.3	2.3	
50.1	176	MAMMALIA	MURIDAE	Murids	S01469	<i>Pseudomys australis</i>	Plains Mouse (Plains Rat)		VU	V	1840						RE	7			7.0
51	182	MAMMALIA	MURIDAE	Murids	Q01468	<i>Pseudomys shortridgei</i>	Heath Rat		VU	E	2004	87	84	96.55			VU	4	0	0.3	4.3
52	184	MAMMALIA	MURIDAE	Murids	Z01395	<i>Rattus fuscipes</i>	Bush Rat			2004	3652	67	18.32	99	45	NT	2	0	0.3	2.3	
53	185	MAMMALIA	MURIDAE	Murids	U04186	<i>Rattus lutreolus</i>	Swamp Rat		R	2002	499	273	54.91	97	44	NT	2	0	0.3	2.3	
54	83	MAMMALIA	PTEROPODIDAE	Flying-foxes, fruit-bats, blossom-bats	Q01280	<i>Pteropus poliocephalus</i>	Grey-headed Flying-fox		R	2007	6	6	100.00	5	5	RA	3	+	0.2	3.2	
56	85	MAMMALIA	EMBALLONURIDAE	Sheathtail-bats	C01321	<i>Saccolaimus flaviventris</i>	Yellow-bellied Sheathtail-bat		R	1984	16	4	25.00			RA	3	0	0.3	3.3	
57	88.1	MAMMALIA	MOLOSSIDAE	Freetail-bats	M01326	<i>Mormopterus spp. (species complex) (NC)</i>	Southern Freetail-bats			1996	503	28	5.57	7	2	LC	1	0	0.3	1.3	
58	89	MAMMALIA	MOLOSSIDAE	Freetail-bats	C04349	<i>Mormopterus species 2 Murray River</i>	Eastern Freetail-bat				23	0	0.00			DD	0	DD	0	0.0	
60	92	MAMMALIA	MOLOSSIDAE	Freetail-bats	U01324	<i>Tadarida australis</i>	White-striped Freetail-bat			2002	787	12	1.52	12	7	LC	1	0	0.3	1.3	
61	93	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	K01341	<i>Miniopterus schreibersii bassanii</i>	Large Bentwing-Bat		CR	E	2009	300	287	95.67	45	37	CR	6	-	0.4	6.4
62	94	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01335	<i>Nyctophilus geoffroyi</i>	Lesser Long-eared Bat			2002	1972	117	5.93	56	28	LC	1	0	0.3	1.3	
63	95	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	M01334	<i>Nyctophilus gouldi</i>	Gould's Long-eared Bat		E	2000			37.50			VU	4	-	0.4	4.4	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoFO_in_SE_All_km2	AoFO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score	
64	98	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	C01349	<i>Chalinolobus gouldii</i>	Gould's Wattled Bat			2000	2913	74	2.5	23	6	LC	1	0	0.3	1.3	
65	99	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01351	<i>Chalinolobus morio</i>	Chocolate Wattled Bat			2000	572	43	7.5	21	8	LC	1	0	0.3	1.3	
66	101	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	A01372	<i>Falsistrellus tasmaniensis</i>	Eastern Falsistrelle (Eastern False Pipistrelle)		E	2000	7	2	100.0	1	0	VU	4	-	0.4	4.4	
67	102	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	M09030	<i>Myotis macropus</i>	Southern Myotis					0	0.0			VU	4	DD	0	4.0	
68	103	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	E04162	<i>Scotorepens balstoni</i>	Inland Broad-nosed Bat			1994	23	3	1.3	2	0	DD	0	DD	0	0.0	
70	106	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	C01381	<i>Vespadelus darlingtoni</i>	Large Forest Bat			2000	79	17	21.5	13	0	LC	1	0	0.3	1.3	
71	108	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	M01378	<i>Vespadelus regulus</i>	Southern Forest Bat			1999	492	20	4.0	11	0	LC	1	0	0.3	1.3	
72	109	MAMMALIA	VESPERTILIONIDAE	Vespertilionid bats	Z01379	<i>Vespadelus vulturnus</i>	Little Forest Bat			2000	203	81	39.9	32	17	LC	1	0	0.3	1.3	
73	123	MAMMALIA	BALAENIDAE	Right Whales	K01561	<i>Eubalaena australis</i>	Southern Right Whale	EN	V	2006	1122	67	5.9	59	44	VU	4	+	0.2	4.2	
75	125	MAMMALIA	BALAENOPTERIDAE	Rorquals	Z04395	<i>Balaenoptera bonaerensis</i>	Southern Minke Whale			1984	12	2	16.6	2	1	LC	1	0	0.3	1.3	
76	127	MAMMALIA	BALAENOPTERIDAE	Rorquals	Q01572	<i>Balaenoptera edeni</i>	Bryde's Whale		R	1945	8	2	12.5	1	0	RA	3	DD	0	3.0	
77	128	MAMMALIA	BALAENOPTERIDAE	Rorquals	W01567	<i>Balaenoptera musculus</i>	Blue Whale	EN	E	2006	23	7	30.4	6	4	VU	4	DD	0	4.0	
77.1	130	MAMMALIA	BALAENOPTERIDAE	Rorquals	C01569	<i>Balaenoptera physalus</i>	Fin Whale	VU	V							RA	3	DD	0	3.0	
78	131	MAMMALIA	BALAENOPTERIDAE	Rorquals	W01575	<i>Megaptera novaeangliae</i>	Humpback Whale	VU	V	2007	83	7	8.4	14	12	VU	4	+	0.2	4.2	
79	132	MAMMALIA	NEOBALAENIDAE	Pygmy Right Whale	Q01564	<i>Caperea marginata</i>	Pygmy Right Whale		R	1984	24	5	20.8	5	0	LC	1	0	0.3	1.3	
80	133	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	Y01616	<i>Delphinus delphis</i>	Common Dolphin			2004	253	37	14.6	44	38	LC	1	0	0.3	1.3	
81	134	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	C01605	<i>Globicephala macrorhynchus</i>	Short-finned Pilot Whale		R	2002	14	6	42.8	7	3	RA	3	DD	0	3.0	
82	135	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	E01606	<i>Globicephala melas</i>	Long-finned Pilot Whale			2004	32	9	28.1	9	8	LC	1	0	0.3	1.3	
83	136	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	K01609	<i>Grampus griseus</i>	Risso's Dolphin		R	1979	3	0	33.3	0	0	RA	3	DD	0	3.0	
84	138	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	Q01600	<i>Orcinus orca</i>	Killer Whale (Orca)			1993	58	9	13.7	5	4	RA	3	DD	0	3.0	
85	139	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	W01603	<i>Pseudorca crassidens</i>	False Killer Whale		R	2000	5	2	20.0	0	0	DD	0	DD	0	0.0	
86	140	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	M04394	<i>Tursiops aduncus</i>	Bottlenose Dolphin			2001	170	1	0.5	4	3	RA	3	DD	0	3.0	
87	141	MAMMALIA	DELPHINIDAE	Killer Whales and Dolphins	K04393	<i>Tursiops truncatus</i>	Bottlenose Dolphin			2002	36	13	36.1	13	6	LC	1	DD	0	1.0	
87.12	142	MAMMALIA	PHOCOENIDAE	Porpoises	Q01660	<i>Phocoena dioptrica</i>	Spectacled Porpoise									RA	3	DD	0	3.0	
88	143	MAMMALIA	PHYSETERIDAE	Sperm Whales	E01578	<i>Physeter macrocephalus</i>	Sperm Whale		R	2005	68	15	22.0	14	6	RA	3	DD	0	3.0	
89	144	MAMMALIA	KOGIIDAE	Pygmy and Dwarf Sperm Whales	S01581	<i>Kogia breviceps</i>	Pygmy Sperm Whale		R	1998	30	2	13.3	3	0	RA	3	DD	0	3.0	
90	147	MAMMALIA	ZIPHIIDAE	Beaked Whales	A01584	<i>Hyperoodon planifrons</i>	Southern Bottlenosed Whale		R	1983	8	2	25.0	2	0	RA	3	DD	0	3.0	
91	148	MAMMALIA	ZIPHIIDAE	Beaked Whales	E01594	<i>Mesoplodon bowdoini</i>	Andrew's Beaked Whale		R	1995	2	2	50.0	2	0	RA	3	DD	0	3.0	
92	149	MAMMALIA	ZIPHIIDAE	Beaked Whales	C01593	<i>Mesoplodon grayi</i>	Gray's Beaked Whale (Scamperdown Whale)		R	2003	12	5	41.6	5	0	RA	3	DD	0	3.0	
93	150	MAMMALIA	ZIPHIIDAE	Beaked Whales	G01595	<i>Mesoplodon hectori</i>	Hector's Beaked Whale		R	1990	1	0	100.0	1	0	RA	3	DD	0	3.0	
94	151	MAMMALIA	ZIPHIIDAE	Beaked Whales	W01591	<i>Mesoplodon layardii</i>	Strap-toothed Whale			1997	45	4	8.8	5	0	DD	0	DD	0	0.0	
95	152	MAMMALIA	ZIPHIIDAE	Beaked Whales	M01598	<i>Tasmacetus shepherdi</i>	Shepherd's Beaked Whale (Tasman Beaked Whale)		R	1976	1	0	100.0	1	0	RA	3	DD	0	3.0	
96	153	MAMMALIA	ZIPHIIDAE	Beaked Whales	G01587	<i>Ziphius cavirostris</i>	Cuvier's Beaked Whale (Goosebeak Whale)		R	1984	2	0	50.0	0	0	RA	3	DD	0	3.0	
97	194	AVES	CASUARIIDAE	Cassowaries and emus	C00001	<i>Dromaius novaehollandiae</i>	Emu			2007	8022	505	6.3	298	255	LC	1	0	0.3	1.3	
98	196	AVES	MEGAPODIIDAE	Megapodes	Z00007	<i>Leipoa ocellata</i>	Malleefowl		VU	V	2009	7030	494	7.0	128	105	EN	5	-	0.4	5.4
99	197	AVES	PHASIANIDAE	Pheasants, quails and allies	A04240	<i>Coturnix pectoralis</i>	Stubble Quail			2008	1478	326	22.0	170	123	LC	1	0	0.3	1.3	
100	198	AVES	PHASIANIDAE	Pheasants, quails and allies	G00011	<i>Coturnix ypsilophora</i>	Brown Quail		V	2009	175	10	57.7	45	37	RA	3	-	0.4	3.4	
101	199	AVES	PHASIANIDAE	Pheasants, quails and allies	Y00012	<i>Excalfactoria chinensis</i>	King Quail		E	2003	7	2	28.5	3	0	DD	0	DD	0	0.0	
103	229	AVES	COLUMBIDAE	Pigeons and doves	Q04168	<i>Geopelia placida</i>	Peaceful Dove			2007	4453	37	8.3	155	137	NT	2	0	0.3	2.3	
104	231	AVES	COLUMBIDAE	Pigeons and doves	W00043	<i>Ocyphaps lophotes</i>	Crested Pigeon			2008	21638	1478	6.8	570	479	LC	1	+	0.2	1.2	
105	232	AVES	COLUMBIDAE	Pigeons and doves	U00034	<i>Phaps chalcoptera</i>	Common Bronzewing			2007	8154	81	10.0	399	360	NT	2	-	0.4	2.4	
106	233	AVES	COLUMBIDAE	Pigeons and doves	U04142	<i>Phaps elegans</i>	Brush Bronzewing			2007	1745	355	20.6	224	177	NT	2	-	0.4	2.4	
108	237	AVES	PODARGIDAE	Frogmouths	K00313	<i>Podargus strigoides</i>	Tawny Frogmouth			2005	1174	10	8.6	70	45	NT	2	-	0.4	2.4	
109	238	AVES	EUROSTOPODIDAE	Nightjars	Z00331	<i>Eurostopodus argus</i>	Spotted Nightjar			2005	50	29	5.7	24	1	VU	4	-	0.4	4.4	
110	239	AVES	EUROSTOPODIDAE	Nightjars	C04489	<i>Eurostopodus mystacalis</i>	White-throated Nightjar			2007	1	0	100.0	0	0	CR	6	0	0.3	6.3	
111	240	AVES	AEGOTHELIDAE	Owllet-nightjar	S00317	<i>Aegotheles cristatus</i>	Australian Owllet-nightjar			2006	1618	76	4.7	56	44	NT	2	-	0.4	2.4	
112	242	AVES	APODIDAE	Swifts	W04179	<i>Apus pacificus</i>	Fork-tailed Swift			2006	34	77	21.1	58	4	NT	2	-	0.5	2.5	
113	243	AVES	APODIDAE	Swifts	Q04184	<i>Hirundapus caudacutus</i>	White-throated Needle-tail			2006	222	123	55.4	75	64	NT	2	-	0.5	2.5	
114	329	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	S04125	<i>Accipiter cirrocephalus</i>	Collared Sparrowhawk			2009	1722	174	10.1	11	88	LC	1	0	0.3	1.3	
115	330	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	A04152	<i>Accipiter fasciatus</i>	Brown Goshawk			2008	2490	307	12.1	185	135	LC	1	0	0.3	1.3	
116	331	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	C04153	<i>Accipiter novaehollandiae</i>	Grey Goshawk		E	2006	50	37	74.0	14	12	CR	6	-	0.4	6.4	
117	332	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	G04139	<i>Aquila audax</i>	Wedge-tailed Eagle			2008	7268	560	7.7	340	295	RA	3	0	0.3	3.3	
118	333	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	Z00219	<i>Circus approximans</i>	Swamp Harrier			2008	2113	1098	51.8	389	29	RA	3	-	0.4	3.4	
119	334	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	M00218	<i>Circus assimilis</i>	Spotted Harrier			2006	986	130	13.1	82	70	RA	3	0	0.3	3.3	
120	335	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	A04196	<i>Elanus axillaris</i>	Black-shouldered Kite			2008	459	850	18.5	347	270	LC	1	0	0.3	1.3	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AofO_in_SE_All_km2	AofO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
122	337	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	M00226	<i>Haliaeetus leucogaster</i>	White-bellied Sea-Eagle			2006	563	68	12.06	56	44	EN	5	-	0.4	5.4
123	338	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	Q00228	<i>Haliaeetus spheerurus</i>	Whistling Kite			2009	4135	765	18.50	296	227	NT	2	-	0.4	2.4
124	340	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K04077	<i>Hieraaetus morphnoides</i>	Little Eagle			2008	1170	136	11.62	97	71	VU	4	-	0.4	4.4
126	342	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	S00229	<i>Milvus migrans</i>	Black Kite			2006	3425	50	1.46	38	30	NT	2	-	0.3	2.3
127	343	AVES	ACCIPITRIDAE	Osprey, hawks, eagles and allies	K00241	<i>Pandion cristatus</i>	Eastern Osprey		E	2006	324	5	1.54	7	6	RA	3	DD	0	3.0
128	344	AVES	FALCONIDAE	Falcons	W00239	<i>Falco berigora</i>	Brown Falcon			2008	5679	865	15.22	438	337	LC	1	-	0.3	1.3
129	345	AVES	FALCONIDAE	Falcons	C04129	<i>Falco cenchroides</i>	Nankeen Kestrel			2008	9745	1104	11.35	481	377	LC	1	-	0.3	1.3
131	347	AVES	FALCONIDAE	Falcons	Z00235	<i>Falco longipennis</i>	Australian Hobby			2009	2002	227	11.34	136	126	NT	2	DD	0	2.0
132	348	AVES	FALCONIDAE	Falcons	S00237	<i>Falco peregrinus</i>	Peregrine Falcon		R	2009	1204	176	14.62	130	115	RA	3	-	0.4	3.4
133	349	AVES	FALCONIDAE	Falcons	U00238	<i>Falco subniger</i>	Black Falcon			2008	642	93	14.44	68	45	RA	3	-	0.3	3.3
134	361	AVES	OTIDIDAE	Bustards	A00176	<i>Ardeotis australis</i>	Australian Bustard		V	2007	358	21	5.92	16	9	EN	5	-	0.4	5.4
135	362	AVES	BURHINIDAE	Stone-curlews	U00174	<i>Burhinus grallarius</i>	Bush Stone-curlew		R	2006	396	38	9.60	17	12	EN	5	-	0.4	5.4
136	384	AVES	PEDIONOMIDAE	Plains-wanderer	Y00020	<i>Pedionomus torquatus</i>	Plains-wanderer		VU	1988	58	6	10.91	4	4	EN	5	-	0.4	5.4
137	420	AVES	TURNICIDAE	Button-quails	W00019	<i>Turnix pyrrhorrax</i>	Red-chested Button-quail		R	1985	18	6	37.50	5	5	EN	5	-	0.4	5.4
138	421	AVES	TURNICIDAE	Button-quails	U04178	<i>Turnix varius</i>	Painted Button-quail		R	2007	595	109	18.32	78	66	RA	3	-	0.4	3.4
139	422	AVES	TURNICIDAE	Button-quails	U00018	<i>Turnix velox</i>	Little Button-quail			2003	718	24	3.34	18	8	RA	3	-	0.3	3.3
141	424	AVES	GLAREOLIDAE	Pratincoles and coursers	S00173	<i>Stiltia isabellae</i>	Australian Pratincole			2005	409	20	4.89	18	7	RA	3	-	0.3	3.3
142	448	AVES	CACATUIDAE	Cockatoos	Q04176	<i>Cacatua galerita</i>	Sulphur-crested Cockatoo			2008	3773	398	10.55	191	183	NT	2	-	0.3	2.3
143	449	AVES	CACATUIDAE	Cockatoos	W00271	<i>Cacatua sanguinea</i>	Little Corella			2007	5630	114	2.01	69	62	LC	1	+	0.2	1.2
144	450	AVES	CACATUIDAE	Cockatoos	A00272	<i>Cacatua tenuirostris</i>	Long-billed Corella			2006	825	465	56.36	186	174	LC	1	+	0.2	1.2
145	451	AVES	CACATUIDAE	Cockatoos	Y00268	<i>Callocephalon fimbriatum</i>	Gang-gang Cockatoo			2006	21	6	28.57	5	5	RA	3	-	0.3	3.3
147	453	AVES	CACATUIDAE	Cockatoos	Y09312	<i>Calyptrorhynchus banksii graptogyne</i>	Red-tailed Black Cockatoo (south-east ssp)		EN	1977	2	2	50.00	1	1	EN	5	-	0.4	5.4
148	454	AVES	CACATUIDAE	Cockatoos	G00267	<i>Calyptrorhynchus funereus</i>	Yellow-tailed Black-Cockatoo		V	2008	6774	695	10.25	348	310	NT	2	+	0.3	2.3
149	456	AVES	CACATUIDAE	Cockatoos	C00273	<i>Eolophus roseicapillus</i>	Galah			2009	29378	2897	9.86	1024	929	LC	1	+	0.1	1.1
151	458	AVES	CACATUIDAE	Cockatoos	E00274	<i>Nymphicus hollandicus</i>	Cockatiel			2005	2035	109	5.36	80	66	RA	3	DD	0	3.0
152	460	AVES	PSITTACIDAE	Parrots and allies	M00294	<i>Barnardius zonarius</i>	Australian Ringneck			2007	9260	522	5.64	228	213	LC	1	-	0.3	1.3
153	461	AVES	PSITTACIDAE	Parrots and allies	E00258	<i>Glossopsitta concinna</i>	Musk Lorikeet			2007	6338	621	9.80	268	242	LC	1	-	0.3	1.3
154	462	AVES	PSITTACIDAE	Parrots and allies	G00259	<i>Glossopsitta porphyrocephala</i>	Purple-crowned Lorikeet			2007	6622	485	7.32	235	202	LC	1	-	0.4	1.4
155	463	AVES	PSITTACIDAE	Parrots and allies	Q00260	<i>Glossopsitta pusilla</i>	Little Lorikeet		E	2006	68	32	46.34	28	18	EN	5	-	0.3	5.3
156	464	AVES	PSITTACIDAE	Parrots and allies	S00309	<i>Lathamus discolor</i>	Swift Parrot		EN	2005	42	15	35.71	10	6	EN	5	-	0.4	5.4
157	465	AVES	PSITTACIDAE	Parrots and allies	E00310	<i>Melopsittacus undulatus</i>	Budgerigar			2003	4475	73	1.63	45	26	RA	3	DD	0	3.0
158	466	AVES	PSITTACIDAE	Parrots and allies	K00305	<i>Neophema chrysogaster</i>	Orange-bellied Parrot		CR	2006	223	215	96.41	104	60	CR	6	-	0.5	6.5
159	467	AVES	PSITTACIDAE	Parrots and allies	M00306	<i>Neophema chrysostoma</i>	Blue-winged Parrot		V	2009	735	553	75.24	262	230	RA	3	-	0.3	3.3
160	468	AVES	PSITTACIDAE	Parrots and allies	Z00307	<i>Neophema elegans</i>	Elegant Parrot		R	2009	1908	307	16.09	158	116	RA	3	-	0.4	3.4
161	469	AVES	PSITTACIDAE	Parrots and allies	Q00308	<i>Neophema petrophila</i>	Rock Parrot		R	2007	622	37	5.98	28	19	RA	3	-	0.4	3.4
163	473	AVES	PSITTACIDAE	Parrots and allies	S00297	<i>Northiella haematogaster</i>	Blue Bonnet		ssp	2003	2205	60	2.73	45	27	EN	5	-	0.4	5.4
164	477	AVES	PSITTACIDAE	Parrots and allies	E00282	<i>Platycercus elegans</i>	Crimson Rosella			2007	18094	1207	6.64	445	401	LC	1	-	0.3	1.3
165	478	AVES	PSITTACIDAE	Parrots and allies	S04177	<i>Platycercus eximius</i>	Eastern Rosella			2007	2784	1127	40.48	418	386	LC	1	-	0.3	1.3
166	482	AVES	PSITTACIDAE	Parrots and allies	Z00295	<i>Psephotus haematonotus</i>	Red-rumped Parrot			2007	9505	1252	13.17	485	433	LC	1	-	0.3	1.3
167	483	AVES	PSITTACIDAE	Parrots and allies	Q00296	<i>Psephotus varius</i>	Mulga Parrot			2008	4577	7	0.04	2	2	RE	7	-	-	7.0
168	484	AVES	PSITTACIDAE	Parrots and allies	U00254	<i>Trichoglossus haematodus</i>	Rainbow Lorikeet			2007	9105	499	5.48	188	177	LC	1	+	0.2	1.2
169	485	AVES	CUCULIDAE	Cuckoos	S04141	<i>Cacomantis flabelliformis</i>	Fan-tailed Cuckoo			2006	2060	342	16.60	192	146	LC	1	-	0.3	1.3
170	486	AVES	CUCULIDAE	Cuckoos	C00337	<i>Cacomantis pallidus</i>	Pallid Cuckoo			2005	1873	161	8.60	100	56	NT	2	-	0.4	2.4
172	488	AVES	CUCULIDAE	Cuckoos	U00342	<i>Chalcites basalis</i>	Horsfield's Bronze-Cuckoo			2008	4553	528	11.60	281	222	NT	2	-	0.4	2.4
173	489	AVES	CUCULIDAE	Cuckoos	A00344	<i>Chalcites lucidus</i>	Shining Bronze-Cuckoo			2006	467	150	32.12	84	77	NT	2	-	0.3	2.3
174	490	AVES	CUCULIDAE	Cuckoos	S00341	<i>Chalcites osculans</i>	Black-eared Cuckoo			2003	648	20	3.08	20	12	RA	3	-	0.4	3.4
176	493	AVES	STRIGIDAE	Typical owls	Q04204	<i>Ninox connivens</i>	Barking Owl		R	2004	70	30	42.86	18	11	CR	6	DD	0	6.0
177	494	AVES	STRIGIDAE	Typical owls	M00242	<i>Ninox boobook</i>	Southern Boobook			2006	2325	187	7.85	125	89	NT	2	-	0.4	2.4
178	495	AVES	STRIGIDAE	Typical owls	A00248	<i>Ninox strenua</i>	Powerful Owl		E	2008	19	19	100.00	6	5	CR	6	-	0.4	6.4
179	496	AVES	TYTONIDAE	Barn owls	C00249	<i>Tyto delicatula</i>	Australian Barn Owl			2005	894	120	13.42	74	48	LC	1	-	0.3	1.3
180	498	AVES	TYTONIDAE	Barn owls	Q04248	<i>Tyto novaehollandiae</i>	Masked Owl		F	1997	17	1	8.33	1	1	CR	6	-	0.4	6.4
181	499	AVES	ALCEDINIDAE	River kingfishers	S04249	<i>Ceyx azureus</i>	Azure Kingfisher		F	2006	24	9	37.50	5	4	EN	5	-	0.3	5.3
182	500	AVES	HALCYONIDAE	Wood kingfishers	S04169	<i>Dacelo novaeguineae</i>	Laughing Kookaburra			2007	7305	591	8.05	251	223	NT	2	-	0.4	2.4
184	502	AVES	HALCYONIDAE	Wood kingfishers	U00326	<i>Todiramphus sanctus</i>	Sacred Kingfisher			2006	2063	181	8.77	100	88	NT	2	-	0.4	2.4
185	503	AVES	MEROPIIDAE	Bee-eaters	C00329	<i>Merops ornatus</i>	Rainbow Bee-eater			2008	3622	34	0.94	21	16	RA	3	DD	0	3.0
187	506	AVES	CLIMACTERIDAE	Australopapuan treecreepers	G04171	<i>Climacteris picumnus</i>	Brown Treecreeper			2008	4854	130	2.69	56	47	EN	5	-	0.4	5.4

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoFO_in_SE_All_km2	AoFO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
188	508	AVES	CLIMACTERIDAE	Australopapuan treecreepers	Y04172	<i>Cornobates leucophaea</i>	White-throated Treecreeper			2007	3275	624	19.0%	21	193	LC	1	0	0.3	1.3
189	515	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	C00513	<i>Amytornis striatus</i>	Striated Grasswren		R	1980	763	3	0.3%	3		RE	7			7.0
190	520	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	S00529	<i>Malurus cyaneus</i>	Superb Fairy-wren			2009	16744	3658	21.8%	1277	117	LC	1	0	0.3	1.3
191	521	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	Q00536	<i>Malurus lamberti</i>	Variegated Fairy-wren			2008	6844	245	3.5%	152	123	RA	3	-	0.4	3.4
195	527	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	W04283	<i>Stipiturus malachurus intermedius</i>	Southern Emu-wren (Mt Lofty Ranges ssp)	EN	E	2006	2736	34	1.2%	6	4	CR	6	-	0.4	6.4
197	530	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	G04383	<i>Stipiturus malachurus polionotum</i>	Southern Emu-wren (South East ssp)		R	2000	13	13	100.0%	1		RA	3	-	0.4	3.4
198	531	AVES	MALURIDAE	Fairy-wrens, emu-wrens and grasswrens	U09386	<i>Stipiturus mallee</i>	Mallee Emu-wren	EN	E	2003	41	4	14.6%	3		CR	6	-	0.4	6.4
199	533	AVES	DASYORNITHIDAE	Bristlebirds	C00521	<i>Dasyornis broadbenti</i>	Rufous Bristlebird		ssp	2007	292	292	100.0%	155	134	RA	3	DD	0	3.0
200	535	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	A00476	<i>Acanthiza apicalis</i>	Inland Thornbill			2005	4484	205	4.5%	131	120	NT	2	0	0.3	2.3
201	536	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	E00486	<i>Acanthiza chrysorrhoa</i>	Yellow-rumped Thornbill			2008	9798	1508	15.3%	717	628	LC	1	0	0.3	1.3
202	537	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	U00482	<i>Acanthiza iredalei</i>	Slender-billed Thornbill	ssp	ssp	2001	436	43	9.8%	28	1	EN	5	-	0.4	5.4
203	541	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	M00470	<i>Acanthiza lineata</i>	Striated Thornbill			2008	5274	787	14.9%	331	283	NT	2	0	0.3	2.3
204	542	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00471	<i>Acanthiza nana</i>	Yellow Thornbill			2007	2463	215	8.7%	130	102	RA	3	-	0.4	3.4
205	543	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	W00475	<i>Acanthiza pusilla</i>	Brown Thornbill			2009	5336	1634	30.6%	679	611	LC	1	0	0.3	1.3
206	544	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	E04170	<i>Acanthiza reguloides</i>	Buff-rumped Thornbill			2006	2303	271	11.7%	152	122	RA	3	-	0.4	3.4
207	546	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	S00481	<i>Acanthiza uropygialis</i>	Chestnut-rumped Thornbill			2003	5508	14	0.2%	14	12	EN	5	-	0.4	5.4
208	547	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	U00466	<i>Aphelocephala leucopsis</i>	Southern Whiteface			2005	5370	33	0.6%	22	14	EN	5	-	0.4	5.4
209	550	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	W08007	<i>Calamanthus campestris</i>	Rufous Fieldwren			2003	963	23	2.2%	14	7	VU	4	-	0.4	4.4
210	551	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Q00500	<i>Calamanthus fuliginosus</i>	Striated Fieldwren			2009	228	212	92.9%	115	85	NT	2	-	0.4	2.4
211	553	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	K00453	<i>Gerygone albobogalis</i>	White-throated Gerygone		R	2005	81	19	23.4%	14	6	RA	3	-	0.5	3.5
213	555	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	Z00499	<i>Hylacola cauta</i>	Shy Hylacola		R	2004	1339	231	17.2%	125	102	VU	4	-	0.4	4.4
214	559	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	M00498	<i>Hylacola pyrhopygia</i>	Chestnut-rumped Heathwren	ssp	ssp	2006	304	45	14.8%	31	25	VU	4	-	0.4	4.4
215	560	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	K00497	<i>Pyrrholaemus brunneus</i>	Redthroat			1923	1086	1	0.0%			RE	7			7.0
216	561	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	G04251	<i>Sericornis frontalis</i>	White-browed Scrubwren			2009	6761	1703	25.1%	708	643	LC	1	+	0.2	1.2
217	562	AVES	ACANTHIZIDAE	Thornbills, scrubwrens and allies	S00465	<i>Sericornis brevirostris</i>	Weebill			2007	12708	478	3.7%	289	268	NT	2	0	0.3	2.3
218	563	AVES	PARDALOTIDAE	Pardalotes	G04227	<i>Pardalotus punctatus</i>	Spotted Pardalote			2006	8292	1012	12.2%	468	440	LC	1	0	0.3	1.3
220	565	AVES	PARDALOTIDAE	Pardalotes	Q00976	<i>Pardalotus striatus</i>	Striated Pardalote			2007	16660	1001	6.0%	437	400	LC	1	0	0.3	1.3
221	566	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S04117	<i>Acanthagenys rufogularis</i>	Spiny-cheeked Honeyeater			2007	14980	1099	7.3%	560	478	NT	2	0	0.3	2.3
222	567	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W04143	<i>Acanthorhynchus tenuirostris</i>	Eastern Spinebill			2007	4373	214	4.9%	111	97	NT	2	-	0.4	2.4
223	568	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W04127	<i>Anthochaera carunculata</i>	Red Wattlebird			2009	23830	2942	12.3%	104	956	LC	1	+	0.2	1.2
224	569	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	G04163	<i>Anthochaera chrysoptera</i>	Little Wattlebird			2007	3444	949	27.5%	383	338	LC	1	0	0.3	1.3
226	574	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Y04200	<i>Entomyzon cyanotis</i>	Blue-faced Honeyeater		R	2006	166	47	28.3%	29	25	VU	4	-	0.4	4.4
227	575	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Z04131	<i>Epthianura albitrons</i>	White-fronted Chat			2009	4465	1384	31.0%	530	407	LC	1	0	0.3	1.3
228	576	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E00450	<i>Epthianura aurifrons</i>	Orange Chat			2005	1587	24	1.5%	15	12	RA	3	0	0.3	3.3
230	578	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00449	<i>Epthianura tricolor</i>	Crimson Chat			2000	1845	11	0.6%	7	6	RA	3	0	0.3	3.3
231	579	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00593	<i>Glyciphila melanops</i>	Tawny-crowned Honeyeater			2007	1638	445	27.1%	238	203	RA	3	-	0.4	3.4
232	581	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00614	<i>Lichenostomus chrysops</i>	Yellow-faced Honeyeater			2007	5253	778	14.8%	315	287	NT	2	0	0.3	2.3
233	582	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Y00620	<i>Lichenostomus cratilius</i>	Purple-gaped Honeyeater		ssp	2007	1374	214	15.5%	118	101	RA	3	-	0.4	3.4
234	584	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00613	<i>Lichenostomus fuscus</i>	Fuscous Honeyeater			2003	36	3	8.6%	23	17	RA	3	0	0.3	3.3
235	586	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	E04218	<i>Lichenostomus leucotis</i>	White-eared Honeyeater			2007	4213	74	1.7%	306	277	NT	2	0	0.3	2.3
236	587	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	W00619	<i>Lichenostomus melanops</i>	Yellow-tufted Honeyeater			2007	13	15	78.9%	7	2	RA	3	0	0.3	3.3
237	588	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00622	<i>Lichenostomus ornatus</i>	Yellow-plumed Honeyeater			2004	7148	48	0.6%	38	24	RA	3	0	0.3	3.3
238	589	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00625	<i>Lichenostomus penicillatus</i>	White-plumed Honeyeater			2007	16536	1032	6.2%	317	291	NT	2	0	0.3	2.3
239	591	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	Q00608	<i>Lichenostomus virescens</i>	Singing Honeyeater			2009	17876	1614	9.0%	616	518	NT	2	0	0.3	2.3
240	593	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U04118	<i>Manorina flavigula</i>	Yellow-throated Miner			2002	8144	9	0.1%	8	2	RA	3	-	0.4	3.4
241	595	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U00634	<i>Manorina melanocephala</i>	Noisy Miner			2008	6256	608	9.7%	338	292	LC	1	+	0.2	1.2
242	597	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	G00583	<i>Melithreptus brevirostris</i>	Brown-headed Honeyeater			2007	5732	653	11.3%	347	301	NT	2	-	0.4	2.4
243	598	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	A00580	<i>Melithreptus gularis</i>	Black-chinned Honeyeater		ssp	2009	1313	101	7.6%	57	46	EN	5	-	0.4	5.4
244	601	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S04133	<i>Melithreptus lunatus</i>	White-naped Honeyeater			2007	3446	490	14.2%	172	163	NT	2	0	0.3	2.3
245	604	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	U04126	<i>Phylidonyris novaehollandiae</i>	New Holland Honeyeater			2009	18907	3580	18.9%	1079	984	LC	1	+	0.2	1.2
247	606	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	K00585	<i>Plectorhyncha lanceolata</i>	Striped Honeyeater		R	1977	1003	6	0.8%	6		RE	7			7.0
248	607	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	M00594	<i>Purnella albitrons</i>	White-fronted Honeyeater			2006	5166	173	3.3%	118	107	RA	3	0	0.3	3.3
249	608	AVES	MELIPHAGIDAE	Honeyeaters and Australian chats	S00589	<i>Sugomel niger</i>	Black Honeyeater			2001	28	9	3.2%	7	5	RA	3	0	0.3	3.3
250	610	AVES	POMATOSTOMIDAE	Australopapuan babbblers	K00445	<i>Pomatostomus superciliosus</i>	White-browed Babbler			2007	10787	819	7.5%	360	306	NT	2	-	0.4	2.4
251	611	AVES	POMATOSTOMIDAE	Australopapuan babbblers	G00443	<i>Pomatostomus temporalis</i>	Grey-crowned Babbler		ssp	2003	53	14	26.4%	9		CR	6	-	0.5	6.5
252	614	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	K00437	<i>Cinclosoma castanotum</i>	Chestnut Quail-thrush		ssp	2007	174	5	0.2%	5	3	CR	6	-	0.4	6.4

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	%_SE_REGIONS	AofO_in_SE_All_km2	AofO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
253	618	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	K04229	<i>Cinclosoma punctatum</i>	Spotted Quail-thrush	ssp	ssp	1932	23	1	13.04	6	3	RE	7	-	-	7.0
255	624	AVES	PSOPHODIDAE	Whipbirds, quail-thrushes and allies	U09414	<i>Psophodes nigrogularis leucogaster</i>	Western Whipbird (Eastern ssp)	VU	E	1999	146	14	9.55	6	3	CR	6	-	-	6.5
256	626	AVES	NEOSITTIDAE	Sittellas	C00549	<i>Daphoenositta chrysoptera</i>	Varied Sittella			2007	2563	279	10.86	159	123	RA	3	-	-	3.4
258	628	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	Y04120	<i>Coracina novaehollandiae</i>	Black-faced Cuckoo-shrike			2007	10523	803	7.63	389	32	LC	1	0	0.3	1.3
259	629	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	C00425	<i>Coracina papuensis</i>	White-bellied Cuckoo-shrike		R	2006	149	107	71.81	50	39	VU	4	-	-	4.4
260	631	AVES	CAMPEPHAGIDAE	Cuckoo-shrikes and allies	Z04255	<i>Lalage sueurii</i>	White-winged Triller			2007	215	124	5.76	81	64	RA	3	-	-	3.4
261	632	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	A00408	<i>Colluricincla harmonica</i>	Grey Shrike-thrush			2008	20883	2169	10.34	905	824	LC	1	+	0.2	1.2
262	633	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	K04181	<i>Falcunculus frontatus</i>	Crested Shrike-tit		R	2007	96	164	17.14	87	74	EN	5	-	-	5.4
263	634	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	G00419	<i>Oreocia gutturalis</i>	Crested Bellbird			2003	5714	87	1.52	48	29	EN	5	-	-	5.5
264	635	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	Z00403	<i>Pachycephala inornata</i>	Gilbert's Whistler		R	2003	1389	6	0.43	6	5	EN	5	-	-	5.4
265	636	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	M04202	<i>Pachycephala olivacea</i>	Olive Whistler		ssp	2008	53	53	100.00	31	22	EN	5	-	-	5.4
266	638	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	E00398	<i>Pachycephala pectoralis</i>	Golden Whistler			2007	7372	873	11.84	456	400	LC	1	0	0.3	1.3
267	639	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	K04149	<i>Pachycephala rufiventris</i>	Rufous Whistler			2005	6892	459	6.53	232	202	NT	2	-	-	2.4
268	640	AVES	PACHYCEPHALIDAE	Whistlers, shrike-tits and allies	M00402	<i>Pachycephala rufogularis</i>	Red-lored Whistler	VU	R	2002	262	10	3.82	8	1	CR	6	-	-	6.4
269	641	AVES	ORIOIIDAE	Orioles	G00671	<i>Oriolus sagittatus</i>	Olive-backed Oriole		R	2005	98	21	21.43	15	13	RA	3	0	0.3	3.3
271	643	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	W00547	<i>Artamus cyanopterus</i>	Dusky Woodswallow			2007	554	739	13.34	335	291	NT	2	-	-	2.5
273	646	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	Q00544	<i>Artamus personatus</i>	Masked Woodswallow			2005	2487	142	5.71	92	75	RA	3	0	0.3	3.3
274	647	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	S00545	<i>Artamus superciliosus</i>	White-browed Woodswallow			2005	2202	325	14.75	173	143	RA	3	0	0.3	3.3
275	649	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	S00705	<i>Cracticus tibicen</i>	Australian Magpie			2009	35033	4704	13.41	1580	1437	LC	1	+	0.2	1.2
276	650	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	W04151	<i>Cracticus torquatus</i>	Grey Butcherbird			2006	8652	459	5.29	255	202	NT	2	0	0.3	2.3
277	651	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	U00694	<i>Strepera graculina</i>	Pied Currawong		ssp	2006	61	47	77.05	20	20	RA	3	++	0.1	3.1
278	653	AVES	ARTAMIDAE	Woodswallows, butcherbirds and allies	C00697	<i>Strepera versicolor</i>	Grey Currawong		ssp	2007	10650	1129	10.60	524	481	LC	1	0	0.3	1.3
279	656	AVES	RHIPIDURIDAE	Wagtail and fantails	C00361	<i>Rhipidura albiscapa</i>	Grey Fantail			2009	11953	244	20.44	870	793	LC	1	0	0.3	1.3
280	657	AVES	RHIPIDURIDAE	Wagtail and fantails	M04114	<i>Rhipidura leucophrys</i>	Willie Wagtail			2009	26365	3127	11.86	1024	909	LC	1	0	0.3	1.3
283	660	AVES	CORVIDAE	Crows	A04144	<i>Corvus coronoides</i>	Australian Raven			2007	11279	1033	9.24	447	399	DD	0	DD	0	0.0
284	661	AVES	CORVIDAE	Crows	E00954	<i>Corvus mellori</i>	Little Raven			2009	18346	1694	9.23	688	586	LC	1	+	0.2	1.2
285	663	AVES	CORVIDAE	Crows	Y00868	<i>Corvus tasmanicus</i>	Forest Raven			2009	44	403	91.38	195	173	LC	1	0	0.3	1.3
286	664	AVES	MONARCHIDAE	Flycatchers, monarch and magpie-lark	W00415	<i>Grallina cyanoleuca</i>	Magpie-lark			2009	19537	2266	11.60	693	591	LC	1	0	0.3	1.3
288	666	AVES	MONARCHIDAE	Flycatchers, monarch and magpie-lark	M00366	<i>Myiagra cyanoleuca</i>	Satin Flycatcher		E	2006	85	63	76.47	25	17	VU	4	-	-	4.4
289	667	AVES	MONARCHIDAE	Flycatchers, monarch and magpie-lark	K04173	<i>Myiagra inquieta</i>	Restless Flycatcher		R	2007	1970	337	17.11	188	156	VU	4	-	-	4.4
291	669	AVES	CORCORACIDAE	Choughs and apostlebirds	S00693	<i>Corcorax melanorhamphos</i>	White-winged Chough		R	2006	4142	126	3.04	92	81	VU	4	-	-	4.4
293	671	AVES	PETROICIDAE	Australopapuan robins and allies	C00441	<i>Drymodes brunneopygia</i>	Southern Scrub-robin			2007	2162	384	17.78	180	153	VU	4	-	-	4.4
294	672	AVES	PETROICIDAE	Australopapuan robins and allies	K04201	<i>Eopsaltria australis</i>	Eastern Yellow Robin			2008	697	667	95.70	305	259	NT	2	0	0.3	2.3
296	674	AVES	PETROICIDAE	Australopapuan robins and allies	S00385	<i>Melanodryas cucullata</i>	Hooded Robin		ssp	2007	3560	291	8.11	112	86	EN	5	-	-	5.4
297	676	AVES	PETROICIDAE	Australopapuan robins and allies	S00377	<i>Microeca fascians</i>	Jacky Winter		ssp	2007	4367	272	6.23	120	98	VU	4	-	-	4.4
298	678	AVES	PETROICIDAE	Australopapuan robins and allies	Y00380	<i>Petroica boodang</i>	Scarlet Robin		ssp	2007	3271	292	8.93	160	126	VU	4	-	-	4.4
299	679	AVES	PETROICIDAE	Australopapuan robins and allies	K00381	<i>Petroica goodenovii</i>	Red-capped Robin			2003	6584	56	0.85	38	28	EN	5	-	-	5.4
300	680	AVES	PETROICIDAE	Australopapuan robins and allies	M00382	<i>Petroica phoenicea</i>	Flame Robin		V	2006	177	95	53.67	61	43	RA	3	-	-	3.5
302	682	AVES	PETROICIDAE	Australopapuan robins and allies	Q00384	<i>Petroica rosea</i>	Rose Robin			2006	77	13	19.48	14	8	RA	3	0	0.3	3.3
303	684	AVES	ALAUDIDAE	Larks	Y00648	<i>Mirafra javanica</i>	Horsfield's Bushlark			2006	707	139	18.39	61	34	RA	3	-	-	3.4
304	685	AVES	CISTICOLIDAE	Cisticolas	C04209	<i>Cisticola exilis</i>	Golden-headed Cisticola			2009	854	547	64.05	173	136	RA	3	-	-	3.4
305	686	AVES	ACROCEPHALIDAE	Warbler	C04233	<i>Acrocephalus australis</i>	Australian Reed-Warbler			2008	2854	412	14.44	153	123	RA	3	0	0.3	3.3
306	687	AVES	MEGALURIDAE	Grassbirds and allies	Y00508	<i>Cinchoramphus cruralis</i>	Brown Songlark			2008	2956	424	14.34	240	159	LC	1	0	0.3	1.3
307	688	AVES	MEGALURIDAE	Grassbirds and allies	K00509	<i>Cinchoramphus mathewsi</i>	Rufous Songlark			2008	1722	113	6.91	65	59	RA	3	0	0.3	3.3
308	690	AVES	MEGALURIDAE	Grassbirds and allies	E00522	<i>Megalurus gramineus</i>	Little Grassbird			2009	2857	568	19.88	191	149	RA	3	0	0.3	3.3
309	691	AVES	TIMALIIDAE	White-eyes	E00574	<i>Zosterops lateralis</i>	Silvereye			2009	11509	2173	18.92	884	779	LC	1	0	0.3	1.3
310	692	AVES	HIRUNDINIDAE	Swallows and martins	K00358	<i>Cheramoeca leucosterna</i>	White-backed Swallow			2005	153	27	1.76	23	15	RA	3	DD	0	3.0
311	693	AVES	HIRUNDINIDAE	Swallows and martins	K00357	<i>Hirundo neoxena</i>	Welcome Swallow			2009	18933	3134	16.55	1048	920	LC	1	0	0.3	1.3
312	695	AVES	HIRUNDINIDAE	Swallows and martins	A00360	<i>Petrochelidon ariel</i>	Fairy Martin			2009	2240	223	10.04	107	86	RA	3	-	-	3.4
313	696	AVES	HIRUNDINIDAE	Swallows and martins	A04128	<i>Petrochelidon nigricans</i>	Tree Martin			2008	9532	1217	12.72	458	387	LC	1	0	0.3	1.3
314	698	AVES	TURDIDAE	Thrushes and Old World flycatchers	Q04140	<i>Zoothera lunulata</i>	Bassian Thrush		R	2006	384	54	14.06	20	16	VU	4	0	0.3	4.3
315	701	AVES	NECTARINIDAE	Flowerpeckers	U04150	<i>Dicaeum hirundinaceum</i>	Mistletoebird			2007	5726	323	5.64	153	135	NT	2	0	0.3	2.3
316	704	AVES	ESTRILIDAE	Grass-finches (waxbills)	G04075	<i>Neochmia temporalis</i>	Red-browed Finch			2008	3802	459	11.83	204	178	NT	2	0	0.3	2.3
317	705	AVES	ESTRILIDAE	Grass-finches (waxbills)	A04056	<i>Stagonopleura bella</i>	Beautiful Firetail		R	2006	572	314	54.33	182	152	RA	3	-	-	3.4
318	706	AVES	ESTRILIDAE	Grass-finches (waxbills)	A00652	<i>Stagonopleura guttata</i>	Diamond Firetail		V	2008	1843	38	2.06	21	15	EN	5	-	-	5.4

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoFO_in_SE_All_km2	AoFO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
319	707	AVES	ESTRILIDAE	Grass-finches (waxbills)	C00653	Taeniopygia guttata	Zebra Finch			2003	5977	40	0.67	23	15	VU	4	-	0.4	4.4
320	709	AVES	MOTACILLIDAE	Wagtails and pipits	G00647	Anthus novaeseelandiae	Australasian Pipit			2009	681	825	12.1	388	297	LC	1	0	0.3	1.3
323	202	AVES	ANSERANATIDAE	Maggie goose	Z00199	Anseranas semipalmata	Maggie Goose		E	2009	90	75	83.33	25	25	RA	3	+	0.2	3.2
324	203	AVES	ANATIDAE	Geese, swans and ducks	U00210	Anas castanea	Chestnut Teal			2010	398	1940	48.73	356	290	LC	1	0	0.3	1.3
325	205	AVES	ANATIDAE	Geese, swans and ducks	Y04148	Anas gracilis	Grey Teal			2010	9796	3624	36.99	480	373	LC	1	0	0.3	1.3
326	208	AVES	ANATIDAE	Geese, swans and ducks	M04182	Anas rhynchotis	Australasian Shoveler		R	2009	2299	1223	53.20	238	196	NT	2	0	0.3	2.3
327	209	AVES	ANATIDAE	Geese, swans and ducks	E04146	Anas superciliosa	Pacific Black Duck			2010	11453	3376	29.48	532	435	LC	1	0	0.3	1.3
328	211	AVES	ANATIDAE	Geese, swans and ducks	G00215	Aythya australis	Hardhead			2008	3487	824	23.64	178	152	LC	1	0	0.3	1.3
329	212	AVES	ANATIDAE	Geese, swans and ducks	K00217	Biziura lobata	Musk Duck		R	2010	2224	1247	55.97	266	211	RA	3	-	0.4	3.4
330	213	AVES	ANATIDAE	Geese, swans and ducks	Y04164	Cereopsis novaehollandiae	Cape Barren Goose		R	2010	2243	1566	69.91	160	122	RA	3	0	0.3	3.3
331	214	AVES	ANATIDAE	Geese, swans and ducks	U00202	Chenonetta jubata	Australian Wood Duck			2009	6775	312	4.61	131	116	LC	1	0	0.3	1.3
332	215	AVES	ANATIDAE	Geese, swans and ducks	W00203	Cygnus atratus	Black Swan			2010	8040	4633	57.63	597	473	LC	1	0	0.3	1.3
334	217	AVES	ANATIDAE	Geese, swans and ducks	C00213	Malacorhynchus membranaceus	Pink-eared Duck			2008	1562	362	23.18	128	106	LC	1	0	0.3	1.3
335	218	AVES	ANATIDAE	Geese, swans and ducks	Y00216	Oxyura australis	Blue-billed Duck		R	2008	514	172	33.44	70	54	VU	4	-	0.4	4.4
336	219	AVES	ANATIDAE	Geese, swans and ducks	E00214	Stictonetta naevosa	Freckled Duck		V	2007	699	337	48.21	60	54	VU	4	-	0.4	4.4
338	222	AVES	ANATIDAE	Geese, swans and ducks	G00207	Tadorna tadornoides	Australian Shelduck			2010	4579	3020	65.95	510	420	LC	1	0	0.3	1.3
340	224	AVES	PODICIPEDIDAE	Grebes	A00060	Podiceps cristatus	Great Crested Grebe		R	2009	2053	1653	80.44	197	152	RA	3	-	0.4	3.4
341	225	AVES	PODICIPEDIDAE	Grebes	E00062	Poliocephalus poliocephalus	Hoary-headed Grebe			2010	4973	2143	43.00	367	294	NT	2	-	0.4	2.4
342	226	AVES	PODICIPEDIDAE	Grebes	C00061	Tachybaptus novaehollandiae	Australasian Grebe			2009	4255	591	13.89	157	132	RA	3	-	0.4	3.4
344	246	AVES	OCEANITIDAE	Storm-petrels	Y00064	Garrodia nereis	Grey-backed Storm-Petrel			2004	18	5	27.78	5	3	RA	3	DD	0	3.0
345	247	AVES	OCEANITIDAE	Storm-petrels	G00063	Oceanites oceanicus	Wilson's Storm-Petrel			2004	56	10	17.86	13	5	LC	1	0	0.3	1.3
346	248	AVES	OCEANITIDAE	Storm-petrels	K00065	Pelagodroma marina	White-faced Storm-Petrel			2005	252	28	11.11	14	5	LC	1	0	0.3	1.3
347	253	AVES	DIOMEDEIDAE	Albatrosses	M00974	Diomedea epomophora	Royal Albatross	ssp	ssp	2004	20	7	35.00	5	3	RA	3	-	0.4	3.4
348	256	AVES	DIOMEDEIDAE	Albatrosses	A04208	Diomedea exulans	Wandering Albatross	ssp	V	2006	107	27	25.23	26	7	VU	4	-	0.4	4.4
349	258	AVES	DIOMEDEIDAE	Albatrosses	Q00092	Phoebastria fusca	Sooty Albatross	VU	E	2006	14	3	21.43	3	1	EN	5	-	0.4	5.4
350	259	AVES	DIOMEDEIDAE	Albatrosses	S00093	Phoebastria palpebrata	Light-mantled Sooty Albatross		V	2006	26	8	30.77	8	4	RA	3	-	0.4	3.4
351	260	AVES	DIOMEDEIDAE	Albatrosses	Z00931	Thalassarche bulleri	Buller's Albatross	VU	V	2007	21	3	14.29	3	3	RA	3	-	0.4	3.4
352	261	AVES	DIOMEDEIDAE	Albatrosses	Z00091	Thalassarche cauta	Shy Albatross	ssp	ssp	2007	196	64	32.32	46	22	NT	2	-	0.4	2.4
353	262	AVES	DIOMEDEIDAE	Albatrosses	C00089	Thalassarche chlororhynchos	Yellow-nosed Albatross		ssp	2007	320	63	19.69	44	17	NT	2	-	0.5	2.5
354	263	AVES	DIOMEDEIDAE	Albatrosses	M00090	Thalassarche chrysostoma	Grey-headed Albatross	VU	V	2005	269	55	20.45	44	8	VU	4	-	0.4	4.4
355	264	AVES	DIOMEDEIDAE	Albatrosses	A00088	Thalassarche melanophrys	Black-browed Albatross	VU	V	2007	143	4	28.67	31	19	NT	2	-	0.5	2.5
356	265	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	W00935	Aphrodroma brevirostris	Kerquelen Petrel			2000	122	20	16.39	15	3	RA	3	DD	0	3.0
357	266	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Y00072	Ardenna carneipes	Flesh-footed Shearwater		R	2006	163	39	23.93	26	8	RA	3	DD	0	3.0
358	268	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	E00070	Ardenna grisea	Sooty Shearwater			2006	58	28	48.28	16	3	RA	3	0	0.3	3.3
359	270	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	G00071	Ardenna tenuirostris	Short-tailed Shearwater			2007	50	87	17.37	56	25	LC	1	0	0.3	1.3
360	271	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Y00080	Daption capense	Cape Petrel			2000	125	33	26.40	24	4	RA	3	0	0.3	3.3
361	272	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	M00074	Fulmarus glacialis	Southern Fulmar			1999	57	25	43.86	21	2	RA	3	DD	0	3.0
362	273	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	K00081	Halobaena caerulea	Blue Petrel			2005	111	37	28.83	28	8	RA	3	DD	0	3.0
363	274	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	C00929	Macronectes giganteus	Southern Giant-Petrel	EN	V	2006	176	32	18.18	28	10	RA	3	DD	0	3.0
364	275	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	C00937	Macronectes halli	Northern Giant-Petrel	VU		2001	65	11	16.92	11	3	RA	3	DD	0	3.0
365	276	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	U00942	Pachyptila belcheri	Slender-billed Prion			1999	15	44	29.14	29	10	RA	3	0	0.3	3.3
366	277	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Q00084	Pachyptila desolata	Antarctic Prion			1999	103	23	22.33	1	1	RA	3	DD	0	3.0
367	278	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	S00941	Pachyptila salvini	Salvin's Prion			1983	1	1	100.00	1	1	RA	3	DD	0	3.0
368	279	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Z00083	Pachyptila turtur	Fairy Prion			2007	164	75	45.73	31	10	LC	1	0	0.3	1.3
369	280	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	M00082	Pachyptila vittata	Broad-billed Prion			1985	17	2	16.67	2	1	RA	3	DD	0	3.0
370	283	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	S00085	Pelecanoides urinatrix	Common Diving-Petrel			2004	36	28	77.78	1	1	RA	3	DD	0	3.0
371	284	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Z00915	Procellaria aequinoctialis	White-chinned Petrel			2006	28	7	7.14	2	1	RA	3	DD	0	3.0
373	286	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	W00919	Pterodroma inexpectata	Mottled Petrel			2005	4	1	100.00	1	1	RA	3	DD	0	3.0
374	287	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	S00077	Pterodroma lessonae	White-headed Petrel			2000	13	50	38.17	27	2	RA	3	DD	0	3.0
375	288	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	U00078	Pterodroma leucoptera	Gould's Petrel			1978	9	2	22.22	2	1	RA	3	DD	0	3.0
376	289	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	G04243	Pterodroma macroptera	Great-winged Petrel			2005	14	25	17.73	20	8	LC	1	0	0.3	1.3
377	290	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Q00076	Pterodroma mollis	Soft-plumaged Petrel	VU		1980	13	1	7.69	1	1	RA	3	DD	0	3.0
379	292	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	Y04252	Puffinus gavia	Fluttering Shearwater			2007	272	76	27.84	40	1	LC	1	0	0.3	1.3
380	293	AVES	PROCELLARIIDAE	Shearwaters, petrels and diving-petrels	K00913	Puffinus huttoni	Hutton's Shearwater			2007	35	9	25.71	12	5	RA	3	DD	0	3.0

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoO_in_SE_All_km2	AoO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
388	303	AVES	SPHENISCIDAE	Penguins	K00005	<i>Eudyptula minor</i>	Little Penguin			2008	525	92	17.52	77	43	VU	4	-	0.4	4.4
389	304	AVES	SULIDAE	Gannets and boobies	Q00104	<i>Morus serrator</i>	Australasian Gannet			2007	756	178	23.54	106	73	NT	2	0	0.3	2.3
390	305	AVES	ANHINGIDAE	Darters	K00101	<i>Anhinga novaehollandiae</i>	Australasian Darter		R	2007	136	25	18.95	79	65	RA	3	0	0.3	3.3
391	306	AVES	PHALACROCORACIDAE	Cormorants	C04137	<i>Microcarbo melanoleucos</i>	Little Pied Cormorant			2010	9155	3011	32.89	442	378	LC	1	0	0.3	1.3
392	307	AVES	PHALACROCORACIDAE	Cormorants	A00096	<i>Phalacrocorax carbo</i>	Great Cormorant			2010	4496	2529	56.25	318	245	LC	1	0	0.3	1.3
393	308	AVES	PHALACROCORACIDAE	Cormorants	E00098	<i>Phalacrocorax fuscescens</i>	Black-faced Cormorant			2010	1160	389	33.29	127	107	NT	2	DD	0	2.0
394	309	AVES	PHALACROCORACIDAE	Cormorants	C00097	<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant			2010	5165	1682	32.57	308	240	LC	1	0	0.3	1.3
395	310	AVES	PHALACROCORACIDAE	Cormorants	G00099	<i>Phalacrocorax varius</i>	Pied Cormorant			2010	4121	1599	38.79	251	189	LC	1	0	0.3	1.3
396	311	AVES	PELECANIDAE	Pelicans	U00106	<i>Pelecanus conspicillatus</i>	Australian Pelican			2010	9337	4306	46.11	488	387	LC	1	0	0.3	1.3
397	313	AVES	ARDEIDAE	Hérons and bitterns	G00187	<i>Ardea alba</i>	Great Egret			2009	4439	2140	48.22	336	275	RA	3	0	0.3	3.3
398	314	AVES	ARDEIDAE	Hérons and bitterns	S00977	<i>Ardea ibis</i>	Cattle Egret		R	2007	308	144	46.75	81	50	RA	3	0	0.3	3.3
399	315	AVES	ARDEIDAE	Hérons and bitterns	E00186	<i>Ardea intermedia</i>	Intermediate Egret		R	2008	190	63	33.11	41	33	RA	3	0	0.3	3.3
400	316	AVES	ARDEIDAE	Hérons and bitterns	K00189	<i>Ardea pacifica</i>	White-necked Heron			2007	892	177	19.84	100	78	NT	2	-	0.4	2.4
401	317	AVES	ARDEIDAE	Hérons and bitterns	K00197	<i>Botaurus poiciloptilus</i>	Australasian Bittern		V	2009	204	123	62.75	57	38	EN	5	-	0.4	5.4
402	318	AVES	ARDEIDAE	Hérons and bitterns	E04198	<i>Egretta garzetta</i>	Little Egret		R	2010	1191	462	38.79	118	95	RA	3	0	0.3	3.3
403	319	AVES	ARDEIDAE	Hérons and bitterns	G04199	<i>Egretta novaehollandiae</i>	White-faced Heron			2010	10925	3037	27.80	662	554	LC	1	0	0.3	1.3
404	321	AVES	ARDEIDAE	Hérons and bitterns	C04197	<i>Egretta sacra</i>	Eastern Reef Egret		R	2008	181	14	7.77	18	15	VU	4	0	0.3	4.3
405	322	AVES	ARDEIDAE	Hérons and bitterns	G00195	<i>Ixobrychus dubius</i>	Australian Little Bittern		E	1998	43	13	34.88	8	7	CR	6	-	0.5	6.5
406	323	AVES	ARDEIDAE	Hérons and bitterns	A00192	<i>Nycticorax caledonicus</i>	Nankeen Night-Heron			2007	714	81	11.34	47	30	RA	3	-	0.4	3.4
407	324	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	U00182	<i>Platalea flavipes</i>	Yellow-billed Spoonbill			2009	1904	687	36.08	198	162	RA	3	0	0.3	3.3
408	325	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	S00181	<i>Platalea regia</i>	Royal Spoonbill			2009	2036	1064	52.29	219	168	RA	3	DD	0	3.0
409	326	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	E00178	<i>Plegadis falcinellus</i>	Glossy Ibis		R	2008	324	165	50.95	72	55	RA	3	-	0.5	3.5
410	327	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	A04216	<i>Threskiornis molucca</i>	Australian White Ibis			2010	6644	3041	45.77	464	377	LC	1	0	0.3	1.3
411	328	AVES	THRESKIORNITHIDAE	Ibises and spoonbills	Q00180	<i>Threskiornis spinicollis</i>	Straw-necked Ibis			2009	3003	1452	48.35	437	339	LC	1	0	0.3	1.3
412	350	AVES	GRUIDAE	Cranes	C00177	<i>Grus rubicunda</i>	Brolga		V	2009	411	182	43.54	83	77	EN	5	-	0.4	5.4
413	351	AVES	RALLIDAE	Rails, crakes and allies	Z00059	<i>Fulica atra</i>	Eurasian Coot			2008	6804	2013	29.66	295	250	NT	2	-	0.4	2.4
414	352	AVES	RALLIDAE	Rails, crakes and allies	C04145	<i>Gallinula tenebrosa</i>	Dusky Moorhen			2007	3799	482	12.69	155	127	RA	3	0	0.3	3.3
415	353	AVES	RALLIDAE	Rails, crakes and allies	E00046	<i>Gallirallus philippensis</i>	Buff-banded Rail			2006	309	61	19.74	49	36	RA	3	DD	0	3.0
416	354	AVES	RALLIDAE	Rails, crakes and allies	Z04203	<i>Lewinia pectoralis</i>	Lewin's Rail		V	2005	99	52	52.58	35	23	EN	5	-	0.4	5.4
417	355	AVES	RALLIDAE	Rails, crakes and allies	M00058	<i>Porphyrio porphyrio</i>	Purple Swamphen			2009	4113	1364	33.16	250	203	NT	2	0	0.3	2.3
418	356	AVES	RALLIDAE	Rails, crakes and allies	K00049	<i>Porzana fluminea</i>	Australian Spotted Crane			2007	807	243	30.11	99	69	RA	3	DD	0	3.0
419	357	AVES	RALLIDAE	Rails, crakes and allies	U00050	<i>Porzana pusilla</i>	Baillon's Crane			2005	209	44	21.05	28	21	DD	0	DD	0	0.0
420	358	AVES	RALLIDAE	Rails, crakes and allies	W00051	<i>Porzana tabuensis</i>	Spotless Crane		R	2009	326	83	25.44	42	36	RA	3	DD	0	3.0
421	360	AVES	RALLIDAE	Rails, crakes and allies	G00055	<i>Tribonix ventralis</i>	Black-tailed Native-hen			2009	3773	663	17.58	258	187	LC	1	0	0.3	1.3
422	363	AVES	HAEMATOPODIDAE	Oystercatchers	M04094	<i>Haematopus fuliginosus</i>	Sooty Oystercatcher		R	2010	1713	370	21.60	126	99	VU	4	0	0.3	4.3
423	364	AVES	HAEMATOPODIDAE	Oystercatchers	U00130	<i>Haematopus longirostris</i>	Australian Pied Oystercatcher		R	2010	2435	1232	50.60	239	163	VU	4	0	0.3	4.3
424	365	AVES	RECURVIOSTRIDAE	Avocets and stilts	Z00147	<i>Cladorhynchus leucocephalus</i>	Banded Stilt		V	2009	1731	606	35.01	188	123	VU	4	-	0.4	4.4
425	366	AVES	RECURVIOSTRIDAE	Avocets and stilts	M00146	<i>Himantopus himantopus</i>	Black-winged Stilt			2010	5108	2202	43.11	371	259	NT	2	-	0.4	2.4
426	367	AVES	RECURVIOSTRIDAE	Avocets and stilts	Q00148	<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet			2009	2311	1099	47.49	250	150	NT	2	0	0.3	2.3
428	369	AVES	CHARADRIIDAE	Plovers and dotterels	A00140	<i>Charadrius bicinctus</i>	Double-banded Plover			2009	504	303	60.12	137	94	RA	3	-	0.4	3.4
430	372	AVES	CHARADRIIDAE	Plovers and dotterels	E04066	<i>Charadrius leschenaultii</i>	Greater Sand Plover		R	2004	136	9	6.67	8	6	RA	3	0	0.3	3.3
431	373	AVES	CHARADRIIDAE	Plovers and dotterels	C04101	<i>Charadrius mongolus</i>	Lesser Sand Plover		R	2006	252	21	8.33	15	7	RA	3	0	0.3	3.3
432	374	AVES	CHARADRIIDAE	Plovers and dotterels	G00143	<i>Charadrius ruficapillus</i>	Red-capped Plover			2010	4384	1824	41.65	417	264	RA	3	-	0.4	3.4
434	376	AVES	CHARADRIIDAE	Plovers and dotterels	Y00144	<i>Elsevornis melanops</i>	Black-fronted Dotterel			2009	3417	523	15.38	145	100	RA	3	-	0.4	3.4
435	377	AVES	CHARADRIIDAE	Plovers and dotterels	A00132	<i>Erythronyx cinctus</i>	Red-kneed Dotterel			2009	1960	474	24.24	148	102	RA	3	-	0.4	3.4
436	379	AVES	CHARADRIIDAE	Plovers and dotterels	U08006	<i>Pluvialis fulva</i>	Pacific Golden Plover		R	2010	521	310	59.58	89	5	RA	3	-	0.4	3.4
437	380	AVES	CHARADRIIDAE	Plovers and dotterels	Y00136	<i>Pluvialis squatarola</i>	Grey Plover			2010	883	58	6.57	34	22	RA	3	-	0.4	3.4
438	381	AVES	CHARADRIIDAE	Plovers and dotterels	M00138	<i>Thinornis rubricollis</i>	Hooded Plover		V	2009	1038	354	34.10	164	105	EN	5	0	0.3	5.3
439	382	AVES	CHARADRIIDAE	Plovers and dotterels	G04219	<i>Vanellus miles</i>	Masked Lapwing			2010	11811	4389	37.11	800	609	LC	1	0	0.3	1.3
440	383	AVES	CHARADRIIDAE	Plovers and dotterels	G00135	<i>Vanellus tricolor</i>	Banded Lapwing			2008	1329	153	11.51	104	48	VU	4	-	0.5	4.5
441	386	AVES	ROSTRATULIDAE	Painted snipes	M00170	<i>Rostratula australis</i>	Australian Painted Snipe		V	2007	88	26	31.33	20	6	CR	6	-	0.4	6.4
442	387	AVES	SCOLOPACIDAE	Sandpipers and allies	S00157	<i>Actitis hypoleucos</i>	Common Sandpiper		R	2008	751	149	18.64	75	49	RA	3	DD	0	3.0
443	388	AVES	SCOLOPACIDAE	Sandpipers and allies	K00129	<i>Arenaria interpres</i>	Ruddy Turnstone		R	2010	1299	481	37.08	139	91	RA	3	-	0.4	3.4
444	389	AVES	SCOLOPACIDAE	Sandpipers and allies	Z00163	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper			2010	3296	1768	53.64	301	203	NT	2	-	0.4	2.4
445	390	AVES	SCOLOPACIDAE	Sandpipers and allies	U00166	<i>Calidris alba</i>	Sanderling		R	2010	367	239	64.85	88	54	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoFO_in_SE_All_km2	AoFO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score	
446	392	AVES	SCOLOPACIDAE	Sandpipers and allies	Q00164	<i>Calidris canutus</i>	Red Knot			2006	393	74	18.88	39	24	RA	3	-	0.4	3.4	
447	393	AVES	SCOLOPACIDAE	Sandpipers and allies	K00161	<i>Calidris ferruginea</i>	Curlew Sandpiper			2010	1957	978	49.97	238	132	VU	4	-	0.5	4.5	
448	395	AVES	SCOLOPACIDAE	Sandpipers and allies	U00978	<i>Calidris melanotos</i>	Pectoral Sandpiper		R	2006	172	62	36.06	25	12	RA	3	DD	0	3.0	
450	397	AVES	SCOLOPACIDAE	Sandpipers and allies	M00162	<i>Calidris ruficollis</i>	Red-necked Stint			2010	4146	2183	52.66	397	268	NT	2	-	0.4	2.4	
451	398	AVES	SCOLOPACIDAE	Sandpipers and allies	K00965	<i>Calidris subminuta</i>	Long-toed Stint		R	2006	161	60	37.27	22	8	RA	3	DD	0	3.0	
452	399	AVES	SCOLOPACIDAE	Sandpipers and allies	S00165	<i>Calidris tenuirostris</i>	Great Knot		R	2010	272	36	13.24	26	15	RA	3	DD	0	3.0	
453	400	AVES	SCOLOPACIDAE	Sandpipers and allies	A00168	<i>Gallinago hardwickii</i>	Latham's Snipe		R	2008	337	256	75.96	119	81	RA	3	0	0.3	3.3	
455	404	AVES	SCOLOPACIDAE	Sandpipers and allies	K00153	<i>Limosa lapponica</i>	Bar-tailed Godwit		R	2010	653	195	29.86	56	48	RA	3	0	0.3	3.3	
456	405	AVES	SCOLOPACIDAE	Sandpipers and allies	Y00152	<i>Limosa limosa</i>	Black-tailed Godwit		R	2010	312	140	44.87	44	25	RA	3	DD	0	3.0	
457	406	AVES	SCOLOPACIDAE	Sandpipers and allies	S00149	<i>Numenius madagascariensis</i>	Eastern Curlew		V	2010	815	216	26.50	62	44	EN	5	0	0.3	5.3	
458	407	AVES	SCOLOPACIDAE	Sandpipers and allies	G00151	<i>Numenius minutus</i>	Little Curlew			2004	28	7	25.00	7	2	RA	3	DD	0	3.0	
459	408	AVES	SCOLOPACIDAE	Sandpipers and allies	E00150	<i>Numenius phaeopus</i>	Whimbrel		R	2007	274	46	16.79	28	18	RA	3	DD	0	3.0	
463	412	AVES	SCOLOPACIDAE	Sandpipers and allies	Z00155	<i>Tringa brevipes</i>	Grey-tailed Tattler		R	2009	314	150	47.77	47	29	RA	3	DD	0	3.0	
465	414	AVES	SCOLOPACIDAE	Sandpipers and allies	M00154	<i>Tringa glareola</i>	Wood Sandpiper		R	2007	306	133	44.11	35	23	RA	3	DD	0	3.0	
466	415	AVES	SCOLOPACIDAE	Sandpipers and allies	U00158	<i>Tringa nebularia</i>	Common Greenshank			2010	4268	2270	53.19	338	239	NT	2	-	0.4	2.4	
467	416	AVES	SCOLOPACIDAE	Sandpipers and allies	W00159	<i>Tringa stagnatilis</i>	Marsh Sandpiper			2009	773	286	37.00	102	77	RA	3	-	0.4	3.4	
469	419	AVES	SCOLOPACIDAE	Sandpipers and allies	Y00160	<i>Xenus cinereus</i>	Terek Sandpiper		R	2008	142	17	11.97	12	6	RA	3	DD	0	3.0	
470	425	AVES	STERCORARIIDAE	Skuas and jaegers	Y00980	<i>Stercorarius antarcticus</i>	Brown Skua			2007	110	9	8.14	11	6	RA	3	DD	0	3.0	
471	426	AVES	STERCORARIIDAE	Skuas and jaegers	S00933	<i>Stercorarius longicaudus</i>	Long-tailed Jaeger			2004	14	4	28.57	5	2	RA	3	DD	0	3.0	
473	428	AVES	STERCORARIIDAE	Skuas and jaegers	Y00128	<i>Stercorarius parasiticus</i>	Arctic Jaeger			2007	139	23	16.55	19	6	LC	1	0	0.3	1.3	
474	429	AVES	STERCORARIIDAE	Skuas and jaegers	C00945	<i>Stercorarius pomarinus</i>	Pomarine Jaeger			2007	20	8	40.00	8	7	LC	1	0	0.3	1.3	
475	430	AVES	LARIDAE	Gulls, terns and noddies	M00110	<i>Chlidonias hybrida</i>	Whiskered Tern			2010	3954	2776	70.26	394	316	LC	1	0	0.3	1.3	
476	431	AVES	LARIDAE	Gulls, terns and noddies	C00109	<i>Chlidonias leucopterus</i>	White-winged Black Tern			2007	583	112	19.21	35	25	RA	3	DD	0	3.0	
477	432	AVES	LARIDAE	Gulls, terns and noddies	C04065	<i>Chroicocephalus novaehollandiae</i>	Silver Gull			2010	1397	4977	35.61	750	608	LC	1	++	0.1	1.1	
478	433	AVES	LARIDAE	Gulls, terns and noddies	Z00111	<i>Gelochelidon nilotica</i>	Gull-billed Tern			2010	458	142	31.00	56	45	RA	3	DD	0	3.0	
479	434	AVES	LARIDAE	Gulls, terns and noddies	Q00112	<i>Hydroprogne caspia</i>	Caspian Tern			2010	4952	2592	52.34	370	291	NT	2	0	0.3	2.3	
480	435	AVES	LARIDAE	Gulls, terns and noddies	Y04244	<i>Larus dominicanus</i>	Kelp Gull		R	2009	128	97	75.78	40	39	RA	3	++	0.1	3.1	
481	436	AVES	LARIDAE	Gulls, terns and noddies	E00126	<i>Larus pacificus</i>	Pacific Gull			2010	2173	238	10.96	102	97	NT	2	0	0.3	2.3	
484	440	AVES	LARIDAE	Gulls, terns and noddies	C00953	<i>Sterna hirundo</i>	Common Tern		R	2006	10	63	64.36	37	15	RA	3	DD	0	3.0	
485	441	AVES	LARIDAE	Gulls, terns and noddies	A00952	<i>Sterna paradisaea</i>	Arctic Tern			2002	23	5	21.74	5	3	RA	3	DD	0	3.0	
486	442	AVES	LARIDAE	Gulls, terns and noddies	U00114	<i>Sterna striata</i>	White-fronted Tern			2005	66	33	50.77	30	13	RA	3	DD	0	3.0	
487	444	AVES	LARIDAE	Gulls, terns and noddies	C00117	<i>Sternula albifrons</i>	Little Tern		E	2007	67	50	74.63	29	23	CR	6	-	0.4	6.4	
488	445	AVES	LARIDAE	Gulls, terns and noddies	U04070	<i>Sternula nereis</i>	Fairy Tern		E	2010	1359	804	59.16	150	113	EN	5	-	0.5	5.5	
489	446	AVES	LARIDAE	Gulls, terns and noddies	W00115	<i>Thalasseus bergii</i>	Crested Tern			2010	4733	2502	52.86	412	331	LC	1	0	0.3	1.3	
491	717	REPTILIA	CHELIDAE	Side-necked Turtles	C02017	<i>Chelodina longicollis</i>	Common Long-necked Tortoise			2010	183	90	49.18	56	33	NT	2	-	0.4	2.4	
492	718	REPTILIA	CHELIDAE	Side-necked Turtles	E02034	<i>Emydura macquarii</i>	Macquarie Tortoise		V	1965	123	7	0.81	7	4	VU	4	-	0.4	4.4	
495	721	REPTILIA	DERMOCHELYIDAE	Leathery Turtle	S02013	<i>Dermochelys coriacea</i>	Leathery Turtle		EN	V	2004	47	6	12.77	6	3	CR	6	-	0.5	6.5
496	724	REPTILIA	AGAMIDAE	Dragon Lizards	M02194	<i>Amphibolurus muricatus</i>	Jacky Lizard		R	2004	23	13	78.26	13	7	VU	4	-	0.4	4.4	
497	725	REPTILIA	AGAMIDAE	Dragon Lizards	S02209	<i>Amphibolurus norrisi</i>	Mallee Tree-dragon			2008	165	61	36.97	39	29	NT	2	0	0.3	2.3	
499	731	REPTILIA	AGAMIDAE	Dragon Lizards	K02185	<i>Ctenophorus fordii</i>	Mallee Dragon			1991	1934	41	2.12	15	10	LC	1	0	0.3	1.3	
500	738	REPTILIA	AGAMIDAE	Dragon Lizards	W02199	<i>Ctenophorus pictus</i>	Painted Dragon			2002	2205	33	1.50	21	8	LC	1	0	0.3	1.3	
501	750	REPTILIA	AGAMIDAE	Dragon Lizards	K02177	<i>Pogona barbata</i>	Eastern Bearded Dragon			2004	374	83	22.73	60	31	LC	1	0	0.3	1.3	
502	753	REPTILIA	AGAMIDAE	Dragon Lizards	Y02204	<i>Pogona vitticeps</i>	Central Bearded Dragon			2007	1075	20	1.86	15	12	NT	2	0	0.3	2.3	
503	757	REPTILIA	AGAMIDAE	Dragon Lizards	G02255	<i>Tympanocryptis lineata</i>	Five-lined Earless Dragon			1999	407	15	3.73	9	8	VU	4	-	0.4	4.4	
504	760	REPTILIA	GEKKONIDAE	Typical Geckos	M02126	<i>Christinus marmoratus</i>	Marbled Gecko			2003	2960	68	2.30	38	26	LC	1	0	0.3	1.3	
505	770	REPTILIA	CARPHODACTYLIDAE	Australasian Geckos	U02138	<i>Nephurus milii</i>	Barking Gecko			1997	1148	7	0.61	4	2	LC	1	0	0.3	1.3	
506	779	REPTILIA	DIPODACTYLIDAE	Australian Geckos	Q04492	<i>Diplodactylus vittatus (revised)</i>	Eastern Stone Gecko			1997	36	9	25.00	5	3	NT	2	0	0.3	2.3	
508	793	REPTILIA	PYGOPODIDAE	Legless Lizards	S04353	<i>Anrasia aurita</i>	Eared Worm-lizard		E	1997	1	1	100.00	1	1	CR	6	-	0.4	6.4	
509	796	REPTILIA	PYGOPODIDAE	Legless Lizards	M02150	<i>Anrasia striolata</i>	Lined Worm-lizard			2007	455	147	32.31	92	44	LC	1	0	0.3	1.3	
510	797	REPTILIA	PYGOPODIDAE	Legless Lizards	U02154	<i>Delma australis</i>	Barred Snake-lizard			1991	539	7	0.37	7	4	RA	3	0	0.3	3.3	
511	801	REPTILIA	PYGOPODIDAE	Legless Lizards	G02159	<i>Delma impar</i>	Striped Snake-lizard		VU	E	2007	179	179	100.00	18	15	EN	5	-	0.4	5.4
512	802	REPTILIA	PYGOPODIDAE	Legless Lizards	Q02160	<i>Delma inornata</i>	Olive Snake-lizard			2007	59	4	69.49	21	17	NT	2	-	0.4	2.4	
514	809	REPTILIA	PYGOPODIDAE	Legless Lizards	E02174	<i>Pygopus lepidopodus</i>	Common Scaly-foot			1999	276	39	14.18	28	15	RA	3	-	0.4	3.4	
515	812	REPTILIA	SCINCIDAE	Skinks	U02682	<i>Bassiana dupereyi</i>	Eastern Three-lined Skink			2008	696	32	46.17	16	10	LC	1	0	0.3	1.3	
516	834	REPTILIA	SCINCIDAE	Skinks	A04188	<i>Ctenotus orientalis</i>	Spotted Ctenopus			2003	653	167	24.81	60	54	LC	1	0	0.3	1.3	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AofO_in_SE_All_km2	AofO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
517	839	REPTILIA	SCINCIDAE	Skinks	W02375	<i>Ctenotus robustus</i>	Eastern Striped Skink			2007	1055	180	17.06	99	64	LC	1	0	0.3	1.3
520	853	REPTILIA	SCINCIDAE	Skinks	M02214	<i>Eulamprus heatwolei</i>	Yellow-bellied Water Skink		V	2000	46	8	17.33	5	4	EN	5	-	0.4	5.4
521	855	REPTILIA	SCINCIDAE	Skinks	C02561	<i>Eulamprus tympanum</i>	Southern Water Skink		R	2007	23	23	96.55	20	4	VU	4	-	0.4	4.4
523	859	REPTILIA	SCINCIDAE	Skinks	U02446	<i>Hemiergis peronii</i>	Four-toed Earless Skink			2007	2564	369	14.39	184	122	LC	1	0	0.3	1.3
524	860	REPTILIA	SCINCIDAE	Skinks	M02450	<i>Lampropholis delicata</i>	Delicate Skink			2007	238	142	59.66	89	66	LC	1	0	0.3	1.3
525	861	REPTILIA	SCINCIDAE	Skinks	Z02451	<i>Lampropholis guichenoti</i>	Garden Skink			2007	2700	149	5.52	69	29	LC	1	0	0.3	1.3
526	866	REPTILIA	SCINCIDAE	Skinks	G02475	<i>Lerista bougainvillii</i>	Bougainville's Skink			2006	1224	263	21.49	143	93	LC	1	0	0.3	1.3
527	869	REPTILIA	SCINCIDAE	Skinks	E02482	<i>Lerista dorsalis</i>	Southern Four-toed Slider			2000	924	8	0.87	8	3	LC	1	0	0.3	1.3
528	882	REPTILIA	SCINCIDAE	Skinks	A02420	<i>Liopholis multiscutata</i>	Bull Skink			1988	372	8	1.34	8	3	EN	5	-	0.4	5.4
529	885	REPTILIA	SCINCIDAE	Skinks	E02430	<i>Liopholis whitii</i>	White's Skink			2005	470	65	13.88	40	18	LC	1	0	0.3	1.3
530	886	REPTILIA	SCINCIDAE	Skinks	G02407	<i>Lissolepis coventryi</i>	Swamp Skink		E	2006	20	20	100.00	14	13	EN	5	-	0.4	5.4
531	887	REPTILIA	SCINCIDAE	Skinks	W02519	<i>Menetia greyii</i>	Dwarf Skink			2007	2972	78	2.63	34	29	LC	1	0	0.3	1.3
532	888	REPTILIA	SCINCIDAE	Skinks	S02525	<i>Morethia adelaidensis</i>	Adelaide Snake-eye			2007	1008	19	1.88	11	4	NT	2	0	0.3	2.3
534	891	REPTILIA	SCINCIDAE	Skinks	C02529	<i>Morethia obscura</i>	Mallee Snake-eye			2004	1855	279	15.01	106	87	LC	1	0	0.3	1.3
535	893	REPTILIA	SCINCIDAE	Skinks	Y04308	<i>Nannoscincus maccoyi</i>	Salamander skink		E	2004	11	11	100.00	4	2	EN	5	-	0.4	5.4
536	898	REPTILIA	SCINCIDAE	Skinks	G02459	<i>Pseudemoia entrecasteauxii</i>	Southern Grass Skink			2007	267	208	77.90	118	63	LC	1	0	0.3	1.3
537	899	REPTILIA	SCINCIDAE	Skinks	K04025	<i>Pseudemoia pagenstecheri</i>	Tussock Skink		R	1997	2	2	100.00	2	1	CR	6	-	0.4	6.4
538	900	REPTILIA	SCINCIDAE	Skinks	W02683	<i>Pseudemoia rawlinsoni</i>	Glossy Grass Skink		V	2007	96	96	100.00	25	23	VU	4	-	0.4	4.4
539	903	REPTILIA	SCINCIDAE	Skinks	U02578	<i>Tiliqua nigrolutea</i>	Blotched Bluetongue			2006	38	38	100.00	36	17	LC	1	0	0.3	1.3
540	905	REPTILIA	SCINCIDAE	Skinks	Z02583	<i>Tiliqua rugosa</i>	Sleepy Lizard			2000	2733	218	7.98	139	105	LC	1	0	0.3	1.3
541	906	REPTILIA	SCINCIDAE	Skinks	Y02580	<i>Tiliqua scincoides</i>	Eastern Bluetongue			2007	261	78	29.89	70	52	LC	1	0	0.3	1.3
542	911	REPTILIA	VARANIDAE	Goannas	G02271	<i>Varanus gouldii</i>	Sand Goanna			1991	938	3	0.32	2	1	RA	3	0	0.3	3.3
543	912	REPTILIA	VARANIDAE	Goannas	W02287	<i>Varanus rosenbergi</i>	Heath Goanna		V	2007	334	27	8.06	23	14	EN	5	-	0.4	5.4
544	914	REPTILIA	VARANIDAE	Goannas	Z02283	<i>Varanus varius</i>	Lace Monitor		R	2007	58	2	3.77	2	2	CR	6	-	0.4	6.4
545	915	REPTILIA	TYPHLOPIDAE	Blind Snakes	C04365	<i>Ramphotyphlops bicolor</i>	Southern Blind Snake			1981	199	6	3.02	6	4	RA	3	0	0.3	3.3
546	916	REPTILIA	TYPHLOPIDAE	Blind Snakes	A02588	<i>Ramphotyphlops bituberculatus</i>	Rough-nosed Blind Snake			1991	255	5	1.95	3	2	RA	3	0	0.3	3.3
547	926	REPTILIA	ELAPIDAE	Elapid Snakes	E02642	<i>Austrelaps superbus</i>	Lowland Copperhead			2006	95	95	100.00	66	27	LC	1	0	0.3	1.3
549	933	REPTILIA	ELAPIDAE	Elapid Snakes	S02665	<i>Drysdalia coronoides</i>	White-lipped Snake		R	2007	33	33	100.00	25	14	NT	2	0	0.3	2.3
550	934	REPTILIA	ELAPIDAE	Elapid Snakes	U02666	<i>Drysdalia mastersii</i>	Master's Snake			1994	115	1	6.04	6	4	RA	3	0	0.3	3.3
551	935	REPTILIA	ELAPIDAE	Elapid Snakes	W02667	<i>Echiopsis curta</i>	Bardick		R	1950	34	1	2.94	1	1	CR	6	-	0.4	6.4
552	940	REPTILIA	ELAPIDAE	Elapid Snakes	S04441	<i>Notechis scutatus</i>	Eastern Tiger Snake	ssp		2007	693	203	29.29	12	64	NT	2	0	0.3	2.3
553	942	REPTILIA	ELAPIDAE	Elapid Snakes	Z02727	<i>Parasuta flagellum</i>	Little Whip Snake			2007	129	24	18.60	13	6	NT	2	0	0.3	2.3
554	944	REPTILIA	ELAPIDAE	Elapid Snakes	Y02724	<i>Parasuta nigriceps</i>	Mitchell's Short-tailed Snake			1998	126	11	8.73	5	4	VU	4	0	0.3	4.3
555	947	REPTILIA	ELAPIDAE	Elapid Snakes	C02693	<i>Pseudechis porphyriacus</i>	Red-bellied Black Snake			1982	107	2	1.87	2	2	EN	5	-	0.4	5.4
556	954	REPTILIA	ELAPIDAE	Elapid Snakes	Z02699	<i>Pseudonaja textilis</i>	Eastern Brown Snake			2002	63	93	14.60	71	25	LC	1	0	0.3	1.3
557	963	AMPHIBIA	HYLIDAE	Tree Frogs	U03182	<i>Litoria ewingii</i>	Brown Tree Frog			2009	3548	776	21.87	316	294	LC	1	0	0.3	1.3
558	965	AMPHIBIA	HYLIDAE	Tree Frogs	A03204	<i>Litoria peronii</i>	Peron's Tree Frog			2006	373	7	1.88	6	6	RA	3	0	0.3	3.3
559	966	AMPHIBIA	HYLIDAE	Tree Frogs	G03207	<i>Litoria raniformis</i>	Southern Bell Frog		VU	2007	332	126	37.95	66	49	VU	4	-	0.5	4.5
560	969	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	W03131	<i>Crinia parvisignifera</i>	Murray Valley Froglet			2003	347	2	1.15	2	3	NT	2	-	0.5	2.5
561	971	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	E03134	<i>Crinia signifera</i>	Common Froglet			2009	10240	1295	12.65	460	437	LC	1	0	0.3	1.3
562	972	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03029	<i>Geocrinia laevis</i>	Smooth Frog		R	2004	37	37	100.00	27	18	RA	3	0	0.3	3.3
563	973	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	M03058	<i>Limnodynastes dumerilii</i>	Banio Frog			2005	3823	915	23.93	337	317	LC	1	0	0.3	1.3
564	974	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	Z03059	<i>Limnodynastes fletcheri</i>	Long-thumbed Frog			2005	134	26	19.40	10	9	VU	4	-	0.4	4.4
565	975	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03061	<i>Limnodynastes peronii</i>	Striped Marsh Frog			2005	510	501	98.24	202	186	LC	1	0	0.3	1.3
566	976	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	G03063	<i>Limnodynastes tasmaniensis</i>	Spotted Marsh Frog			2009	4903	474	9.67	213	187	LC	1	0	0.3	1.3
567	978	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	S03085	<i>Neobatrachus pictus</i>	Burrowing frog			2004	950	413	43.00	147	87	LC	1	0	0.3	1.3
568	979	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	U03086	<i>Neobatrachus sudelli</i>	Sudell's Frog			2001	240	115	47.92	58	46	NT	2	0	0.3	2.3
569	982	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03117	<i>Pseudophryne hiltonii</i>	Brown Toadlet		R	2005	587	64	11.00	35	17	VU	4	-	0.4	4.4
570	984	AMPHIBIA	MYOBATRACHIDAE	Southern Frogs	C03125	<i>Pseudophryne semimarmorata</i>	Marbled Toadlet		V	1997	5	50	98.04	23	3	VU	4	-	0.4	4.4
571	986	CEPHALASPIDOMORPHA	PETROMYZONTIDAE		S09801	<i>Geotria australis</i>	Pouched Lamprey			2002	20	6	30.00	6	2	VU	4	-	0.4	4.4
572	987	CEPHALASPIDOMORPHA	PETROMYZONTIDAE		U09802	<i>Mordacia mordax</i>	Short-headed Lamprey			2003	37	1	21.27	7	2	VU	4	-	0.4	4.4
573	988	OSTEICHTHYES	ANGUILLIDAE	Freshwater Eels	W09803	<i>Anguilla australis</i>	Short-finned Eel			2007	44	28	63.64	18	12	RA	3	-	0.4	3.4
574	989	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	A09804	<i>Atherinosoma microstoma</i>	Smallmouth Hardyhead			2010	328	258	78.66	14	125	LC	1	++	0.1	1.1
575	992	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	U04290	<i>Craterocephalus fluvialtilis</i>	Murray Hardyhead		VU	2005	87	51	62.20	26	2	CR	6	-	0.5	6.5
576	995	OSTEICHTHYES	ATHERINIDAE	Hardyheads or Silversides	S04397	<i>Craterocephalus stercusmuscarum fulvus</i>	Fly-specked Hardyhead			2007	440	63	14.32	41	39	EN	5	-	0.5	5.5
577	996	OSTEICHTHYES	MELANOAEINIDAE	Rainbow Fishes	Y09808	<i>Melanotaenia fluvialtilis</i>	Crimson-spotted Rainbow Fish			2008	238	9	3.77	6	4	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

MAP ID	TAXONOMIC SEQ NR	CLASS NAME	FAMILY NAME	FAMILY COMMON NAME	NSX CODE	SPECIES	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	DATE LAST OBSERVED in SE	TOTAL in SA	TOTAL in SE	% SE REGIONS	AoIO_in_SE_All_km2	AoIO_in_SE_Recent_km2	SOUTH EAST Regional Status	SOUTH EAST Regional Status Score	SOUTH EAST Regional Trend	SOUTH EAST Regional Trend Score	SOUTH EAST Regional Status+Trend Score
578	1000	OSTEICHTHYES	CLUPEIDAE	Bony Bream, Herrings, Pilchards and Sprats	A09812	<i>Nematalosa erebi</i>	Bony Bream			2007	869	123	14.3%	65	53	LC	1	0	0.3	1.3
579	1004	OSTEICHTHYES	AMBASSIDAE	Chanda Perches and Allies	Y09816	<i>Ambassis agassizii</i>	Agassiz's Perchlet			2007	0	1	9.0%	1	1	CR	6	-	0.5	6.5
580	1006	OSTEICHTHYES	BOVICHTHYIDAE	Temperate Icefishes	K09817	<i>Pseudaphritis urvillii</i>	Congoli			2007	239	153	64.0%	74	59	RA	3	-	0.4	3.4
581	1016	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	Y09824	<i>Philypnodon grandiceps</i>	Big-headed Gudgeon			2010	894	271	30.3%	126	118	NT	2	0	0.3	2.3
582	1017	OSTEICHTHYES	ELEOTRIDAE	Gudgeons	K09825	<i>Philypnodon macrostomus</i>	Dwarf Flathead Gudgeon			2007	410	99	24.1%	50	50	LC	1	-	0.4	1.4
583	1018	OSTEICHTHYES	GADOPSIDAE	River Blackfish	M09826	<i>Gadopsis marmoratus</i>	River Blackfish			2009	135	68	50.3%	21	17	EN	5	-	0.4	5.4
585	1022	OSTEICHTHYES	GOBIIDAE	Gobies	E09830	<i>Pseudogobius olorum</i>	Swan River Goby			2009	213	99	46.4%	56	52	LC	1	0	0.3	1.3
586	1023	OSTEICHTHYES	GOBIIDAE	Gobies	G04411	<i>Tasmanogobius lasti</i>	Lagoon goby			2007	104	93	89.4%	58	50	LC	1	0	0.3	1.3
587	1024	OSTEICHTHYES	KUHLIIDAE	Pygmy Perches	G09831	<i>Nannoperca australis</i>	Southern Pygmy Perch			2010	423	300	70.9%	132	112	VU	4	-	0.4	4.4
588	1025	OSTEICHTHYES	KUHLIIDAE	Pygmy Perches	Y09832	<i>Nannoperca obscura</i>	Yarra Pygmy Perch	VU		2010	126	114	90.4%	45	40	CR	6	-	0.5	6.5
589	1026	OSTEICHTHYES	KUHLIIDAE	Pygmy Perches	K09833	<i>Nannoperca variegata</i>	Ewen's Pygmy Perch	VU		2009	44	44	100.0%	7	7	CR	6	-	0.5	6.5
590	1028	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	Z09835	<i>Maccullochella peelii peelii</i>	Murray Cod	VU		2009	47	2	4.2%	2	2	VU	4	-	0.4	4.4
591	1029	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	K04405	<i>Macquaria ambigua ambigua</i>	Callop			2007	307	26	8.4%	19	18	NT	2	-	0.4	2.4
592	1032	OSTEICHTHYES	PERCICHTHYIDAE	Australian Freshwater Basses, Cods and Perches	U09838	<i>Macquaria colonorum</i>	Estuary Perch			2004	7	6	85.7%	4	4	VU	4	-	0.4	4.4
593	1036	OSTEICHTHYES	TERAPONTIDAE	Freshwater Grunters or Terapon Perches	K09841	<i>Bidyanus bidyanus</i>	Silver Perch			2008	21	5	23.8%	5	3	EN	5	-	0.5	5.5
594	1039	OSTEICHTHYES	TERAPONTIDAE	Freshwater Grunters or Terapon Perches	Z09843	<i>Leiopotherapon unicolor</i>	Spangled Perch			1976	116	2	1.7%	2	2	RA	3	DD	0	3.0
595	1041	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	S09845	<i>Galaxias brevipinnis</i>	Climbing Galaxias			2007	123	1	0.8%	1	1	RA	3	0	0.3	3.3
596	1042	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	U09846	<i>Galaxias maculatus</i>	Common Jollytail			2010	566	315	55.6%	144	123	NT	2	0	0.3	2.3
597	1043	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	W09847	<i>Galaxias olidus</i>	Mountain Galaxias			2009	344	16	4.6%	8	7	VU	4	-	0.4	4.4
598	1045	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	W04399	<i>Galaxias truttaceus</i>	Spotted Mountain Trout			2009	18	18	100.0%	7	7	RA	3	0	0.3	3.3
599	1046	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	C09849	<i>Galaxiella pusilla</i>	Dwarf Galaxias	VU		2010	81	81	100.0%	59	41	EN	5	-	0.4	5.4
600	1047	OSTEICHTHYES	GALAXIIDAE	Galaxiids(Jollytails), Minnows, Native Trout	S04409	<i>Neochanna cleaveri</i>	Tasmanian Mudfish			2009	3	3	100.0%	3	2	EN	5	-	0.4	5.4
601	1048	OSTEICHTHYES	PROTODRACONIDAE	Grayling	M09850	<i>Protodracones maraena</i>	Australian Grayling	VU		1982	1	1	100.0%	1	1	EN	5	-	0.4	5.4
602	1049	OSTEICHTHYES	RETROPINNIDAE	Smelt	Z09851	<i>Retropinna semoni</i>	Australian Smelt			2007	438	126	28.7%	70	58	NT	2	0	0.3	2.3
603	1058	OSTEICHTHYES	PLOTOSIDAE	Eel-tailed Catfishes	G09859	<i>Tandanus tandanus</i>	Freshwater Catfish			2007	46	4	8.7%	4	3	EN	5	-	0.4	5.4

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes and Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional UCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Platypus	2	10.00	RE	RE	7			1		Water too brackish, regulated. No sightings for 50 years	0	0.00								
Short-beaked Echidna	16	1.23	LC	LC	1	0	0.3	15	14	Not in previous numbers	28	2.16	LC	LC	1	0	0.3	22	18	
Spotted-tailed Quoll (Tiger Quoll)	0	0.00									0	0.00								
Eastern Quoll	0	0.00									0	0.00								
Agile Antechinus	0	0.00									0	0.00								
Yellow-footed Antechinus	0	0.00									2	0.23	VU D2	VU	4	DD	0	2		Needs stringybark woodland, limited habitat
Swamp Antechinus	0	0.00									60	95.24	EN B2ab(i,ii,iii)	EN	5	-	0.4	23	7	Not easily trapped, habitat dependent
Brush-tailed Phascogale	0	0.00									0	0.00								
Fat-tailed Dunnart	7	0.24	RA d(ii)	RA	3	-	0.4	4		Land clearance a threat + lack of habitat	4	0.14	RA d(ii)	RA	3	DD	0	4		
Common Dunnart	0	0.00									0	0.00								
Southern Brown Bandicoot (SA mainland and KI ssp)	0	0.00									2	1.00	CR D	CR	6	--	0.5	2		probably extinct; loss of habitat
Eastern Barred Bandicoot	0	0.00									0	0.00								
Bilby (Greater Bilby)	5	31.25	RE	RE	7			1		extinct	0	0.00								
Koala	0	0.00									0	0.00								
Common Wombat	7	3.11	RA d(ii)	RA	3	0	0.3	7	2		81	36.00	LC	LC	1	0	0.3	61	28	
Common Brushtail Possum	1	0.06	DD	DD	0	DD	0	1		no recent records	20	1.28	LC	LC	1	0	0.3	14	8	in some places they are increasing; locally common
Long-nosed Potoroo	0	0.00									0	0.00								
Western Grey Kangaroo	23	0.19	LC	LC	1	+	0.2	12	10		73	0.59	LC	LC	1	+	0.2	49	41	
Eastern Grey Kangaroo	0	0.00									10	34.48	RA c(iv)	RA	3	+	0.2	4		
Toolache Wallaby	0	0.00									5	55.56	RE	RE	7			2		extinct
Euro	0	0.00									0	0.00								
Red-necked Wallaby	1	0.47	RA d(i,ii)	RA	3	DD	0	1		edge of range	30	13.95	LC	LC	1	++	0.1	16	14	
Swamp Wallaby	0	0.00									5	15.15	LC	LC	1	++	0.1	4	4	solitary animals
Eastern Hare-wallaby	0	0.00									0	0.00								
Western Pygmy-possum	15	1.51	RA d(ii)	RA	3	-	0.4	9	2	Decline due to habitat loss	12	1.21	RA d(ii)	RA	3	DD	0	10	6	
Little Pygmy-possum	0	0.00									5	4.63	RA d(i,ii)	RA	3	DD	0	3	3	restricted habitat
Eastern Pygmy-possum	0	0.00									10	24.39	VU D2	VU	4	DD	0	5	4	highly isolated
Common Ringtail Possum	1	0.15	RA d(i,ii)	RA	3	DD	0	1	1	lack of habitat	49	7.18	LC	LC	1	0	0.3	23	15	
Yellow-bellied Glider	0	0.00									0	0.00								
Sugar Glider	0	0.00									2	2.22	RA d(i,ii)	RA	3	DD	0	2	1	possibly under-recorded; could be in small woodland remnants
Squirrel Glider	0	0.00									0	0.00								
Feathertail Glider	0	0.00									0	0.00								
New Zealand Fur-seal	9	4.97	LC	LC	1	+	0.2	3	2	S Bryars & C Kemper - least concern, increasing, hunting now b	10	5.52	LC	LC	1	+	0.2	6	6	S Bryars & C Kemper - least concern, increasing, hunting now b
Australian Fur-seal	1	3.13	RA c(i)	RA	3	0	0.3	1	1	S Bryars - breeding colony Baudin Rocks, hunting now banned;	19	59.38	RA c(i)	RA	3	0	0.3	8	5	S Bryars - breeding colony Baudin Rocks, hunting now banned;
Subantarctic Fur-seal	5	26.32	RA c(ii)	RA	3	0	0.3	5	3	S Bryars & C Kemper: not breeding here	1	5.26	RA c(ii)	RA	3	0	0.3	1	1	S Bryars & C Kemper: not breeding here
Australian Sea-lion	4	1.05	VU D1	VU	4	DD	0	1		S Bryars & C Kemper: offshore shark nets/fishing a threat.	6	1.57	VU D1	VU	4	DD	0	3	2	S Bryars & C Kemper: offshore shark nets/fishing a threat.
Leopard Seal	0	0.00									0	0.00								
Southern Elephant Seal	0	0.00									5	50.00	RA c(ii)	RA	3	DD	0	4	3	Cath Kemper: a few regular visitors to state
White-footed Tree-rat	0	0.00									0	0.00								
Water-rat	15	9.04	NT	NT	2	DD	0	10	6	limited habitat; tolerates salt water	18	10.84	RA d(ii)	RA	3	-	0.4	10		prefers wetlands; can live in drains, tolerates salt water
Mitchell's Hopping-mouse	1	0.13	CR B1ab(i,ii,iii)	CR	6	--	0.5	1		associated with mallee; could be extinct; habitat loss	0	0.00								
Silky Mouse	3	0.39	RA d(i,ii)	RA	3	DD	0	3	1		6	0.78	RA d(i,ii)	RA	3	-	0.4	2	2	
Plains Mouse (Plains Rat)			RE	RE	7					no records; collected in 1840's near Meningie by Gov. Grey; now known as P auritis - GMedlin										
Heath Rat	0	0.00									0	0.00								
Rush Rat	1	0.03	RA d(i,ii)	RA	3	DD	0	1			419	11.47	LC	LC	1	0	0.3	47	24	
Swamp Rat	31	6.21	RA d(ii)	RA	3	DD	0	16	8	needs water/swamps; drought & low water table threats; habitat	202	40.48	LC	LC	1	0	0.3	47	22	
Grey-headed Flying-fox	0	0.00									2	33.33	RA c(iii)	RA	3	+	0.2	2	2	don't have all records
Yellow-bellied Sheathtail-bat	2	12.50	RA c(iii)	RA	3	0	0.3	2		irregular visitors to SA, turn up in 1's & 2's between March & July	0	0.00								
Southern Freetail-bats	0	0.00	LC	LC	1	0	0.3			no records, should be more surveys	3	0.60	DD	DD	0	DD	0			needs more surveys, could be LC
Eastern Freetail-bat	0	0.00	DD	DD	0	DD	0			no records, associated with freshwater, should be more surveys	0	0.00	DD	DD	0	DD	0			no records, associated with freshwater, should be more surveys
White-striped Freetail-bat	3	0.38	LC	LC	1	0	0.3	3	1		1	0.13	LC	LC	1	0	0.3	1	1	
Large Bentwing-Bat	0	0.00									8	2.67	CR B2ab(i,ii,iii,iv)	CR	6	-	0.4	3	3	Stable for last 10yrs, crashed before that, now ~30,000 pop. in S
Lesser Long-eared Bat	12	0.61	LC	LC	1	0	0.3	9	3		20	1.01	LC	LC	1	0	0.3	9	3	
Gould's Long-eared Bat	0	0.00									0	0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional IUCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Gould's Wattled Bat	1	0.03	LC	LC	1	0	0.3	1			2	0.07	LC	LC	1	0	0.3	2	1	
Chocolate Wattled Bat	0	0.00									6	1.05	LC	LC	1	0	0.3	5	3	
Eastern Falsistrelle (Eastern False Pipistrelle)	0	0.00									0	0.00	DD	DD	0	DD	0			no records, highly restricted in native bush blocks
Southern Myotis	0	0.00	DD	DD	0	DD	0			no records, in cliff faces on river	0	0.00	VU D1	VU	4	DD	0			in southern half
Inland Broad-nosed Bat	0	0.00	DD	DD	0	DD	0			no records, assoc. with river red gums, needs more survey work	0	0.00	DD	DD	0	DD	0			no records, assoc. with river red gums, needs more survey work
Large Forest Bat	2	2.53	LC	LC	1	0	0.3	2	1		1	1.27	DD	DD	0	DD	0	1	1	needs more surveys
Southern Forest Bat	2	0.41	LC	LC	1	0	0.3	1			6	1.22	DD	DD	0	DD	0	3	2	needs more surveys
Little Forest Bat	0	0.00	LC	LC	1	0	0.3			no records, needs surveys	16	7.88	LC	LC	1	0	0.3	11	8	
Southern Right Whale	29	2.58	VU D1	VU	4	+	0.2	10	8	Increasing 6-7%/year. Lots of sightings. Threats: ship strikes & e	14	1.25	VU D1	VU	4	+	0.2	6	1	Increasing 6-7%/year. Lots of sightings. Threats: ship strikes & e
Southern Minke Whale	2	16.67	LC	LC	1	0	0.3	2		Lots of juvenile strandings. No sightings. Whaled by Japanese.	0	0.00								
Bryde's Whale	0	0.00									1	12.50	RA c(iii)	RA	3	DD	0	1		Irregular visitor - tropical/subtropical species; bones at Carpenter
Blue Whale	0	0.00									2	8.70	VU D1	VU	4	DD	0	2	1	2 subspecies (Blue Whale & Pygmy Blue Whale). Pygmy Blue V
Fin Whale																				
Humpback Whale	2	2.41	VU D1	VU	4	+	0.2	2	2	Many sightings around Victor H, Pt Lincoln, gulfs, Pt Augusta. In	1	1.20	VU D1	VU	4	+	0.2	1	1	Many sightings around Victor H, Pt Lincoln, gulfs, Pt Augusta. In
Pygmy Right Whale	2	8.33	LC	LC	1	0	0.3	2		2 hotspots - off KI & lower EP. Come in on upwellings in some y	2	8.33	LC	LC	1	0	0.3	1		2 hotspots - off KI & lower EP. Come in on upwellings in some y
Common Dolphin	20	7.91	LC	LC	1	0	0.3	13	11	No evidence that they are threatened. Possible threats: entangle	9	3.56	LC	LC	1	0	0.3	5	4	No evidence that they are threatened. Possible threats: entangle
Short-finned Pilot Whale	1	7.14	RA c(iii)	RA	3	DD	0	1		Not easy to ID (between short & long finned). Generally tropical.	5	35.71	RA c(iii)	RA	3	DD	0	4	3	Not easy to ID (between short & long finned). Generally tropical.
Long-finned Pilot Whale	0	0.00									7	21.88	LC	LC	1	0	0.3	2	2	No estimates of numbers, believed to be common. Colder water
Risso's Dolphin	0	0.00									1	33.33	RA c(iii)	RA	3	DD	0	1		Seen near Denial Bay (Ceduna). Likely to be very Rare.
Killer Whale (Orca)	1	1.72	RA c(ii)	RA	3	DD	0	1		Hotspot near Streaky Bay. Sightings of up to 100 in a pod. Not r	5	8.62	RA c(ii)	RA	3	DD	0	2	2	Hotspot near Streaky Bay. Sightings of up to 100 in a pod. Not r
False Killer Whale	0	0.00									1	20.00	DD	DD	0	DD	0	1	1	One sighting off lower EP. Mass stranding years ago. Should be
Bottlenose Dolphin	1	0.59	RA c(i)	RA	3	DD	0	1		Should be Indopacific Bottlenose Dolphin. Not prime habitat in S	0	0.00								
Bottlenose Dolphin	7	19.44	LC	LC	1	DD	0	5	1	Should be Common Bottlenose Dolphin. Offshore species. Enta	6	16.67	LC	LC	1	DD	0	2	2	Should be Common Bottlenose Dolphin. Offshore species. Enta
Spectacled Porpoise			RA c(iii)	RA	3	DD	0			no records										
Sperm Whale	3	4.41	RA c(ii)	RA	3	DD	0	1		Regularly seen off continental shelf; quite a few washed up bodi	10	14.71	RA c(ii)	RA	3	DD	0	3	1	Regularly seen off continental shelf; quite a few washed up bodi
Pygmy Sperm Whale	3	10.00	RA c(ii)	RA	3	DD	0	1	1	Very little known on this spp.	0	0.00								
Southern Bottlenosed Whale	1	12.50	RA c(iii)	RA	3	DD	0	1		Only strandings. Hard to ID.	1	12.50	RA c(iii)	RA	3	DD	0	1		Only strandings. Hard to ID.
Andrew's Beaked Whale	0	0.00									2	50.00	RA c(iii)	RA	3	DD	0	2	1	Deeper water whale
Gray's Beaked Whale (Scamperdown Whale)	1	8.33	RA c(iii)	RA	3	DD	0	1		Deep water whale	4	33.33	RA c(iii)	RA	3	DD	0	2		Deep water whale
Hector's Beaked Whale	1	100.00	RA c(iii)	RA	3	DD	0	1		Deep water whale; very little known; skull record	0	0.00								
Strap-toothed Whale	1	2.22	DD	DD	0	DD	0	1	1	Most common stranded beaked whale. Not much known. Deep	2	4.44	DD	DD	0	DD	0	1		Most common stranded beaked whale. Not much known. Deep
Shepherd's Beaked Whale (Tasman Beaked Whale)	0	0.00									1	100.00	RA c(iii)	RA	3	DD	0	1		1 record for SA, little known
Cuvier's Beaked Whale (Goosebeak Whale)	0	0.00									1	50.00	RA c(iii)	RA	3	DD	0	1		Deep water whale
Emu	82	1.02	LC	LC	1	0	0.3	51	40	Common in Coorong to Salt Creek	78	0.97	LC	LC	1	0	0.3	56	47	breed in pines
Malleefowl	168	2.39	CR C2a(i); D - EN C2a(i); D	EN	5	--	0.5	20	19	definite decline in last 5 years in Coorong NP	17	0.24	CR C2a(i)	CR	6	-	0.4	10	8	habitat disappearing; no grids in this subregion
Stubble Quail	148	10.01	LC	LC	1	0	0.3	61	38		49	3.32	LC	LC	1	0	0.3	31	26	
Brown Quail	46	26.29	DD	DD	0	DD	0	7	6	found in Tolderol; likes grassy/swampy habitat; loss of habitat	19	10.86	RA d(i,ii)	RA	3	DD	0	13	11	threatened by coastal development
King Quail	2	28.57	RE	RE	7			2	1	common aviary bird; possibly extinct in region	0	0.00	DD	DD	0	DD	0			no records, 1 unconfirmed sighting
Peaceful Dove	163	3.66	LC	LC	1	0	0.3	72	62		24	0.54	LC	LC	1	+	0.2	10	9	
Crested Pigeon	885	4.09	LC	LC	1	+	0.2	238	168		125	0.58	LC	LC	1	+	0.2	70	68	
Common Bronzewing	92	1.13	LC	LC	1	0	0.3	58	47		64	0.78	NT	NT	2	-	0.4	43	38	
Brush Bronzewing	93	5.34	LC	LC	1	0	0.3	58	42		135	7.75	NT	NT	2	-	0.4	75	62	clearance of preferred coastal scrub habitat ongoing
Tawny Frogmouth	5	0.43	NT	NT	2	-	0.4	4	2	based on limited data	14	1.19	NT	NT	2	-	0.4	11	5	based on limited data
Spotted Nightjar	4	0.80	VU C2a(i)	VU	4	-	0.4	4	1	needs scrub	3	0.60	VU C2a(i)	VU	4	-	0.4	2	1	
White-throated Nightjar	0	0.00									0	0.00								
Australian Owl-nightjar	6	0.37	NT	NT	2	-	0.4	4	4	not found where they used to be	8	0.49	NT	NT	2	-	0.4	3	2	not found where they used to be
Fork-tailed Swift	22	6.45	NT	NT	2	--	0.5	14	8	DDadd has not seen for years	29	8.50	NT	NT	2	--	0.5	23	20	migratory spp.
White-throated Needle-tail	0	0.00									38	17.12	NT	NT	2	--	0.5	29	26	used to be more common
Collared Sparrowhawk	37	2.15	RA d(ii)	RA	3	DD	0	19	17	seen rarely	28	1.63	LC	LC	1	DD	0	23	18	seen more on coast
Brown Goshawk	69	2.77	LC	LC	1	0	0.3	44	24		54	2.17	LC	LC	1	0	0.3	37	29	
Grey Goshawk	0	0.00	CR C2a(i)	CR	6	-	0.4			No outside influence Gcarpenter	2	4.00	CR C2a(i)	CR	6	-	0.4	1	1	No outside influence Gcarpenter; possibly increasing Bgreen
Wedge-tailed Eagle	66	0.91	RA c(i) - NT	RA	3	0	0.3	34	28		72	0.99	RA c(i) - NT	RA	3	0	0.3	56	47	
Swamp Harrier	670	31.71	RA c(i) - NT	RA	3	-	0.4	185	117	appear to be less abundant than before	201	9.51	RA c(i) - NT	RA	3	-	0.4	82	75	
Spotted Harrier	41	4.16	RA c(ii)	RA	3	0	0.3	22	13		21	2.13	RA c(ii)	RA	3	0	0.3	18	17	
Black-shouldered Kite	489	10.65	LC	LC	1	0	0.3	151	92	irruptive	123	2.68	LC	LC	1	0	0.3	55	51	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional IUCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
White-bellied Sea-Eagle	41	7.28	CR D - EN D	EN	5	-	0.4	25	21	very low numbers throughout	12	2.13	CR D - EN D	EN	5	-	0.4	9	7	very low numbers throughout
Whistling Kite	425	10.28	LC	LC	1	0	0.3	147	102		31	0.75	NT	NT	2	-	0.4	22	18	not common
Little Eagle	67	5.73	EN D - VU D1	VU	4	-	0.4	42	23	often mistaken for whistling kite	10	0.85	EN D - VU D1	VU	4	-	0.4	9	9	often mistaken for whistling kite
Black Kite	20	0.58	RA c(i) - NT	NT	2	0	0.3	19	12	resident in area	6	0.18						3	3	vagrant
Eastern Osprey	2	0.62	RA c(iii)	RA	3	DD	0	2	2		3	0.93	RA c(iii)	RA	3	DD	0	2	1	
Brown Falcon	335	5.90	LC	LC	1	0	0.3	125	69		150	2.64	LC	LC	1	0	0.3	95	84	
Nankeen Kestrel	661	6.78	LC	LC	1	0	0.3	309	135	irruptive	184	1.89	LC	LC	1	0	0.3	96	90	
Australian Hobby	107	5.34	RA c(i) - NT	NT	2	DD	0	39	35		45	2.25	RA c(i) - NT	NT	2	DD	0	35	35	
Peregrine Falcon	31	2.57	VU D1 - RA c(i)	RA	3	-	0.4	23	19	habitat restricted to cliffs, redgums	31	2.57	VU D1 - RA c(i)	RA	3	-	0.4	19	17	habitat restricted to cliffs, redgums
Black Falcon	49	7.63	VU D1 - RA c(i)	RA	3	0	0.3	26	15	only seen irregularly	6	0.93	VU D1 - RA c(i)	RA	3	0	0.3	5	5	
Australian Bustard	12	3.38	CR D - EN D	EN	5	-	0.4	9	3	almost locally extinct; Ddadd only ever seen one bird	1	0.28	CR D - EN D	EN	5	-	0.4			almost locally extinct
Bush Stone-curlew	3	0.76	CR D - EN D	EN	5	-	0.4	3	2		0	0.00								
Plains-wanderer	3	5.45	CR D - EN D	EN	5	-	0.4	2			1	1.82	CR D - EN D	EN	5	-	0.4	1		
Red-chested Button-quail	2	12.50	CR D - EN D	EN	5	-	0.4	1			0	0.00								
Painted Button-quail	5	0.84	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	5	4	likes mallee/scrub	4	0.67	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	3	2	likes mallee/scrub
Little Button-quail	9	1.25	RA c(iii)	RA	3	0	0.3	5	2	likes speargrass + grassland	2	0.28	RA c(iii)	RA	3	0	0.3	2	2	likes speargrass + grassland
Australian Pratincole	17	4.16	RA c(ii)	RA	3	-	0.4	10	6		0	0.00								
Sulphur-crested Cockatoo	15	0.40	LC	LC	1	0	0.3	9	8		1	0.03	RA c(iii)	RA	3	0	0.3	1	1	
Little Corella	50	0.89	LC	LC	1	+	0.2	19	15	dryland bird	4	0.07	LC	LC	1	+	0.2	4	4	dryland bird
Long-billed Corella	3	0.36						3	3	vagrant	10	1.21	LC	LC	1	+	0.2	7	7	
Gang-gang Cockatoo	0	0.00										0.00								
Red-tailed Black Cockatoo (south-east ssp)	0	0.00									0	0.00	EN C2a(i)	EN	5	-	0.4			no records for ssp
Yellow-tailed Black-Cockatoo	16	0.24	RA c(ii)	RA	3	0	0.3	14	11	lack of nest hollows; mostly visit in winter; recruitment unknown	51	0.75	NT	NT	2	DD	0	35	30	mostly visit in winter; recruitment unknown
Galah	641	2.18	LC	LC	1	++	0.1	179	123		290	0.99	LC	LC	1	++	0.1	127	119	
Cockatiel	30	1.47	RA c(iii)	RA	3	DD	0	16	9	dryland bird	3	0.15	RA c(iii)	RA	3	DD	0	3	3	dryland bird
Australian Ringneck	26	0.28	LC	LC	1	0	0.3	13	13	restricted habitat	26	0.28	LC	LC	1	0	0.3	16	14	limited habitat; needs hollows
Musk Lorikeet	133	2.10	LC	LC	1	0	0.3	32	28	coming in from Fleurieu	22	0.35	LC	LC	1	0	0.3	17	15	
Purple-crowned Lorikeet	87	1.31	LC	LC	1	-	0.4	29	24	not seen as often as used to; smaller flocks	22	0.33	LC	LC	1	-	0.4	13	10	not seen as often as used to; smaller flocks
Little Lorikeet		0.00									1	1.45						1	1	vagrant
Swift Parrot	1	2.38						1		vagrant	4	9.52	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	2	2	
Budgerigar	30	0.67	RA c(iii)	RA	3	DD	0	15	6	dryland spp.	2	0.04	RA c(iii)	RA	3	DD	0	2	1	dryland spp.
Orange-bellied Parrot	45	20.18	CR D	CR	6	--	0.5	29	14	on the edge of extinction	168	75.34	CR D	CR	6	--	0.5	62	40	on the edge of extinction
Blue-winged Parrot	37	5.03	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	25	17	rarely seen	210	28.57	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	77	73	used to see large flocks
Elegant Parrot	222	11.64	VU D1 - RA c(i)	RA	3	-	0.4	85	62		26	1.36	RA c(ii)	RA	3	-	0.4	22	17	vagrant in southern section
Rock Parrot	32	5.14	RA c(ii)	RA	3	0	0.3	16	15		4	0.64	RA c(iii)	RA	3	--	0.5	3	1	
Blue Bonnet	47	2.13	VU D1	VU	4	0	0.3	33	16	needs sheoaks	0	0.00								
Crimson Rosella	90	0.50	LC	LC	1	0	0.3	33	28		81	0.45	NT	NT	2	-	0.4	36	27	not as common as before
Eastern Rosella	5	0.18	LC	LC	1	0	0.3	5	3		38	1.36	NT	NT	2	-	0.4	19	13	
Red-rumped Parrot	174	1.83	LC	LC	1	0	0.3	57	38		76	0.80	LC	LC	1	0	0.3	48	40	
Mulga Parrot	1	0.02	RE	RE	7			1		possibly extinct	0	0.00								
Rainbow Lorikeet	211	2.32	LC	LC	1	+	0.2	39	34		22	0.24	LC	LC	1	+	0.2	17	14	
Fan-tailed Cuckoo	80	3.88	LC	LC	1	0	0.3	44	26		52	2.52	LC	LC	1	0	0.3	35	28	
Pallid Cuckoo	71	3.79	NT	NT	2	-	0.4	44	17	declined throughout	13	0.69	NT	NT	2	-	0.4	9	7	declined throughout
Horsfield's Bronze-Cuckoo	202	4.44	NT	NT	2	-	0.4	87	62		56	1.23	LC	LC	1	0	0.3	33	27	
Shining Bronze-Cuckoo	3	0.64	RA c(ii)	RA	3	-	0.4	3	2		28	6.00	RA c(ii)	RA	3	-	0.4	21	20	
Black-eared Cuckoo	4	0.62	RA c(iii)	RA	3	-	0.4	4	2		1	0.15						1		vagrant
Barking Owl	0	0.00									1	1.43	DD	DD	0	DD	0	1		
Southern Boobook	19	0.82	NT	NT	2	-	0.4	12	4		18	0.77	NT	NT	2	-	0.4	12	6	
Powerful Owl	0	0.00									1	5.26	CR D	CR	6	-	0.4	1	1	
Australian Barn Owl	35	3.91	LC	LC	1	0	0.3	12	5		18	2.01	LC	LC	1	0	0.3	13	8	
Masked Owl	0	0.00	CR D	CR	6	-	0.4				0	0.00								
Azure Kingfisher	0	0.00									2	8.33	CR D - EN D	EN	5	0	0.3	2	1	Picanninnee Ponds critical habitat
Laughing Kookaburra	10	0.14	RA c(i)	RA	3	-	0.4	8	6	coming in from Fleurieu	25	0.34	RA c(i)	RA	3	--	0.5	16	11	
Sacred Kingfisher	14	0.68	RA c(i)	RA	3	-	0.4	9	7		20	0.97	RA c(i)	RA	3	-	0.4	14	11	
Rainbow Bee-eater	16	0.44	RA c(ii)	RA	3	DD	0	7	6		0	0.00								
Brown Treecreeper	0	0.00									2	0.04	CR D	CR	6	-	0.4	1		only in Washpool CP

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional IUCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
White-throated Treecreeper	0	0.00									31	0.95	NT	NT	2	DD	0	15	11	
Striated Grasswren	0	0.00									0	0.00								
Superb Fairy-wren	665	3.97	LC	LC	1	0	0.3	199	154		844	5.04	LC	LC	1	0	0.3	275	257	
Variegated Fairy-wren	30	0.44	RA c(i)	RA	3	-	0.4	19	14		4	0.06	RA c(i)	RA	3	-	0.4	4	2	
Southern Emu-wren (Mt Lofty Ranges ssp)	34	1.24	CR C2a(i)	CR	6	-	0.4	5	4		0	0.00								
Southern Emu-wren (South East ssp)	3	23.08	VU C2a(i)	VU	4	-	0.4	2			2	15.38	NT	NT	2	-	0.4	2		should be more records, recorded under S malachurus
Mallee Emu-wren		0.00									0	0.00								
Rufous Bristlebird	71	24.32	RA d(ii)	RA	3	DD	0	38	30	could be competition from black birds, coastal development; pot	213	72.95	NT	NT	2	DD	0	91	83	could be competition from black birds, coastal development; pot
Inland Thornbill	20	0.45	RA c(i)	RA	3	DD	0	9	7		4	0.09	DD	DD	0	DD	0	3	2	taxonomic issues
Yellow-rumped Thornbill	308	3.14	LC	LC	1	0	0.3	122	77		222	2.27	LC	LC	1	0	0.3	120	107	
Slender-billed Thornbill	10	2.29	DD	DD	0	DD	0	2		doubtful if in region	1	0.23	CR D	CR	6	-	0.4	1		
Striated Thornbill	33	0.63	RA c(i)	RA	3	0	0.3	21	14		74	1.40	NT	NT	2	-	0.4	49	36	habitat has disappeared
Yellow Thornbill	91	3.69	RA d(ii)	RA	3	-	0.4	47	29		8	0.32	RA d(ii)	RA	3	-	0.4	6	4	habitat loss
Brown Thornbill	94	1.76	LC	LC	1	0	0.3	45	33	records around lower lakes prob Inland Thornbill	480	9.00	LC	LC	1	0	0.3	187	171	
Buff-rumped Thornbill	2	0.09	RA c(i)	RA	3	-	0.4	2	2		13	0.56	RA c(i)	RA	3	-	0.4	11	7	
Chestnut-rumped Thornbill	1	0.02	EN D	EN	5	-	0.4	1		limited habitat		0.00								
Southern Whiteface	13	0.24	EN C2a(i); D	EN	5	-	0.4	5	4	coming in from Fleurieu	3	0.06	EN C2a(i); D	EN	5	-	0.4	3	1	
Rufous Fieldwren	8	0.83	RE	RE	7			2		possibly extinct	0	0.00								
Striated Fieldwren	5	2.19	VU D	VU	4	0	0.3	5	1	taxonomic issues, some records should be rufous fieldwren	135	59.21	NT	NT	2	-	0.4	59	48	loss of habitat a threat
White-throated Gerygone	0	0.00									8	9.88	RA c(iii)	RA	3	--	0.5	6	2	come in from Eastern Aust
Shy Hylacola	15	1.12	VU C2a(i)	VU	4	-	0.4	6	3		10	0.75	VU C2a(i)	VU	4	-	0.4	7	6	
Chestnut-rumped Heathwren	0	0.00									0	0.00	RE	RE	7					(no records) BHaywood used to see - no longer here
Redthroat	1	0.09	RE	RE	7			1		possibly extinct	0	0.00								
White-browed Scrubwren	202	2.99	LC	LC	1	+	0.2	78	64		473	6.99	LC	LC	1	+	0.2	190	172	
Weebill	30	0.24	RA d(ii)	RA	3	0	0.3	19	15	seen around Salt Ck	14	0.11	RA d(ii)	RA	3	0	0.3	10	9	
Spotted Pardalote	45	0.54	NT	NT	2	-	0.4	32	29		31	0.37	NT	NT	2	-	0.4	19	15	
Striated Pardalote	96	0.58	NT	NT	2	-	0.4	39	35		41	0.25	NT	NT	2	0	0.3	31	25	
Spiny-cheeked Honeyeater	322	2.15	LC	LC	1	0	0.3	137	101		379	2.53	LC	LC	1	0	0.3	174	162	
Eastern Spinebill	7	0.16	RA c(ii)	RA	3	-	0.4	2	2		21	0.48	RA c(ii)	RA	3	-	0.4	16	14	
Red Wattlebird	645	2.71	LC	LC	1	+	0.2	168	128		325	1.36	LC	LC	1	+	0.2	150	138	
Little Wattlebird	128	3.72	LC	LC	1	0	0.3	36	28		228	6.62	LC	LC	1	0	0.3	97	87	
Blue-faced Honeyeater	2	1.20						1		vagrant	0	0.00								
White-fronted Chat	690	15.45	LC	LC	1	0	0.3	202	131		236	5.29	LC	LC	1	0	0.3	82	72	
Orange Chat	22	1.39	RA c(ii)	RA	3	0	0.3	13	10		2	0.13						2	2	vagrant
Crimson Chat	0	0.00									0	0.00								
Tawny-crowned Honeyeater	18	1.10	VU C2a(i)	VU	4	-	0.4	11	6		8	0.49	VU C2a(i)	VU	4	-	0.4	5	3	
Yellow-faced Honeyeater	8	0.15	RA c(ii)	RA	3	-	0.4	7	5		123	2.34	NT	NT	2	0	0.3	64	59	
Purple-gaped Honeyeater	20	1.46	VU C2a(i)	VU	4	-	0.4	12	7		7	0.51	VU B2ab(i,ii,iii); C2a(i)	VU	4	-	0.4	5	4	
Fuscous Honeyeater	0	0.00	RA c(iii)	RA	3	0	0.3				2	5.56	RA c(iii)	RA	3	0	0.3	2	2	
White-eared Honeyeater	8	0.19	RA c(i)	RA	3	-	0.4	8	6		36	0.85	NT	NT	2	DD	0	23	20	
Yellow-tufted Honeyeater	0	0.00	RA c(iii)	RA	3	0	0.3				0	0.00								
Yellow-plumed Honeyeater	3	0.04	RA c(iii)	RA	3	0	0.3	3	1			0.00								
White-plumed Honeyeater	170	1.03	LC	LC	1	0	0.3	45	37		6	0.04	RA c(i); d(ii)	RA	3	0	0.3	6	5	
Singing Honeyeater	1030	5.76	LC	LC	1	0	0.3	262	195		409	2.29	LC	LC	1	0	0.3	161	153	
Yellow-throated Miner	2	0.02	RA c(ii)	RA	3	-	0.4	1		limited habitat	0	0.00								
Noisy Miner	48	0.77	LC	LC	1	+	0.2	33	18		10	0.16	RA c(i)	RA	3	0	0.3	8	3	
Brown-headed Honeyeater	73	1.27	NT	NT	2	-	0.4	42	27	in remnant patches	31	0.54	NT	NT	2	-	0.4	22	18	in remnant patches
Black-chinned Honeyeater	9	0.69	CR C2a(i); D - EN C2a(i); D	EN	5	-	0.4	5	5	coming in from Fleurieu	0	0.00								
White-naped Honeyeater	4	0.12	RA c(iii)	RA	3	0	0.3	2	2		1	0.03	RA c(ii)	RA	3	DD	0	1	1	migrate along coast; limited habitat
New Holland Honeyeater	598	3.16	LC	LC	1	+	0.2	154	115		466	2.46	LC	LC	1	+	0.2	170	155	
Striped Honeyeater	7	0.70	RE	RE	7			5		possibly extinct	0	0.00								
White-fronted Honeyeater	5	0.10	RA c(iii)	RA	3	0	0.3	5	1		0	0.00								
Black Honeyeater	0	0.00									0	0.00								
White-browed Babbler	167	1.55	NT	NT	2	-	0.4	77	54		81	0.75	NT	NT	2	-	0.4	54	43	
Grey-crowned Babbler	1	1.89	RE	RE	7			1		possibly extinct	8	15.09	CR B2ab(i,ii,iii,iv,v); D	CR	6	--	0.5	5	1	
Chestnut Quail-thrush	0	0.00									0	0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	IUCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	IUCN Status & Criteria (Bridgewater)	Regional IUCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Spotted Quail-thrush	0	0.00									0	0.00								
Western Whippbird (Eastern ssp)	0	0.00									0	0.00								
Varied Sittella	9	0.35	VU C1	VU	4	-	0.4	9	5		13	0.51	VU C1	VU	4	-	0.4	13	12	
Black-faced Cuckoo-shrike	250	2.37	LC	LC	1	0	0.3	91	68		51	0.48	LC	LC	1	0	0.3	36	28	
White-bellied Cuckoo-shrike	0	0.00									2	1.34						1	1	vagrant
White-winged Triller	16	0.74	RA c(ii)	RA	3	-	0.4	11	8		5	0.23	RA c(iii)	RA	3	-	0.4	4	3	
Grey Shrike-thrush	216	1.03	LC	LC	1	+	0.2	107	82		456	2.18	LC	LC	1	+	0.2	191	175	
Crested Shrike-tit	1	0.10	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	1	1		13	1.35	EN C2a(i)	EN	5	-	0.4	10	9	
Crested Bellbird	1	0.02	CR D	CR	6	--	0.5	1		possibly extinct	5	0.09	CR C2a(i)	CR	6	--	0.5	3		
Gilbert's Whistler	0	0.00									0	0.00								
Olive Whistler	0	0.00									48	90.57	EN C2a(i)	EN	5	-	0.4	25	17	coastal development a threat
Golden Whistler	95	1.29	NT	NT	2	0	0.3	43	33		91	1.23	NT	NT	2	0	0.3	62	51	
Rufous Whistler	49	0.71	NT	NT	2	-	0.4	24	20		28	0.41	NT	NT	2	-	0.4	19	15	
Red-lored Whistler	1	0.38						1		vagrant	0	0.00								
Olive-backed Oriole	3	3.06	RA c(iii)	RA	3	0	0.3	1	1		0	0.00								
Dusky Woodswallow	76	1.37	NT	NT	2	--	0.5	35	21		57	1.03	NT	NT	2	--	0.5	40	32	
Masked Woodswallow	27	1.09	RA c(ii)	RA	3	0	0.3	9	7	masked w/s flocks with white-browed w/s	4	0.16	RA c(ii)	RA	3	0	0.3	2		masked w/s flocks with white-browed w/s
White-browed Woodswallow	62	2.82	RA c(ii)	RA	3	0	0.3	21	14	masked w/s flocks with white-browed w/s	7	0.32	RA c(ii)	RA	3	0	0.3	4	2	masked w/s flocks with white-browed w/s
Australian Magpie	1157	3.30	LC	LC	1	+	0.2	314	225		738	2.11	LC	LC	1	+	0.2	262	251	
Grey Butcherbird	104	1.20	NT	NT	2	-	0.4	53	33		53	0.61	NT	NT	2	-	0.4	36	28	
Pied Currawong		0.00									1	1.64	RA c(iv)	RA	3	++	0.1	1	1	
Grey Currawong	98	0.92	LC	LC	1	0	0.3	42	35		157	1.47	LC	LC	1	0	0.3	87	79	
Grey Fantail	270	2.26	LC	LC	1	0	0.3	96	74		497	4.16	LC	LC	1	0	0.3	187	170	
Willie Wagtail	1105	4.19	LC	LC	1	0	0.3	278	193		382	1.45	LC	LC	1	0	0.3	140	132	
Australian Raven	152	1.35	DD	DD	0	DD	0	79	63	confused with Little Ravens & Forest Ravens - taxo issues	128	1.13	DD	DD	0	DD	0	60	51	confused with Little Ravens & Forest Ravens - taxo issues
Little Raven	787	4.29	LC	LC	1	+	0.2	205	138		237	1.29	LC	LC	1	+	0.2	117	110	
Forest Raven	0	0.00	LC	LC	1	0	0.3				102	23.13	LC	LC	1	0	0.3	47	43	
Magpie-lark	974	4.99	LC	LC	1	0	0.3	227	162		292	1.49	LC	LC	1	0	0.3	108	102	
Satin Flycatcher	0	0.00									4	4.71	RA c(iii)	RA	3	-	0.4	2	1	annual visitor
Restless Flycatcher	11	0.56	CR C2a(i)	CR	6	--	0.5	11	8	used to be common	22	1.12	EN C2a(i)	EN	5	--	0.5	18	11	used to be common
White-winged Chough	1	0.02	RE	RE	7			1		1 record at Salt Ck, lots of searching & not found, possibly extinct	6	0.14	EN B2ab(ii,iii); C2a(i)	EN	5	--	0.5	5	3	
Southern Scrub-robin	32	1.48	VU C2a(i)	VU	4	-	0.4	16	12		24	1.11	VU C2a(i)	VU	4	-	0.4	16	14	
Eastern Yellow Robin	2	0.29	RA c(i)	RA	3	0	0.3	2	2	Salt Ck	161	23.10	NT	NT	2	-	0.4	83	65	
Hooded Robin	35	0.98	EN C2a(i)	EN	5	-	0.4	10	7		4	0.11	EN C2a(i)	EN	5	-	0.4	3		
Jacky Winter	27	0.62	EN C2a(i)	EN	5	-	0.4	14	10		6	0.14	EN C2a(i)	EN	5	-	0.4	5	2	
Scarlet Robin	8	0.24	EN C2a(i)	EN	5	-	0.4	6	4	used to be common	48	1.47	VU C2a(i)	VU	4	-	0.4	28	20	used to be common
Red-capped Robin	10	0.15	EN B2ab(ii,iii); C2a(i)	EN	5	-	0.4	7	5	needs callitris & sheoaks	3	0.05	EN B2ab(ii,iii); C2a(i)	EN	5	-	0.4	1		needs callitris & sheoaks
Flame Robin	8	4.52	RA c(iii)	RA	3	--	0.5	5	3	non-breeding in SA	23	12.99	RA c(ii)	RA	3	-	0.4	10	4	
Rose Robin	2	2.60	RA c(iii)	RA	3	0	0.3	2			2	2.60	RA c(iii)	RA	3	0	0.3	2		
Horsfield's Bushlark	41	5.80	RA b; c(i)	RA	3	-	0.4	19	9		20	2.83	RA b; c(i)	RA	3	-	0.4	13	9	
Golden-headed Cisticola	344	40.28	VU B2ab(i,ii,iii); C2a(i)	VU	4	--	0.5	92	60	dramatic historic decline due to habitat loss; could return	97	11.36	RA d(i)	RA	3	0	0.3	38	33	
Australian Reed-Warbler	265	9.29	LC	LC	1	0	0.3	94	69		35	1.23	RA c(ii)	RA	3	0	0.3	10	10	limited habitat
Brown Songlark	243	8.22	LC	LC	1	0	0.3	111	50	comes & goes	40	1.35	LC	LC	1	0	0.3	22	19	comes & goes
Rufous Songlark	13	0.75	RA c(ii)	RA	3	0	0.3	12	10		5	0.29	RA c(ii)	RA	3	0	0.3	5	5	
Little Grassbird	398	13.93	LC	LC	1	0	0.3	104	74		87	3.05	RA d(ii)	RA	3	0	0.3	32	29	
Silvereye	563	4.89	LC	LC	1	0	0.3	177	132		687	5.97	LC	LC	1	0	0.3	227	209	
White-backed Swallow	11	0.72	RA c(iii)	RA	3	DD	0	11	4		3	0.20						3	3	vagrant
Welcome Swallow	1310	6.92	LC	LC	1	0	0.3	311	233		660	3.49	LC	LC	1	0	0.3	200	186	
Fairy Martin	101	4.51	RA b	RA	3	--	0.5	40	27	declining	42	1.88	VU C1 - RA b	RA	3	-	0.4	15	12	
Tree Martin	275	2.89	LC	LC	1	0	0.3	107	67		66	0.69	LC	LC	1	0	0.3	48	43	
Bassian Thrush	3	0.78						2	1	vagrant	3	0.78	EN B2ab(i,ii,iii,iv,v); C2a(i)	EN	5	-	0.4	3	2	
Mistletoebird	46	0.80	NT	NT	2	0	0.3	20	16	seasonal bird	19	0.33	RA c(ii)	RA	3	0	0.3	13	12	seasonal bird
Red-browed Finch	26	0.68	RA d(i,ii) - NT	NT	2	0	0.3	13	9	coming in from Fleurieu	124	3.26	NT	NT	2	0	0.3	57	50	
Beautiful Firetail	24	4.15	RA c(i)	RA	3	0	0.3	15	12		174	30.10	RA c(i)	RA	3	-	0.4	95	84	threatened by coastal development
Diamond Firetail	21	1.14	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	8	4	coming in from Fleurieu	4	0.22	EN C2a(i)	EN	5	-	0.4	3	1	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional UCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Zebra Finch	15	0.25	VU C1	VU	4	--	0.5	11	5		0	0.00		LC	1	0	0.3	77	71	
Australasian Pipit	345	5.07	LC	LC	1	0	0.3	138	81		171	2.51	LC	LC	1	0	0.3	77	71	
Maggie Goose	0	0.00	RA d(i,ii)	RA	3	DD	0			no records; seasonal fluctuations	15	16.67	RA c(iv); d(i,ii)	RA	3	+	0.2	1	1	discussion on reg visitor to SE or resident; went extinct in early s
Chestnut Teal	1493	37.50	LC	LC	1	0	0.3	173	134		298	7.49	LC	LC	1	0	0.3	79	68	
Grey Teal	2963	30.25	LC	LC	1	0	0.3	246	164		178	1.82	LC	LC	1	0	0.3	62	56	
Australasian Shoveler	909	39.54	NT	NT	2	0	0.3	104	78	numbers have dropped during drought	67	2.91	NT	NT	2	0	0.3	35	27	numbers have dropped during drought
Pacific Black Duck	2484	21.69	LC	LC	1	0	0.3	216	166	hybridises with mallards	271	2.37	LC	LC	1	0	0.3	85	70	hybridises with mallards
Hardhead	547	15.69	LC	LC	1	0	0.3	75	61	highly mobile spp, numbers returning	67	1.92	LC	LC	1	0	0.3	20	20	highly mobile spp, numbers returning
Musk Duck	834	37.43	RA c(i)	RA	3	-	0.4	105	66	declining	260	11.67	NT	NT	2	DD	0	75	71	affected by drought
Cape Barren Goose	1524	67.94	RA c(i)	RA	3	0	0.3	135	101		3	0.13						3	1	vagrant
Australian Wood Duck	113	1.67	LC	LC	1	0	0.3	46	37		15	0.22	LC	LC	1	0	0.3	6	6	
Black Swan	3767	46.85	LC	LC	1	0	0.3	289	206		351	4.37	LC	LC	1	0	0.3	103	92	
Pink-eared Duck	219	14.02	LC	LC	1	0	0.3	60	45	uses the area as a drought refuge; nomadic	24	1.54	LC	LC	1	0	0.3	13	11	uses the area as a drought refuge; nomadic
Blue-billed Duck	88	17.12	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	22	14		16	3.11	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	13	10	
Freckled Duck	108	15.45	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	31	27	very limited habitat	7	1.00	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	5	5	very limited habitat
Australian Shelduck	2204	48.13	LC	LC	1	0	0.3	218	165	often hollow nesters	186	4.06	LC	LC	1	0	0.3	84	76	often hollow nesters
Great Crested Grebe	1537	74.79	NT	NT	2	-	0.4	135	100		81	3.94	RA c(iii)	RA	3	DD	0	26	21	
Hoary-headed Grebe	1569	31.55	VU B2ab(ii,iii); C2a(i) - RA c(i)	RA	3	-	0.4	170	123	definite decline in last 5 years	232	4.67	RA c(i) - NT	NT	2	DD	0	64	60	
Australasian Grebe	332	7.80	VU D1 - RA d(i)	RA	3	-	0.4	69	59	freshwater spp, almost gone; affected by drought	93	2.19	VU D1 - RA d(i)	RA	3	-	0.4	22	20	freshwater spp, almost gone; affected by drought
Grey-backed Storm-Petrel	0	0.00									0	0.00								
Wilson's Storm-Petrel	1	1.79	LC	LC	1	0	0.3	1	1	passage migrant; very widespread spp.	0	0.00								
White-faced Storm-Petrel	10	3.97	LC	LC	1	0	0.3	4	1	local summer breeder, on islands	2	0.79	LC	LC	1	0	0.3	1		local summer breeder, on islands
Royal Albatross	0	0.00									1	5.00	RA c(ii)	RA	3	-	0.4			no real threats in SE waters; threats (longline fishing) are outside
Wandering Albatross	3	2.80	VU D1	VU	4	-	0.4	3		no real threats in SE waters; threats (longline fishing) are outside	14	13.08	VU D1	VU	4	-	0.4	8	3	no real threats in SE waters; threats (longline fishing) are outside
Sooty Albatross	1	7.14	EN D	EN	5	-	0.4	1		should be more records off Robe + Pt Mac; much less sightings	2	14.29	EN D	EN	5	-	0.4	1	1	should be more records off Robe + Pt Mac; much less sightings
Light-mantled Sooty Albatross	2	7.69	RA c(iii)	RA	3	-	0.4	1	1	come in on storms; deep ocean birds	5	19.23	RA c(iii)	RA	3	-	0.4	4	2	come in on storms; deep ocean birds
Buller's Albatross	0	0.00									0	0.00								
Shy Albatross	7	3.54	NT	NT	2	-	0.4	3	1	breeds off Tasmania; 3 ssp in SA, "cauta cauta ssp" in SE; not d	12	6.06	NT	NT	2	-	0.4	5	2	breeds off Tasmania; 3 ssp in SA, "cauta cauta ssp" in SE; not d
Yellow-nosed Albatross	11	3.44	NT	NT	2	--	0.5	5	2	declined; heading towards Rare	1	0.31	NT	NT	2	--	0.5	1		declined; heading towards Rare
Grey-headed Albatross	15	5.58	VU D1	VU	4	-	0.4	7	1	can be confused with Black-browed immatures; cold water spp.	17	6.32	VU D1	VU	4	-	0.4	6	2	can be confused with Black-browed immatures; cold water spp.;
Black-browed Albatross	5	3.50	NT	NT	2	--	0.5	4	1	declined world-wide; can be confused with Grey-headed juvenile	11	7.69	NT	NT	2	--	0.5	4	1	declined world-wide; can be confused with Grey-headed juvenile
Kerquelen Petrel	10	8.20	RA c(iii)	RA	3	DD	0	4	1	passage migrant seen in Sept; blown in on storms; southern bird	9	7.38	RA c(iii)	RA	3	DD	0	4		passage migrant seen in Sept; blown in on storms; southern bird
Flesh-footed Shearwater	11	6.75	RA c(ii)	RA	3	DD	0	3		migratory bird, seen in summer; breeds in larger no's off Vic coa	1	0.61	RA c(ii)	RA	3	DD	0	1		migratory bird, seen in summer; breeds in larger no's off Vic coa
Sooty Shearwater	14	24.14	RA c(ii)	RA	3	0	0.3	1		pelagic bird; seen in small no's; don't breed here; often miss-ID's	2	3.45	RA c(ii)	RA	3	0	0.3	1		pelagic bird; seen in small no's; don't breed here; often miss-ID's
Short-tailed Shearwater	16	3.19	LC	LC	1	0	0.3	7	1	breed off this coast; millions of birds; harvested	30	5.99	LC	LC	1	0	0.3	11	4	breed off this coast; millions of birds; harvested
Cape Petrel	10	8.00	RA c(ii)	RA	3	0	0.3	1		winter visitor; 2 races	6	4.80	RA c(ii)	RA	3	0	0.3	5		winter visitor; 2 races
Southern Fulmar	9	15.79	RA c(iii)	RA	3	DD	0	4		large fluctuations in popn; southern spp; common in 1970's; mos	13	22.81	RA c(iii)	RA	3	DD	0	8		large fluctuations in popn; southern spp; common in 1970's; mos
Blue Petrel	14	12.61	RA c(iii)	RA	3	DD	0	3	1	winter bird; not often seen; southern spp.	14	12.61	RA c(iii)	RA	3	DD	0	11	5	winter bird; not often seen; southern spp.
Southern Giant-Petrel	7	3.98	RA c(ii)	RA	3	DD	0	2	1		12	6.82	RA c(ii)	RA	3	DD	0	5	1	
Northern Giant-Petrel	0	0.00									3	4.62	RA c(ii)	RA	3	DD	0	2	1	
Slender-billed Prion	25	16.56	RA c(ii)	RA	3	0	0.3	9	3	taxonomic issues with all prions	14	9.27	RA c(ii)	RA	3	0	0.3	7	4	taxonomic issues with all prions
Antarctic Prion	19	18.45	RA c(ii)	RA	3	DD	0	7	1	all records are beach-washed birds; taxonomic issues with all pr	3	2.91	RA c(ii)	RA	3	DD	0	3		all records are beach-washed birds; taxonomic issues with all pr
Salvin's Prion	0	0.00									1	100.00	RA c(ii)	RA	3	DD	0	1		questionable record; probably Antarctic Prion
Fairy Prion	46	28.05	LC	LC	1	0	0.3	7	1	most common prion; often numerous, in 1,000's; Autumn/Winter	17	10.37	LC	LC	1	0	0.3	7		most common prion; often numerous, in 1,000's; Autumn/Winter
Broad-billed Prion	2	16.67	RA c(iii)	RA	3	DD	0	1		beach-washed records; not easy to ID	0	0.00								
Common Diving-Petrel	18	50.00	RA c(iii)	RA	3	DD	0	1	1	common off Tasmania; winter bird; difficult to see & ID	7	19.44	RA c(iii)	RA	3	DD	0	4	2	common off Tasmania; winter bird; difficult to see & ID
White-chinned Petrel	0	0.00									0	0.00								
Mottled Petrel	1	25.00	RA c(iii)	RA	3	DD	0	1	1	easy to ID; should be more records; will turn up in good conditio	2	50.00	RA c(iii)	RA	3	DD	0	1		easy to ID; should be more records; will turn up in good conditio
White-headed Petrel	32	24.43	RA c(ii)	RA	3	DD	0	7	1	pelagic bird	9	6.87	RA c(ii)	RA	3	DD	0	8		pelagic bird
Gould's Petrel	1	11.11	RA c(ii)	RA	3	DD	0	1		small numbers; could be vagrant	1	11.11	RA c(ii)	RA	3	DD	0	1		small numbers; could be vagrant
Great-winged Petrel	4	2.84	LC	LC	1	0	0.3	1		2 races	10	7.09	LC	LC	1	0	0.3	3		2 races
Soft-plumaged Petrel	1	7.69	RA c(iii)	RA	3	DD	0	1		migratory; spring/autumn; pelagic bird	0	0.00								
Fluttering Shearwater	33	12.09	LC	LC	1	0	0.3	5		hang around ships; often seen in flocks of 1,000's; seen all year	5	1.83	LC	LC	1	0	0.3	2	1	hang around ships; often seen in flocks of 1,000's; seen all year
Hutton's Shearwater	3	8.57	RA c(ii)	RA	3	DD	0	1		can be confused with fluttering s/w; NZ breeder; hard to ID, wint	0	0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional IUCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Little Penguin	14	2.67	VU C2a(i)	VU	4	-	0.4	6	2	declining due to NZ Fur Seal increase; threatened by pilchard vi	59	11.24	VU C2a(i)	VU	4	-	0.4	18	13	declining due to NZ Fur Seal increase; threatened by pilchard vi
Australasian Gannet	13	1.72	RA c(i) - NT	NT	2	0	0.3	5	3		113	14.95	RA c(i) - NT	NT	2	0	0.3	27	25	1 breeding colony at Cape Jaffa lighthouse, now protected
Australasian Darter	230	16.83	RA c(ii)	RA	3	0	0.3	59	46	probably only 1 dozen birds; very limited habitat	7	0.51	RA c(ii)	RA	3	DD	0	6	6	very limited habitat
Little Pied Cormorant	2469	26.97	LC	LC	1	0	0.3	206	162		323	3.53	LC	LC	1	0	0.3	68	65	
Great Cormorant	2312	51.42	LC	LC	1	0	0.3	217	162		173	3.85	LC	LC	1	0	0.3	37	33	
Black-faced Cormorant	164	14.14	NT	NT	2	DD	0	27	25	less common than other cormorants; SA is important breeding s	212	18.28	NT	NT	2	DD	0	41	37	breeding well on Penguin Is & Baudin Rocks; less common than
Little Black Cormorant	1409	27.28	LC	LC	1	0	0.3	182	132		192	3.72	LC	LC	1	0	0.3	46	43	
Pied Cormorant	1442	34.99	LC	LC	1	0	0.3	163	115		141	3.42	NT	NT	2	DD	0	38	34	
Australian Pelican	3976	42.58	LC	LC	1	0	0.3	321	237		216	2.31	LC	LC	1	0	0.3	64	60	
Great Egret	1853	41.74	RA c(i)	RA	3	0	0.3	205	155		145	3.27	RA c(i)	RA	3	0	0.3	43	42	
Cattle Egret	84	27.27	RA c(iv)	RA	3	0	0.3	46	24		30	9.74	RA c(iv)	RA	3	0	0.3	16	14	
Intermediate Egret	14	7.37	RA c(iii)	RA	3	0	0.3	8	7	easily confused with great egret	21	11.05	RA c(iii)	RA	3	0	0.3	15	13	easily confused with great egret
White-necked Heron	15	1.68	RA c(ii)	RA	3	0	0.3	13	9	freshwater birds	11	1.23	RA c(ii)	RA	3	0	0.3	8	6	freshwater birds
Australasian Bittern	48	23.53	EN C2a(i)	EN	5	-	0.4	13	11		37	18.14	EN C2a(i)	EN	5	-	0.4	21	15	
Little Egret	402	33.75	RA c(i)	RA	3	0	0.3	75	55	no more than 20 birds - D Dadd	42	3.53	RA c(i)	RA	3	0	0.3	19	18	
White-faced Heron	2111	19.32	LC	LC	1	0	0.3	256	188		441	4.04	LC	LC	1	0	0.3	140	130	
Eastern Reef Egret	4	2.21	RA c(iii)	RA	3	0	0.3	4	4		9	4.97	CR C2a(i); D	CR	6	-	0.4	5	4	
Australian Little Bittern	5	11.63	DD	DD	0	DD	0	2	1		0	0.00								
Nankeen Night-Heron	26	3.64	RA c(i)	RA	3	-	0.4	16	9		23	3.22	VU B2ab(i,ii,iii); C2a(i)	VU	4	-	0.4	12	8	
Yellow-billed Spoonbill	486	25.53	RA c(i)	RA	3	+	0.2	97	77	Maybe only 50 birds - D Dadd	38	2.00	RA c(i)	RA	3	-	0.4	17	15	
Royal Spoonbill	911	44.77	RA c(i)	RA	3	DD	0	146	105		68	3.34	RA c(i)	RA	3	DD	0	31	28	
Glossy Ibis	85	26.23	EN C2a(i) - VU C2a(i)	VU	4	--	0.5	33	19		15	4.63	RA c(iii)	RA	3	DD	0	10	8	
Australian White Ibis	2476	37.27	LC	LC	1	0	0.3	245	181		292	4.39	LC	LC	1	0	0.3	74	68	
Straw-necked Ibis	904	30.10	LC	LC	1	0	0.3	191	123		192	6.39	LC	LC	1	0	0.3	70	58	
Brolga	0	0.00	RE	RE	7					no records, but used to occur here	18	4.31	CR C2a(i); D - EN C2a(i); D	EN	5	-	0.4	5	4	limited habitat
Eurasian Coot	1495	21.97	NT	NT	2	-	0.4	130	103	dramatic decline with drought; likely to come back with good rain	147	2.16	NT	NT	2	-	0.4	42	37	will come back with good rain
Dusky Moorhen	236	6.21	RA c(i)	RA	3	0	0.3	63	49		157	4.13	RA c(i)	RA	3	0	0.3	35	32	
Buff-banded Rail	15	4.85	RA c(i)	RA	3	DD	0	13	6		13	4.21	RA c(i)	RA	3	DD	0	11	9	
Lewin's Rail	30	30.30	EN C2a(i)	EN	5	-	0.4	18	15		14	14.14	EN C2a(i)	EN	5	-	0.4	10	5	
Purple Swamphen	950	23.10	NT	NT	2	0	0.3	136	110		147	3.57	NT	NT	2	0	0.3	31	25	
Australian Spotted Crake	172	21.31	RA c(i)	RA	3	DD	0	53	32		27	3.35	RA c(i)	RA	3	DD	0	20	16	
Baillon's Crake	24	11.48	DD	DD	0	DD	0	14	9		3	1.44	DD	DD	0	DD	0	2	1	
Spotless Crake	74	22.70	RA c(i)	RA	3	DD	0	36	31		2	0.61	DD	DD	0	DD	0	2	2	used to be around Robe
Black-tailed Native-hen	378	10.01	LC	LC	1	0	0.3	126	73	Irregular visitors	79	2.09	LC	LC	1	0	0.3	30	30	Irregular visitors
Sooty Oystercatcher	214	12.49	VU D1	VU	4	0	0.3	37	31		151	8.81	VU D1	VU	4	0	0.3	32	22	
Australian Pied Oystercatcher	856	35.15	VU D1	VU	4	0	0.3	118	80		367	15.07	VU C2a(i); D1	VU	4	-	0.4	58	35	
Banded Stilt	505	29.17	VU B2ab(iii)c(ii,iv)	VU	4	-	0.4	119	81	regular visitor; opportunistic breeder; flock movements need mo	75	4.33	VU B2ab(iii)c(ii,iv)	VU	4	-	0.4	39	26	regular visitor; opportunistic breeder; flock movements need mo
Black-winged Stilt	1874	36.69	NT	NT	2	-	0.4	235	155	populations fluctuate	137	2.68	NT	NT	2	-	0.4	41	29	populations fluctuate
Red-necked Avocet	1005	43.43	NT	NT	2	+	0.2	182	105		57	2.46	NT	NT	2	-	0.4	30	16	
Double-banded Plover	125	24.80	RA c(ii)	RA	3	-	0.4	49	38	migratory birds from NZ	166	32.94	RA c(ii)	RA	3	-	0.4	48	31	migratory birds from NZ
Greater Sand Plover	3	2.21	RA c(iii)	RA	3	0	0.3	1	1		6	4.41	RA c(iii)	RA	3	0	0.3	5	3	
Lesser Sand Plover	7	2.78	RA c(iii)	RA	3	0	0.3	4	1		14	5.56	RA c(iii)	RA	3	0	0.3	6	2	
Red-capped Plover	1139	25.98	RA b	RA	3	-	0.4	203	126		627	14.30	RA b	RA	3	-	0.4	113	70	
Black-fronted Dotterel	147	4.31	RA c(ii)	RA	3	DD	0	39	27		141	4.13	RA c(i)	RA	3	-	0.4	39	26	
Red-kneed Dotterel	352	17.96	RA c(i)	RA	3	-	0.4	83	54	freshwater spp	53	2.70	RA c(i)	RA	3	-	0.4	24	17	freshwater spp
Pacific Golden Plover	136	26.10	RA c(ii)	RA	3	-	0.4	38	25		170	32.63	RA c(ii)	RA	3	-	0.4	27	13	
Grey Plover	24	2.72	RA c(iii)	RA	3	-	0.4	13	10		33	3.74	RA c(iii)	RA	3	-	0.4	12	9	
Hooded Plover	76	7.32	EN D	EN	5	0	0.3	37	26	threats: predators, seagulls, weeds, sea-wheat grass, change of	270	26.01	EN D	EN	5	-	0.4	62	36	threats: predators, seagulls, weeds, sea-wheat grass, change of
Masked Lapwing	2915	24.67	LC	LC	1	0	0.3	324	227		793	6.71	LC	LC	1	0	0.3	183	141	
Banded Lapwing	69	5.19	VU C2a(i)	VU	4	--	0.5	49	15		41	3.09	VU C2a(i)	VU	4	--	0.5	26	19	
Australian Painted Snipe	3	3.61	CR B1ab(i,ii,iii); C2a(i)	CR	6	-	0.4	3	2	opportunistic; needs fresh water; salinisation & drainage are thre	9	10.84	CR B1ab(i,ii,iii); C2a(i)	CR	6	-	0.4	7	3	opportunistic; needs fresh water; salinisation & drainage are thre
Common Sandpiper	78	10.39	RA c(iii); d(ii)	RA	3	DD	0	32	22	migratory; solitary birds	53	7.06	RA c(iii); d(ii)	RA	3	DD	0	19	12	migratory; solitary birds
Ruddy Turnstone	26	2.00	RA c(ii)	RA	3	DD	0	21	14	regular visitor	450	34.64	VU C2a(i)	VU	4	-	0.4	58	38	
Sharp-tailed Sandpiper	1478	44.84	NT	NT	2	-	0.4	185	118	migratory; steady decline noticed; tolerates a broad range of hat	229	6.95	NT	NT	2	-	0.4	59	41	migratory; steady decline noticed; tolerates a broad range of hat
Sanderling	82	22.34	RA c(ii)	RA	3	-	0.4	19	14	migratory; around Murray Mouth; site faithful	153	41.69	RA c(ii)	RA	3	0	0.3	32	17	migratory; site faithful

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional UCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Red Knot	25	6.38	RA c(iii)	RA	3	-	0.4	18	10	threats to flyway	48	12.24	RA c(iii)	RA	3	-	0.4	13	8	threats to flyway
Curlew Sandpiper	670	34.24	VU C2a(i)	VU	4	--	0.5	142	78	threats to flyway; Coorong counts have plummeted; salinity a threat	291	14.87	VU C2a(i)	VU	4	--	0.5	50	26	threats to flyway; Coorong counts have plummeted; salinity a threat
Pectoral Sandpiper	41	23.84	RA c(ii); d(ii)	RA	3	DD	0	12	6	often miss ID'd with sharp-tailed s'pipers; likes fresh water	13	7.56	RA c(ii); d(ii)	RA	3	DD	0	6	3	often miss ID'd with sharp-tailed s'pipers; likes fresh water
Red-necked Stint	1559	37.60	NT	NT	2	-	0.4	210	133		585	14.11	NT	NT	2	-	0.4	98	69	
Long-toed Stint	54	33.54	RA c(ii); d(ii)	RA	3	DD	0	17	6	difficult to ID, some historical records could be red-necked stints	3	1.86	RA c(ii); d(ii)	RA	3	DD	0	2	1	
Great Knot	10	3.68	RA c(iii)	RA	3	DD	0	10	6	threats to flyway	25	9.19	RA c(iii)	RA	3	DD	0	10	5	threats to flyway
Latham's Snipe	42	12.46	RA c(ii); d(ii)	RA	3	0	0.3	27	14		106	31.45	RA c(ii); d(ii)	RA	3	0	0.3	32	25	
Bar-tailed Godwit	139	21.29	RA c(ii)	RA	3	0	0.3	34	28	around 40 birds in Murray mouth area - Ddadd	55	8.42	RA c(ii)	RA	3	0	0.3	11	10	
Black-tailed Godwit	134	42.95	RA c(iii)	RA	3	DD	0	39	22		6	1.92	RA c(iii)	RA	3	DD	0	2	1	
Eastern Curlew	150	18.40	EN D	EN	5	0	0.3	36	24	approx 15 birds; threats to flyway	66	8.10	EN D	EN	5	DD	0	16	12	
Little Curlew	6	21.43	RA c(iii)	RA	3	DD	0	6	2		0	0.00								
Whimbrel	10	3.65	RA c(iii)	RA	3	DD	0	10	5		36	13.14	RA c(iii)	RA	3	DD	0	10	7	
Grey-tailed Tattler	9	2.87	RA c(iii)	RA	3	DD	0	6	4		138	43.95	RA c(iii)	RA	3	DD	0	21	13	
Wood Sandpiper	109	35.62	RA c(ii); d(ii)	RA	3	DD	0	23	17	should see more of in freshwater wetlands	17	5.56	RA c(ii); d(ii)	RA	3	DD	0	5	3	should see more of in freshwater wetlands
Common Greenshank	1967	46.09	NT	NT	2	-	0.4	220	151	migratory	248	5.81	NT	NT	2	-	0.4	60	44	migratory
Marsh Sandpiper	252	32.60	RA c(ii); d(ii)	RA	3	-	0.4	73	51	fresh water spp	15	1.94	RA c(ii); d(ii)	RA	3	-	0.4	10	9	fresh water spp
Terek Sandpiper	16	11.27	RA c(iii)	RA	3	DD	0	10	5		0	0.00	RA c(iii)	RA	3	DD	0			no records but occur here
Brown Skua	0	0.00									3	2.73	RA c(ii)	RA	3	DD	0	3		taxonomic issues; relatively common in winter
Long-tailed Jaeger	0	0.00									3	21.43	RA c(iii)	RA	3	DD	0			regular common visitor
Arctic Jaeger	2	1.44	LC	LC	1	0	0.3	1		common summer visitor	5	3.60	LC	LC	1	0	0.3	2	1	common summer visitor
Pomarine Jaeger	0	0.00									2	10.00	LC	LC	1	0	0.3	1	1	should be more records; pelagic spp.
Whiskered Tern	2489	62.95	LC	LC	1	0	0.3	259	194		112	2.83	LC	LC	1	0	0.3	46	44	
White-winged Black Tern	103	17.67	RA c(iii)	RA	3	DD	0	26	17		8	1.37	RA c(iii)	RA	3	DD	0	6	5	
Silver Gull	3910	27.99	LC	LC	1	++	0.1	338	246	pest spp; expanding	778	5.57	LC	LC	1	++	0.1	159	147	pest spp; expanding
Gull-billed Tern	117	25.55	RA c(ii)	RA	3	DD	0	39	32		11	2.40	RA c(iii)	RA	3	DD	0	9	8	
Caspian Tern	2354	47.54	LC	LC	1	0	0.3	249	189	still breeding in Coorong	230	4.64	NT	NT	2	0	0.3	64	58	solitary spp.
Kelp Gull	22	17.19	RA c(iii)	RA	3	DD	0	9	8	could be threatening Pacific Gulls; scavengers	73	57.03	RA c(i)	RA	3	++	0.1	10	10	could be threatening Pacific Gulls; scavengers
Pacific Gull	119	5.48	LC	LC	1	0	0.3	28	28		112	5.15	RA b	RA	3	-	0.4	23	22	
Common Tern	57	56.44	RA c(iii)	RA	3	DD	0	29	12		4	3.96								vagrant
Arctic Tern	4	17.39	RA c(iii)	RA	3	DD	0	2	1	passage bird; difficult to ID	0	0.00								
White-fronted Tern	4	6.15	RA c(ii)	RA	3	DD	0	2	2		18	27.69	RA c(ii)	RA	3	DD	0	7	5	
Little Tern	18	26.87	CR C2a(i); D	CR	6	-	0.4	13	8	not seen in Coorong	30	44.78	CR C2a(i); D	CR	6	-	0.4	6	6	
Fairy Tern	662	48.71	EN C2a(i)	EN	5	--	0.5	99	71	documented declines	127	9.35	EN C2a(i)	EN	5	--	0.5	25	22	documented declines
Crested Tern	2095	44.26	LC	LC	1	0	0.3	229	182		355	7.50	LC	LC	1	0	0.3	65	60	
Common Long-necked Tortoise	14	7.65	NT	NT	2	-	0.4	6	2	300+ records in reality (underestimate); good shape, opportunistic	20	10.93	LC	LC	1	0	0.3	12	8	in farm dams, drains, all over the place
Macquarie Tortoise	0	0.00	VU B2b(i,iii,v)c(i,ii,iii)	VU	4	-	0.4			no records, 1000's likely in L Alexandrina, not mobile	0	0.00								
Leathery Turtle	2	4.26	CR A2ce	CR	6	--	0.5	2		Mhutchinson - go with Red Book rating; high death rates among	3	6.38	CR A2ce	CR	6	--	0.5	1	1	Mhutchinson - go with Red Book rating; high death rates among
Jacky Lizard	0	0.00									4	0.00								
Mallee Tree-dragon	0	0.00									4	2.42	RA d(i,ii)	RA	3	0	0.3	3	2	near Salt Creek, likes dry heathy habitat
Mallee Dragon	0	0.00									0	0.00								
Painted Dragon	16	0.73	LC	LC	1	0	0.3	9	3	may benefit from high salinity, likes open habitat, resilient, likes	0	0.00								
Eastern Bearded Dragon	5	1.34	LC	LC	1	0	0.3	4	1	tolerant of habitat changes, survives in altered farmland	11	2.94	LC	LC	1	0	0.3	10	6	tolerant of habitat changes, survives in altered farmland
Central Bearded Dragon	3	0.28	LC	LC	1	0	0.3	2	1	on the coast, widespread, undercollected	1	0.09	RA d(i,ii)	RA	3	0	0.3	1	1	
Five-lined Earless Dragon	5	1.24	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	3	does not thrive well in modified landscape, patch & hard to find,	0	0.00								
Marbled Gecko	6	0.20	LC	LC	1	0	0.3	4	4	widespread throughout SE	0	0.00								
Barking Gecko	4	0.35	LC	LC	1	0	0.3	1	1	undercollected; lives in disturbed places	0	0.00								
Eastern Stone Gecko	0	0.00									0	0.00								
Fared Worm-lizard	0	0.00									0	0.00								
Lined Worm-lizard	11	2.42	LC	LC	1	0	0.3	7	4	in backyards & disturbed places	33	7.25	LC	LC	1	0	0.3	22	10	in backyards & disturbed places
Barred Snake-lizard	0	0.00									0	0.00								
Striped Snake-lizard	0	0.00									0	0.00								
Olive Snake-lizard	7	11.86	NT	NT	2	-	0.4	5	4	limited to native grassland, lives in paddocks etc, wont tolerate	0	0.00								
Common Scaly-foot	1	0.36	VU B2ab(ii,iii)	VU	4	-	0.4	1	1	not doing well in this habitat	1	0.36	VU B2ab(ii,iii)	VU	4	-	0.4	1		no recent records
Eastern Three-lined Skink	3	0.43	NT	NT	2	-	0.4	1	1	robust spp.	66	9.48	LC	LC	1	0	0.3	39	25	robust spp
Spotted Ctenotus	18	2.76	LC	LC	1	0	0.3	4	2	copers with arid conditions, not habitat specific, prob more widely	9	1.38	LC	LC	1	0	0.3	4	4	copers with arid conditions, not habitat specific, prob more widely

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional UCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Eastern Striped Skink	13	1.23	LC	LC	1	0	0.3	8	5	fairly resistant to habitat modification	8	0.76	LC	LC	1	0	0.3	5	2	fairly resistant to habitat modification
Yellow-bellied Water Skink	8	17.39	EN B1ab(iii,iv)+2ab(iii,iv)	EN	5	-	0.4	3	2	associated with lake alexandrina, susceptible. Only in 2 locations	0	0.00								
Southern Water Skink	0	0.00									12	41.38	RA d(i,ii)	RA	3	0	0.3	8	5	likes cold & wet conditions, Woodland spp, edge of range
Four-toed Earless Skink	43	1.68	LC	LC	1	0	0.3	18	11		98	3.82	LC	LC	1	0	0.3	57	33	
Delicate Skink	0	0.00									19	7.98	LC	LC	1	0	0.3	8	8	in natural habitats
Garden Skink	0	0.00									40	1.48	LC	LC	1	0	0.3	17	6	
Bougainville's Skink	18	1.47	LC	LC	1	0	0.3	9	6		54	4.41	LC	LC	1	0	0.3	29	13	
Southern Four-toed Slider	8	0.87	LC	LC	1	0	0.3	2		mostly in coastal habitat, sand, suburban lizard.	0	0.00								
Bull Skink	1	0.27	CR B2ab(ii,iii)	CR	6	-	0.4	1		extremely localized populations, likes soft sand, makes warrens	0	0.00								
White's Skink	0	0.00									29	6.17	LC	LC	1	0	0.3	13	7	in southern half, rugged, in natural areas usually, not in Coorong
Swamp Skink	0	0.00									18	90.00	EN B2ab(ii,iii)	EN	5	-	0.4	12	12	needs good quality freshwater swamp, limited habitat
Dwarf Skink	43	1.45	LC	LC	1	0	0.3	12	10	habitat generalist and opportunist, limited by cold climates.	0	0.00								
Adelaide Snake-eye	7	0.69	LC	LC	1	0	0.3	5		likes intact vegetation, old records. Habitat specific, heavy soil and chert	0	0.00								
Mallee Snake-eye	16	0.86	LC	LC	1	0	0.3	8	6		15	0.81	LC	LC	1	0	0.3	7	6	
Salamander skink	0	0.00									11	100.00	EN B2ab(i,ii,iv)	EN	5	-	0.4	4	4	very rare, only known from 5 locations
Southern Grass Skink	27	10.11	LC	LC	1	0	0.3	14	6		92	34.46	LC	LC	1	0	0.3	49	32	
Tussock Skink	0	0.00									2	100.00	CR B2ab(i,ii,iv)	CR	6	-	0.4	2	1	poorly documented. Habitat low dry tussock grassland, habitat fr
Glossy Grass Skink	0	0.00									22	22.92	VU B2ab(i,ii,iv)	VU	4	-	0.4	10	10	likes swampy habitat/SE
Blotched Bluetongue	0	0.00									14	36.84	LC	LC	1	0	0.3	11	6	quite common, under recorded, lives in disturbed habitats in SE
Sleepy Lizard	22	0.80	LC	LC	1	0	0.3	13	9	very common	34	1.24	LC	LC	1	0	0.3	25	18	
Eastern Bluetongue	4	1.53	LC	LC	1	0	0.3	4	3		19	7.28	LC	LC	1	0	0.3	17	15	
Sand Goanna	0	0.00									0	0.00								
Heath Goanna	2	0.60	EN A2a	EN	5	-	0.4	2		towards salt creek; doesn't like habitat clearance	2	0.60	EN A2a	EN	5	-	0.4	2	2	doesn't like habitat clearance
Lace Monitor	0	0.00									0	0.00								
Southern Blind Snake	1	0.50	RA d(i)	RA	3	0	0.3	1		difficult to ID, doesn't turn up often	0	0.00								
Rough-nosed Blind Snake	0	0.00									0	0.00								
Lowland Copperhead	0	0.00									32	33.68	LC	LC	1	0	0.3	23	10	habitat generalist
White-lipped Snake	0	0.00									27	81.82	LC	LC	1	0	0.3	19	12	not uncommon, habitat generalist
Master's Snake	0	0.00									0	0.00								
Bardick	1	2.94	CR B1ab(iii)	CR	6	-	0.4	1		salt creek, dry patch of habitat. Very hard to find.	0	0.00								
Eastern Tiger Snake	37	5.34	VU B2ab(iii)	VU	4	-	0.4	20	9	some concern here, a frog feeder, dependant on freshwater swamps	61	8.80	LC	LC	1	0	0.3	32	19	
Little Whip Snake	1	0.78	RA d(i,ii)	RA	3	0	0.3	1		currency creek, temperate spp. hard to find	0	0.00								
Mitchell's Short-tailed Snake	0	0.00									0	0.00								
Red-bellied Black Snake	2	1.87	EN B2ab(iii)	EN	5	-	0.4	2		lives in water, wet gullies, shaded areas	0	0.00								
Eastern Brown Snake	26	4.08	LC	LC	1	0	0.3	19	9		22	3.45	LC	LC	1	0	0.3	20	6	less of a habitat generalist, linked to riparian habitat
Brown Tree Frog	88	2.48	NT	NT	2	--	0.5	41	37	habitat quality decline due to salinity	230	6.48	LC	LC	1	0	0.3	95	88	
Peron's Tree Frog	5	1.34	RA d(ii)	RA	3	-	0.4	4	4	not in the SE much, edge of range	0	0.00								
Southern Bell Frog	12	3.61	EN B1ab(i,ii,iii)	EN	5	--	0.5	8	5	doesn't tolerate high salinity or prolonged droughts	13	3.92	VU B1ab(i,ii,iii)+2ab(ii,iii)	VU	4	-	0.4	8	6	doesn't tolerate high salinity or prolonged droughts; dependent on
Murray Valley Froglet	3	0.86	NT	NT	2	--	0.5	3	3		0	0.00								
Common Froglet	197	1.92	NT	NT	2	-	0.4	62	60	very succesful frog.	310	3.03	LC	LC	1	0	0.3	119	115	
Smooth Frog	0	0.00									7	21.88	VU B2ab(iii)	VU	4	-	0.4	5	2	persistent in home range
Banio Frog	93	2.43	NT	NT	2	-	0.4	40	39	survives dry spells	145	3.79	LC	LC	1	0	0.3	51	46	survives dry spells
Long-thumbed Frog	26	19.40	VU B2ab(ii,iii)	VU	4	-	0.4	10	9	needs good quality water	0	0.00								
Striped Marsh Frog	0	0.00									182	35.69	LC	LC	1	0	0.3	61	58	increased in abundance over time.
Spotted Marsh Frog	112	2.28	NT	NT	2	-	0.4	47	45		112	2.28	LC	LC	1	0	0.3	38	32	
Burrowing frog	20	2.08	NT	NT	2	-	0.4	9	2		139	14.48	LC	LC	1	0	0.3	42	12	
Sudell's Frog	0	0.00									48	20.00	LC	LC	1	0	0.3	24	22	spring/summer breeder
Brown Toadlet	1	0.17	EN B2ab(i,ii,iii)	EN	5	-	0.4	1	1	habitat quality declining	25	4.30	VU B2ab(i,ii,iii)	VU	4	-	0.4	10	4	habitat quality declining
Marbled Toadlet	0	0.00									18	35.29	VU B2ab(i,ii,iii)	VU	4	-	0.4	10	1	failure of autumn rains impacting population numbers
Pouched Lamprey	3	15.00	EN A2c	EN	5	--	0.5	3	1	another record in Bridgewater, move up to streams to spawn. Be	2	10.00	EN B2ab(iii)	EN	5	-	0.4	2	1	habitat decreased, in Ewin Ponds only, decline due to groundwa
Short-headed Lamprey	6	18.18	EN A2c	EN	5	--	0.5	6	2	lampreys are within both IMCRA's	1	3.03	EN B2ab(iii)	EN	5	-	0.4			
Short-finned Eel	0	0.00	EN A2c - VU A2c	VU	4	-	0.4			no records, lack of habitat to move through	28	63.64	VU B2ab(iii,v) - RA d(ii)	RA	3	-	0.4	13	13	
Smallmouth Hardyhead	146	44.51	LC	LC	1	++	0.1	66	58		47	14.33	LC	LC	1	++	0.1	36	31	
Murray Hardyhead	51	62.20	CR A2c; B1b(i,ii,iii,iv)c(i,iv)	CR	6	--	0.5	25	21	historical decline, habitat dried out, 2 large pops in lake now.	0	0.00								
Fly-specked Hardyhead	63	14.32	CR A2abc - EN A2abc	EN	5	--	0.5	41	39	now called unspecked hardyhead	0	0.00								
Crimson-spotted Rainbow Fish	8	3.35	RA a; b; d(ii)	RA	3	0	0.3	5	4	declined in lake historically (1950's). Should be murray rainbow	1	0.42	DD	DD	0	DD	0	1		Lake Robe, might have been transient, questionable record

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Murray Lakes and Coorong Records	% Murray Lakes and Coorong	UCN Status & Criteria (Murray Lakes & Coorong)	Regional Status (Murray Lakes & Coorong)	Regional Status Score MLC	Trend (-, 0, +, ++) Murray Lakes & Coorong	Trend Score MLC	Murray Lakes and Coorong_AoIO_All_km2	Murray Lakes and Coorong_AoIO_Recent_km2	Comments (Murray Lakes & Coorong)	Bridgewater Records	% Bridgewater	UCN Status & Criteria (Bridgewater)	Regional IUCN Status (Bridgewater)	Regional Status Score Bridgewater	Trend (-, 0, +, ++) Bridgewater	Trend Score Bridgewater	Bridgewater_AoIO_All_km2	Bridgewater_AoIO_Recent_km2	Comments (Bridgewater)
Bony Bream	125	14.38	LC	LC	1	0	0.3	65	53	should be bony herring	0	0.00								
Agassiz's Perchlet	1	9.09	CR B1ab(i,iii,iv)	CR	6	--	0.5	1		possibly extinct; should be A glassfish	0	0.00								
Congoli	126	52.72	CR A2abc - EN A2abc	EN	5	--	0.5	57	44	barrage closure impact ecology significantly. Habitat drastically	26	10.88	VU B2ab(iii) - RA d(ii)	RA	3	-	0.4	16	13	
Big-headed Gudgeon	199	22.26	LC	LC	1	++	0.1	91	83		3	0.34	RA d(ii)	RA	3	0	0.3	2	2	
Dwarf Flathead Gudgeon	99	24.15	NT - LC	LC	1	-	0.4	50	50		0	0.00								
River Blackfish	0	0.00	LC	LC	1	0	0.3			no records; edge of range	51	37.78	CR B2ab(i,iii)	CR	6	-	0.4	13	9	has declined from Robe lakes & Millicent area; in 8 mile ck & de
Swan River Goby	90	42.25	LC	LC	1	0	0.3	49	45		8	3.76	LC	LC	1	0	0.3	6	6	
Lagoon goby	78	75.00	LC	LC	1	0	0.3	46	43		14	13.46	LC	LC	1	0	0.3	6	6	
Southern Pygmy Perch	70	16.55	CR A2bc; B2ab(i,ii,iii,iv)	CR	6	--	0.5	28	25	severely fragmented, 2 sites remaining	146	34.52	RA d(ii)	RA	3	-	0.4	57	49	fragmented
Yarra Pygmy Perch	58	46.03	CR A2bc; B2ab(i,ii,iii,iv,v)	CR	6	--	0.5	18	16	all died in 2007	11	8.73	CR B2ab(i,v)	CR	6	--	0.5	7	6	2 populations remaining, 1 increasing, 1 decreasing.
Ewen's Pygmy Perch	0	0.00									44	100.00	CR B2ab(i,iii)	CR	6	--	0.5	7	7	ewens ponds only in SA
Murray Cod	2	4.26	ENV B2ab(iii) - VU B2ab(iii)	VU	4	-	0.4	2	1	suspect records, may not occur here	0	0.00								
Callop	26	8.47	RA b - NT	NT	2	-	0.4	19	18		0	0.00								
Estuary Perch	3	42.86	CR B1ab(i,ii,v)	CR	6	--	0.5	2			0	0.00								
Silver Perch	4	19.05	CR B1ab(i,ii,v) - EN B1ab(i,ii,v)	EN	5	--	0.5	4	2		0	0.00								
Spangled Perch	2	1.72	RA c(iii)	RA	3	DD	0	2			0	0.00								
Climbing Galaxias	0	0.00	EN A2c - VU A2c	VU	4	-	0.4			no records	1	0.81	RA d(ii) - NT	NT	2	0	0.3	1	1	
Common Jollytail	189	33.39	EN A2bc - VU A2bc	VU	4	-	0.4	88	78	not many left, recovery may be slow.	120	21.20	LC	LC	1	0	0.3	50	43	
Mountain Galaxias	1	0.29	RA c(iii)	RA	3	0	0.3	1		could be transient...	0	0.00								
Spotted Mountain Trout	0	0.00									18	100.00	EN B2ab(ii,iii)	EN	5	-	0.4	7	7	should be spotted galaxias, 2 sites.
Dwarf Galaxias	0	0.00									40	49.38	RA a,d(ii)	RA	3	-	0.4	27	22	historical decline
Tasmanian Mudfish	0	0.00									2	66.67	EN B2ab(iii)	EN	5	-	0.4	2	2	
Australian Grayling	0	0.00									1	100.00	CR B2ab(i,iii) - EN B2ab(ii,iii)	EN	5	-	0.4	1		
Australian Smelt	125	28.54	LC	LC	1	0	0.3	69	57		0	0.00								
Freshwater Catfish	3	6.52	EN B2ab(ii,iii,v)	EN	5	-	0.4	3	3		0	0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	UCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++)	Mount Gambier Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	UCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++)	Glenelg Plain Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Platypus	1	5.00	RE	RE	7			1		Could occur upstream in Glenelg River		0.00								
Short-beaked Echidna	1	0.08	LC	LC	1	0	0.3	1	1	Not uncommon here	28	2.16	LC	LC	1	0	0.3	21	18	
Spotted-tailed Quoll (Tiger Quoll)	2	28.57	RE	RE	7			1		locally extinct		0.00								
Eastern Quoll	1	20.00	RE	RE	7			1		locally extinct		0.00								
Agile Antechinus		0.00									1	100.00	RA d(i,ii)	RA	3	DD	0	1	1	Edge of range, limited habitat, occurs north of River in Vic.
Yellow-footed Antechinus	9	1.02	LC	LC	1	0	0.3	7	1	quite common, in Mt Burr, good habitat	125	14.14	LC	LC	1	0	0.3	22	13	Found in smaller reserves
Swamp Antechinus		0.00										0.00								
Brush-tailed Phascogale		0.00										0.00								
Fat-tailed Dunnart	2	0.07	DD	DD	0	DD	0	1		could be extinct		0.00								
Common Dunnart	1	0.52	RA d(ii)	RA	3	DD	0	1	1		1	0.52	RA d(ii)	RA	3	DD	0	1		
Southern Brown Bandicoot (SA mainland and KI ssp)	87	43.28	RA d(ii)	RA	3	0	0.3	3		Have disappeared from a number of remnants but still doing well	161	80.10	RA d(ii)	RA	3	0	0.3	9	1	Could be Vulnerable; large fire a big threat
Eastern Barred Bandicoot	1	33.33	RE	RE	7			1				0.00								
Bilby (Greater Bilby)		0.00										0.00								
Koala		0.00									1	0.52	RA c(iv)	RA	3	+	0.2	1	1	should be more records; come in from Vic
Common Wombat	12	5.33	RA d(ii)	RA	3	DD	0	3	1	population fluctuates	23	10.22	RA d(ii)	RA	3	0	0.3	14	8	
Common Brushtail Possum	1	0.06	LC	LC	1	0	0.3	1	1	in Mt Burr; in the suburbs	23	1.47	LC	LC	1	0	0.3	15	11	
Long-nosed Potoroo		0.00									11	100.00	VU D1+2 - RA d(i,ii)	RA	3	DD	0	2	2	highly isolated population
Western Grey Kangaroo	1	0.01	LC	LC	1	+	0.2	1			33	0.27	LC	LC	1	+	0.2	16	15	
Eastern Grey Kangaroo		0.00	LC	LC	1	+	0.2			no records but occurs here	4	13.79	LC	LC	1	+	0.2	2		
Toolache Wallaby		0.00										0.00								
Euro		0.00										0.00								
Red-necked Wallaby	5	2.33	LC	LC	1	++	0.1	4	2		36	16.74	LC	LC	1	++	0.1	25	21	
Swamp Wallaby	5	15.15	LC	LC	1	++	0.1	5	4	increased over last 15yrs; should be more records; stick to dens	5	15.15	LC	LC	1	++	0.1	5	5	increased over last 15yrs; should be more records; stick to dens
Eastern Hare-wallaby		0.00										0.00								
Western Pygmy-possum		0.00										0.00								
Little Pygmy-possum		0.00										0.00								
Eastern Pygmy-possum		0.00									2	4.88	VU D2	VU	4	DD	0	2	2	
Common Ringtail Possum	13	1.91	LC	LC	1	0	0.3	4	4	should be more records	36	5.28	LC	LC	1	0	0.3	17	13	
Yellow-bellied Glider		0.00									3	100.00	CR D	CR	6	0	0.3	3	2	endemic to SE; should be more records; in Caroline Forest; major threat
Sugar Glider	7	7.78	LC	LC	1	0	0.3	5	3	should be more records	16	17.78	LC	LC	1	0	0.3	14	12	should be more records; limited habitat
Squirrel Glider		0.00										0.00								
Feathertail Glider	1	5.88	DD	DD	0	DD	0	1			1	5.88	EN D	EN	5	DD	0	1		
New Zealand Fur-seal	anned S	0.00										0.00								
Australian Fur-seal	C Kemp	0.00										0.00								
Subantarctic Fur-seal		0.00										0.00								
Australian Sea-lion		0.00										0.00								
Leopard Seal		0.00										0.00								
Southern Elephant Seal		0.00										0.00								
White-footed Tree-rat		0.00										0.00								
Water-rat	1	0.60	RA d(ii)	RA	3	-	0.4	1		prefers wetlands; can live in drains, tolerates salt water		0.00								
Mitchell's Hopping-mouse		0.00										0.00								
Silky Mouse		0.00									11	1.44	RA d(i,ii)	RA	3	DD	0	4		
Plains Mouse (Plains Rat)																				
Heath Rat		0.00									84	96.55	VU D2	VU	4	0	0.3	8	8	limited to 2 reserves
Rush Rat	50	1.37	LC	LC	1	0	0.3	7	3		190	5.20	LC	LC	1	0	0.3	29	15	
Swamp Rat	3	0.60	NT	NT	2	0	0.3	2			23	4.61	LC	LC	1	0	0.3	13	8	
Grey-headed Flying-fox	3	50.00	RA c(iii)	RA	3	+	0.2	2	2	passing through, irregular visitors		0.00								
Yellow-bellied Sheathtail-bat		0.00										0.00								
Southern Freetail-bats		0.00	DD	DD	0	DD	0			no records. needs more surveys, could be LC		0.00	LC	LC	1	0	0.3			needs more surveys
Eastern Freetail-bat		0.00	DD	DD	0	DD	0			no records, associated with freshwater, should be more surveys		0.00	DD	DD	0	DD	0			no records, associated with freshwater, should be more surveys
White-striped Freetail-bat		0.00	LC	LC	1	0	0.3					0.00								
Large Bentwing-Bat	24	8.00	CR B2ab(i,ii,iii,iv)	CR	6	-	0.4	12	12	Stable for last 10yrs, crashed before that, now ~30,000 pop. In S	8	2.67	CR B2ab(i,ii,iii,iv)	CR	6	-	0.4	5	4	Stable for last 10yrs, crashed before that, now ~30,000 pop. In S
Lesser Long-eared Bat	2	0.10	LC	LC	1	0	0.3	1			3	0.15	LC	LC	1	0	0.3	3	2	
Gould's Long-eared Bat		0.00									3	37.50	VU D2	VU	4	-	0.4	2	2	highly restricted habitat - fire-prone, endemic to SE but in Vic/NS

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	UCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++)	Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	UCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++)	Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Gould's Wattled Bat		0.00										5	0.17	LC	LC	1	0	0.3	3	1		
Chocolate Wattled Bat		0.00										1	0.17	LC	LC	1	0	0.3	1	1		
Eastern Falsistrelle (Eastern False Pipistrelle)		0.00	DD	DD	0	DD	0				no records, highly restricted in native bush blocks	2	100.00	VU D2	VU	4	-	0.4	1	1	edge of range, highly restricted in native bush blocks	
Southern Myotis		0.00	DD	DD	0	DD	0				no records, all around coastal Aust.		0.00	VU D1	VU	4	DD	0			no records, all around coastal Aust.	
Inland Broad-nosed Bat		0.00	DD	DD	0	DD	0				no records, assoc. with river red gums, needs more survey work		0.00	DD	DD	0	DD	0			no records, assoc. with river red gums, needs more survey work	
Large Forest Bat	1	1.27	DD	DD	0	DD	0	1			needs more surveys	1	1.27	LC	LC	1	0	0.3	1	1	should be more records	
Southern Forest Bat		0.00	DD	DD	0	DD	0				no records, needs more surveys		0.00	DD	DD	0	DD	0			no records, in Penola Forest	
Little Forest Bat		0.00	DD	DD	0	DD	0				no records, needs surveys	4	1.97	DD	DD	0	DD	0	3	2	needs more surveys	
Southern Right Whale	ntangle	0.00											0.00									
Southern Minke Whale		0.00											0.00									
Bryde's Whale	Rocks	0.00											0.00									
Blue Whale	U D1, p	0.00											0.00									
Fin Whale																						
Humpback Whale	creasing	0.00											0.00									
Pygmy Right Whale	ears. N	0.00											0.00									
Common Dolphin	ments,	0.00											0.00									
Short-finned Pilot Whale	No esti	0.00											0.00									
Long-finned Pilot Whale	whale (	0.00											0.00									
Risso's Dolphin		0.00											0.00									
Killer Whale (Orca)	ary str	0.00											0.00									
False Killer Whale	another	0.00											0.00									
Bottlenose Dolphin		0.00											0.00									
Bottlenose Dolphin	ngleme	0.00											0.00									
Spectacled Porpoise																						
Sperm Whale	es; thre	0.00											0.00									
Pygmy Sperm Whale		0.00											0.00									
Southern Bottlenosed Whale		0.00											0.00									
Andrew's Beaked Whale		0.00											0.00									
Gray's Beaked Whale (Scamperdown Whale)		0.00											0.00									
Hector's Beaked Whale		0.00											0.00									
Strap-toothed Whale	water w	0.00											0.00									
Shepherd's Beaked Whale (Tasman Beaked Whale)		0.00											0.00									
Cuvier's Beaked Whale (Goosebeak Whale)		0.00											0.00									
Emu	1	0.01	LC	LC	1	0	0.3	1	1		should be more records; breeding in plantations	26	0.32	LC	LC	1	0	0.3	17	17		
Malleefowl		0.00											0.00									
Stubble Quail	13	0.88	LC	LC	1	0	0.3	6	5			13	0.88	LC	LC	1	0	0.3	8	8		
Brown Quail		0.00										2	1.14	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	2	2	highly fragmented habitat	
King Quail		0.00											0.00									
Peaceful Dove	2	0.04							2	2	vagrant		0.00									
Crested Pigeon	19	0.09	LC	LC	1	+	0.2	6	6			3	0.01	LC	LC	1	+	0.2	3	3		
Common Bronzewing	34	0.42	NT	NT	2	-	0.4	8	7			44	0.54	NT	NT	2	-	0.4	24	24		
Brush Bronzewing	3	0.17	RA d(i,ii)	RA	3	-	0.4	3	3		limited habitat	6	0.34	RA d(i,ii)	RA	3	-	0.4	4	4	limited habitat	
Tawny Frogmouth	6	0.51	NT	NT	2	-	0.4	3	2		based on limited data	8	0.68	NT	NT	2	-	0.4	6	4	based on limited data	
Spotted Nightjar	1	0.20							1	1	vagrant		0.00									
White-throated Nightjar		0.00										1	100.00	CR D	CR	6	0	0.3	1	1	1 record in Honey-suckle FR; outlier; unusual popn	
Australian Owllet-nightjar	1	0.06	NT	NT	2	-	0.4	1	1		not found where they used to be	2	0.12	NT	NT	2	-	0.4	2	2	not found where they used to be	
Fork-tailed Swift	2	0.59	NT	NT	2	--	0.5	2	2		migratory spp.	4	1.17	NT	NT	2	--	0.5	4	4	migratory spp.	
White-throated Needletail	16	7.21	NT	NT	2	--	0.5	10	9		migratory spp.	40	18.02	NT	NT	2	--	0.5	16	16	migratory spp.	
Collared Sparrowhawk	10	0.58	LC	LC	1	0	0.3	10	8			25	1.45	LC	LC	1	0	0.3	8	8		
Brown Goshawk	16	0.64	LC	LC	1	0	0.3	11	10			26	1.04	LC	LC	1	0	0.3	9	9		
Grey Goshawk	1	2.00	CR C2a(i)	CR	6	-	0.4	1	1		No outside influence Gcarpenter; possibly increasing Bgreen	25	50.00	CR C2a(i)	CR	6	-	0.4	5	5	No outside influence Gcarpenter; possibly increasing Bgreen	
Wedge-tailed Eagle	21	0.29	RA c(i) - NT	RA	3	0	0.3	18	17			57	0.78	RA c(i) - NT	RA	3	0	0.3	29	28		
Swamp Harrier	4	0.19	RA c(i) - NT	RA	3	-	0.4	4	4			43	2.04	RA c(i) - NT	RA	3	-	0.4	17	16		
Spotted Harrier	3	0.30	RA c(ii)	RA	3	0	0.3	3	3				0.00									
Black-shouldered Kite	36	0.78	LC	LC	1	0	0.3	10	9			15	0.33	LC	LC	1	0	0.3	11	11		

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	IUCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, -, 0, +, ++)	Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	IUCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, -, 0, +, ++)	Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)	
White-bellied Sea-Eagle		0.00											0.00										
Whistling Kite	2	0.05	NT	NT	2	-	0.4	2	1	1	likes water	70	1.69	NT	NT	2	-	0.4	22	22	likes water		
Little Eagle	7	0.60	EN D - VU D1	VU	4	-	0.4	5	5	5	often mistaken for whistling kite	6	0.51	EN D - VU D1	VU	4	-	0.4	6	6	often mistaken for whistling kite		
Black Kite		0.00											0.00										
Eastern Osprey		0.00											0.00										
Brown Falcon	17	0.30	LC	LC	1	0	0.3	12	10	10		22	0.39	LC	LC	1	0	0.3	12	12			
Nankeen Kestrel	8	0.08	LC	LC	1	0	0.3	5	4	4		7	0.07	LC	LC	1	0	0.3	7	6			
Australian Hobby	4	0.20	RA c(i) - NT	NT	2	DD	0	3	3	3		5	0.25	RA c(i) - NT	NT	2	DD	0	3	3			
Peregrine Falcon	13	1.08	VU D1 - RA c(i)	RA	3	-	0.4	8	8	8	habitat restricted to cliffs, redgums	23	1.91	VU D1 - RA c(i)	RA	3	-	0.4	14	13	habitat restricted to cliffs, redgums		
Black Falcon		0.00										6	0.93	VU D1 - RA c(i)	RA	3	0	0.3	6	6			
Australian Bustard		0.00	RE	RE	7						no records, but once occurred here		0.00	RE	RE	7						no records, but once occurred here	
Bush Stone-curlew		0.00											0.00										
Plains-wanderer		0.00											0.00										
Red-chested Button-quail		0.00											0.00										
Painted Button-quail	6	1.01	VU D1 - RA c(i)	RA	3	-	0.4	5	4	4		10	1.68	VU D1 - RA c(i)	RA	3	-	0.4	7	7			
Little Button-quail		0.00											0.00										
Australian Pratincole		0.00											0.00										
Sulphur-crested Cockatoo	3	0.08	RA c(iii)	RA	3	0	0.3	2	2	2		61	1.62	LC	LC	1	0	0.3	24	24			
Little Corella	8	0.14	LC	LC	1	+	0.2	7	7	7	dryland bird	5	0.09	LC	LC	1	+	0.2	3	3	dryland bird		
Long-billed Corella	35	4.24	LC	LC	1	+	0.2	11	11	11		96	11.64	LC	LC	1	+	0.2	26	26			
Gang-gang Cockatoo	2	9.52						2	2	2	vagrant	3	14.29	RA c(iii)	RA	3	0	0.3	2	2	coming in from the Glenelg River		
Red-tailed Black Cockatoo (south-east ssp)		0.00	EN C2a(i)	EN	5	-	0.4				no records for ssp		0.00	EN C2a(i)	EN	5	-	0.4				no records for ssp	
Yellow-tailed Black-Cockatoo	44	0.65	LC	LC	1	DD	0	26	23	23	mostly visit in winter; recruitment unknown; plenty of food sources	122	1.80	LC	LC	1	DD	0	50	50	mostly visit in winter; recruitment unknown; plenty of food sources		
Galah	112	0.38	LC	LC	1	++	0.1	29	28	28		205	0.70	LC	LC	1	++	0.1	58	57			
Cockatiel		0.00											0.00										
Australian Ringneck		0.00											0.00										
Musk Lorikeet	10	0.16	LC	LC	1	0	0.3	8	8	8		20	0.32	LC	LC	1	0	0.3	6	6			
Purple-crowned Lorikeet	2	0.03	LC	LC	1	-	0.4	2	1	1	not seen as often as used to; smaller flocks	25	0.38	LC	LC	1	-	0.4	8	8	not seen as often as used to; smaller flocks		
Little Lorikeet	8	11.59	CR C2a(i) - EN C2a(i)	EN	5	+	0.2	4	4	4			0.00										
Swift Parrot	1	2.38	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	1	1	1			0.00										
Budgerigar		0.00										1	0.02	RA c(iii)	RA	3	DD	0	1	1	dryland spp.		
Orange-bellied Parrot		0.00											0.00										
Blue-winged Parrot	52	7.07	RA c(i) - NT	NT	2	0	0.3	32	31	31		100	13.61	RA c(i) - NT	RA	3	0	0.3	30	29			
Elegant Parrot		0.00											0.00	DD	DD	0	DD	0				no records; Bob Green has seen here	
Rock Parrot		0.00											0.00										
Blue Bonnet		0.00											0.00										
Crimson Rosella	101	0.56	LC	LC	1	0	0.3	35	33	33		328	1.81	LC	LC	1	0	0.3	76	75			
Eastern Rosella	8	0.29	LC	LC	1	0	0.3	7	6	6		121	4.35	LC	LC	1	0	0.3	33	33			
Red-rumped Parrot	3	0.03	LC	LC	1	0	0.3	2	1	1		11	0.12	LC	LC	1	0	0.3	5	5			
Mulga Parrot		0.00											0.00										
Rainbow Lorikeet	6	0.07	LC	LC	1	+	0.2	2	2	2		10	0.11	LC	LC	1	+	0.2	9	9			
Fan-tailed Cuckoo	17	0.83	LC	LC	1	0	0.3	10	10	10		72	3.50	LC	LC	1	0	0.3	21	21			
Pallid Cuckoo	3	0.16	NT	NT	2	-	0.4	2	1	1	declined throughout	11	0.59	NT	NT	2	-	0.4	7	7	declined throughout		
Horsfield's Bronze-Cuckoo	12	0.26	NT	NT	2	-	0.4	11	10	10		44	0.97	NT	NT	2	-	0.4	14	14			
Shining Bronze-Cuckoo	48	10.28	LC	LC	1	0	0.3	21	20	20		45	9.64	LC	LC	1	0	0.3	19	19			
Black-eared Cuckoo		0.00										1	0.15						1	1	vagrant		
Barking Owl		0.00	CR D	CR	6	DD	0				no records, but occurs here	1	1.43	CR D	CR	6	DD	0	1	1			
Southern Boobook	23	0.99	NT	NT	2	-	0.4	16	13	13		14	0.60	NT	NT	2	-	0.4	9	9			
Powerful Owl	2	10.53	CR D	CR	6	-	0.4	1				15	78.95	CR D	CR	6	-	0.4	3	3			
Australian Barn Owl	6	0.67	LC	LC	1	0	0.3	6	6	6			0.00										
Masked Owl		0.00											0.00										
Azure Kingfisher		0.00										7	29.17	CR D - EN D	EN	5	0	0.3	3	3			
Laughing Kookaburra	23	0.31	NT	NT	2	-	0.4	13	12	12		184	2.52	NT	NT	2	-	0.4	52	51			
Sacred Kingfisher	6	0.29	NT	NT	2	DD	0	6	6	6		35	1.70	NT	NT	2	DD	0	15	15			
Rainbow Bee-eater		0.00											0.00										
Brown Treecreeper	1	0.02	CR D	CR	6	-	0.4	1			edge of range	4	0.08	CR D	CR	6	-	0.4	4	4			

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	UCN Status & Criteria (Mount Gambier)	Regional UCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, -, 0, +, ++) Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	UCN Status & Criteria (Glenelg Plain)	Regional UCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, -, 0, +, ++) Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
White-throated Treecreeper	19	0.58	LC	LC	1	0	0.3	13	12		256	7.82	LC	LC	1	0	0.3	56	56	
Striated Grasswren		0.00										0.00								
Superb Fairy-wren	145	0.87	LC	LC	1	0	0.3	46	44		409	2.44	LC	LC	1	0	0.3	97	96	
Variegated Fairy-wren		0.00										0.00								
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00										0.00								
Southern Emu-wren (South East ssp)		0.00										0.00	NT	NT	2	-	0.4			should be records, recorded under S malachurus
Mallee Emu-wren		0.00										0.00								
Rufous Bristlebird	ential lo	0.00									3	1.03	RA d(i,ii)	RA	3	DD	0	3	3	
Inland Thornbill		0.00										0.00								
Yellow-rumped Thornbill	67	0.68	LC	LC	1	0	0.3	18	17		97	0.99	LC	LC	1	0	0.3	32	32	
Slender-billed Thornbill		0.00										0.00								
Striated Thornbill	45	0.85	LC	LC	1	0	0.3	24	22		187	3.55	LC	LC	1	0	0.3	46	46	
Yellow Thornbill		0.00										0.00								
Brown Thornbill	96	1.80	LC	LC	1	0	0.3	36	33		279	5.23	LC	LC	1	0	0.3	65	64	
Buff-rumped Thornbill	1	0.04	EN C2a(i); D	EN	5	-	0.4	1		no recent observations	2	0.09	RA d(i,ii)	RA	3	0	0.3	2	2	
Chestnut-rumped Thornbill		0.00										0.00								
Southern Whiteface		0.00										0.00								
Rufous Fieldwren		0.00										0.00								
Striated Fieldwren	1	0.44	DD	DD	0	DD	0	1	1		12	5.26	NT	NT	2	-	0.4	8	6	
White-throated Gerygone	4	4.94	RA c(iii)	RA	3	--	0.5	4	3	come in from Eastern Aust		0.00	RA c(iii)	RA	3	--	0.5			(no records) come in from Eastern Aust
Shy Hylacola		0.00										0.00								
Chestnut-rumped Heathwren		0.00									9	2.96	VU C2a(i)	VU	4	-	0.4	6	6	
Redthroat		0.00										0.00								
White-browed Scrubwren	104	1.54	LC	LC	1	+	0.2	42	41		256	3.78	LC	LC	1	+	0.2	66	65	
Weebill		0.00									7	0.06	RA d(ii)	RA	3	DD	0	4	4	
Spotted Pardalote	39	0.47	LC	LC	1	0	0.3	13	12		194	2.34	LC	LC	1	0	0.3	38	37	
Striated Pardalote	9	0.05	LC	LC	1	0	0.3	6	6		111	0.67	LC	LC	1	0	0.3	31	31	
Spiny-cheeked Honeyeater	3	0.02	RA c(iii)	RA	3	0	0.3	3	1		4	0.03	RA c(iii)	RA	3	0	0.3	4	3	
Eastern Spinebill	27	0.62	RA c(ii)	RA	3	0	0.3	16	14		103	2.36	LC	LC	1	0	0.3	36	36	
Red Wattlebird	165	0.69	LC	LC	1	+	0.2	30	29		283	1.19	LC	LC	1	+	0.2	64	64	
Little Wattlebird	72	2.09	LC	LC	1	0	0.3	17	16		30	0.87	LC	LC	1	0	0.3	15	15	
Blue-faced Honeyeater		0.00									10	6.02	EN D	EN	5	-	0.4	4	4	Penola golfcourse
White-fronted Chat	9	0.20	LC	LC	1	0	0.3	7	5		35	0.78	LC	LC	1	0	0.3	11	11	
Orange Chat		0.00										0.00								
Crimson Chat		0.00										0.00								
Tawny-crowned Honeyeater		0.00									11	0.67	RA c(i); d(ii)	RA	3	0	0.3	5	5	needs mallee heath
Yellow-faced Honeyeater	76	1.45	LC	LC	1	0	0.3	25	24		269	5.12	LC	LC	1	0	0.3	61	61	
Purple-gaped Honeyeater		0.00										0.00								
Fuscous Honeyeater	3	8.33	RA c(iii)	RA	3	0	0.3	2	2		7	19.44	RA c(iii)	RA	3	0	0.3	4	4	
White-eared Honeyeater	28	0.66	LC	LC	1	0	0.3	17	16		236	5.60	LC	LC	1	0	0.3	55	55	
Yellow-tufted Honeyeater	4	21.05	RA c(iii)	RA	3	0	0.3	2	2			0.00								
Yellow-plumed Honeyeater		0.00										0.00								
White-plumed Honeyeater	7	0.04	RA c(i); d(ii)	RA	3	0	0.3	7	6		69	0.42	LC	LC	1	0	0.3	22	22	
Singing Honeyeater	5	0.03	RA c(iii)	RA	3	0	0.3	2	2		1	0.01	RA c(iii)	RA	3	0	0.3	1	1	
Yellow-throated Miner		0.00										0.00								
Noisy Miner	2	0.03	LC	LC	1	+	0.2	2	2		20	0.32	LC	LC	1	+	0.2	15	15	
Brown-headed Honeyeater	4	0.07	NT	NT	2	-	0.4	4	4	in remnant patches	32	0.56	NT	NT	2	-	0.4	8	8	in remnant patches
Black-chinned Honeyeater		0.00									6	0.46	EN C2a(i)	EN	5	-	0.4	6	5	
White-naped Honeyeater	44	1.28	NT	NT	2	0	0.3	20	19		238	6.91	NT	NT	2	0	0.3	54	54	
New Holland Honeyeater	191	1.01	LC	LC	1	+	0.2	36	34		242	1.28	LC	LC	1	+	0.2	62	62	
Striped Honeyeater		0.00										0.00								
White-fronted Honeyeater		0.00										0.00								
Black Honeyeater		0.00										0.00								
White-browed Babbler		0.00										0.00								
Grey-crowned Babbler		0.00									1	1.89	RE	RE	7			1		possibly extinct
Chestnut Quail-thrush		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	UCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++)	Mount Gambier Trend Score	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	UCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++)	Glenelg Plain Trend Score	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Spotted Quail-thrush	1	4.35	RE	RE	7			1		probably extinct here		0.00								
Western Whipbird (Eastern ssp)		0.00										0.00								
Varied Sittella	9	0.35	NT	NT	2	-	0.4	8	7		62	2.41	NT	NT	2	-	0.4	20	20	
Black-faced Cuckoo-shrike	18	0.17	LC	LC	1	0	0.3	13	12		90	0.85	LC	LC	1	0	0.3	31	31	
White-bellied Cuckoo-shrike	3	2.01	VU C2a(i)	VU	4	-	0.4	2	2	edge of range	43	28.86	VU C2a(i)	VU	4	-	0.4	17	16	
White-winged Triller	5	0.23	RA c(iii)	RA	3	-	0.4	4	4		7	0.33	RA c(iii)	RA	3	-	0.4	4	4	
Grey Shrike-thrush	111	0.53	LC	LC	1	+	0.2	37	36		320	1.53	LC	LC	1	+	0.2	73	73	
Crested Shrike-tit	6	0.62	EN C2a(i)	EN	5	-	0.4	5	5		49	5.07	EN C2a(i)	EN	5	-	0.4	19	19	
Crested Bellbird		0.00										0.00								
Gilbert's Whistler		0.00										0.00								
Olive Whistler	2	3.77	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	2	2		2	3.77	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	2	2	
Golden Whistler	46	0.62	LC	LC	1	0	0.3	23	22		151	2.05	LC	LC	1	0	0.3	48	46	
Rufous Whistler	20	0.29	NT	NT	2	-	0.4	10	9		52	0.75	NT	NT	2	-	0.4	24	24	
Red-lored Whistler		0.00										0.00								
Olive-backed Oriole	2	2.04	RA c(iii)	RA	3	0	0.3	2	2		2	2.04	RA c(iii)	RA	3	0	0.3	2	2	
Dusky Woodswallow	8	0.14	NT	NT	2	--	0.5	8	7		73	1.32	NT	NT	2	--	0.5	20	19	
Masked Woodswallow	3	0.12	RA c(iii)	RA	3	0	0.3	3	3	masked w/s flocks with white-browed w/s	2	0.08	RA c(iii)	RA	3	0	0.3	2	2	masked w/s flocks with white-browed w/s
White-browed Woodswallow	2	0.09	RA c(iii)	RA	3	0	0.3	2	2	masked w/s flocks with white-browed w/s	4	0.18	RA c(iii)	RA	3	0	0.3	3	2	masked w/s flocks with white-browed w/s
Australian Magpie	248	0.71	LC	LC	1	+	0.2	42	41		505	1.44	LC	LC	1	+	0.2	106	105	
Grey Butcherbird	1	0.01						1		vagrant; limited range	1	0.01	RA c(i); d(i,ii)	RA	3	0	0.3	1	1	edge of range
Pied Currawong	16	26.23	RA c(iv)	RA	3	++	0.1	5	5		27	44.26	RA c(iv)	RA	3	++	0.1	11	11	
Grey Currawong	23	0.22	LC	LC	1	0	0.3	18	17		157	1.47	LC	LC	1	0	0.3	57	57	
Grey Fantail	161	1.35	LC	LC	1	0	0.3	46	42		362	3.03	LC	LC	1	0	0.3	81	81	
Willie Wagtail	128	0.49	LC	LC	1	0	0.3	26	25		131	0.50	LC	LC	1	0	0.3	36	36	
Australian Raven	48	0.43	DD	DD	0	DD	0	17	17	confused with Little Ravens & Forest Ravens - taxo issues	290	2.57	DD	DD	0	DD	0	58	58	confused with Little Ravens & Forest Ravens - taxo issues
Little Raven	51	0.28	LC	LC	1	+	0.2	11	11		95	0.52	LC	LC	1	+	0.2	43	43	
Forest Raven	34	7.71	LC	LC	1	0	0.3	12	11		94	21.32	LC	LC	1	0	0.3	38	37	
Magpie-lark	155	0.79	LC	LC	1	0	0.3	23	22		180	0.92	LC	LC	1	0	0.3	42	41	
Satin Flycatcher	9	10.59	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	6	5	annual visitor	36	42.35	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	8	6	annual visitor
Restless Flycatcher	5	0.25	VU B2ab(ii,iii,iv); C2a(i)	VU	4	-	0.4	5	4		27	1.37	VU B2ab(ii,iii,iv); C2a(i)	VU	4	-	0.4	13	13	
White-winged Chough	14	0.34	RA c(i)	RA	3	0	0.3	8	8		22	0.53	RA c(i)	RA	3	0	0.3	19	18	
Southern Scrub-robin		0.00										0.00								
Eastern Yellow Robin	34	4.88	LC	LC	1	0	0.3	19	16		185	26.54	LC	LC	1	0	0.3	47	46	
Hooded Robin	1	0.03	EN C2a(i)	EN	5	-	0.4	1				0.00								
Jacky Winter	1	0.02	EN C2a(i)	EN	5	-	0.4	1	1		41	0.94	VU B2ab(ii,iii); C2a(i)	VU	4	-	0.4	8	8	
Scarlet Robin	40	1.22	RA b	RA	3	-	0.4	17	15		41	1.25	RA b	RA	3	-	0.4	27	25	
Red-capped Robin	1	0.02						1	1	vagrant		0.00								
Flame Robin	14	7.91	RA c(ii)	RA	3	--	0.5	8	7		11	6.21	RA c(ii)	RA	3	--	0.5	10	10	
Rose Robin		0.00									4	5.19	RA c(iii)	RA	3	0	0.3	3	3	
Horsfield's Bushlark	7	0.99	RA b; c(i)	RA	3	-	0.4	3	3			0.00								
Golden-headed Cisticola	6	0.70	RA d(i)	RA	3	0	0.3	4	4	limited habitat	15	1.76	RA(Di)	RA	3	0	0.3	9	9	limited habitat
Australian Reed-Warbler	5	0.18	VU D1 - RA d(i,ii)	RA	3	0	0.3	4	4	limited habitat - Valley Lake	3	0.11	VU D1 - RA d(i,ii)	RA	3	0	0.3	2	2	
Brown Songlark	12	0.41	LC	LC	1	0	0.3	6	6	comes & goes	7	0.24	LC	LC	1	0	0.3	6	6	comes & goes
Rufous Songlark	8	0.46	RA c(ii)	RA	3	0	0.3	3	3		2	0.12	RA c(ii)	RA	3	0	0.3	2	2	
Little Grassbird	2	0.07	RA d(ii)	RA	3	0	0.3	2	2		1	0.04	RA d(ii)	RA	3	0	0.3	1	1	
Silvereye	102	0.89	LC	LC	1	0	0.3	33	31		93	0.81	LC	LC	1	0	0.3	41	40	
White-backed Swallow		0.00										0.00								
Welcome Swallow	90	0.48	LC	LC	1	0	0.3	25	23		200	1.06	LC	LC	1	0	0.3	57	57	
Fairy Martin	1	0.04	VU C1 - RA b	RA	3	-	0.4	1			3	0.13	VU C1 - RA b	RA	3	-	0.4	3	3	
Tree Martin	7	0.07	LC	LC	1	0	0.3	7	6		104	1.09	LC	LC	1	0	0.3	32	32	
Bassian Thrush	4	1.04	RA c(i)	RA	3	0	0.3	2	2	uses native forests & pines	41	10.68	RA c(i)	RA	3	0	0.3	11	11	uses native forests & pines
Mistletoebird	5	0.09	NT	NT	2	0	0.3	5	5	seasonal bird	29	0.51	NT	NT	2	0	0.3	11	11	seasonal bird
Red-browed Finch	40	1.05	NT	NT	2	0	0.3	20	17		91	2.39	NT	NT	2	0	0.3	28	28	
Beautiful Firetail	3	0.52	RA c(i)	RA	3	-	0.4	3			3	0.52	RA c(i)	RA	3	-	0.4	2	2	
Diamond Firetail		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	IUCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++) Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	IUCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++) Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Zebra Finch		0.00										0.00								
Australasian Pipit	37	0.54	LC	LC	1	0	0.3	5	5		15	0.22	LC	LC	1	0	0.3	10	10	
Maggie Goose	ettleme	0.00										0.00								
Chestnut Teal	3	0.08	LC	LC	1	0	0.3	2	1		27	0.68	LC	LC	1	0	0.3	10	10	
Grey Teal	2	0.02	LC	LC	1	0	0.3	2	2		125	1.28	LC	LC	1	0	0.3	28	25	
Australasian Shoveler	1	0.04	NT	NT	2	0	0.3	1	1	numbers have dropped during drought	51	2.22	NT	NT	2	0	0.3	16	14	numbers have dropped during drought
Pacific Black Duck	29	0.25	LC	LC	1	0	0.3	12	11	hybridises with mallards	159	1.39	LC	LC	1	0	0.3	43	34	hybridises with mallards
Hardhead	1	0.03	LC	LC	1	0	0.3	1	1		65	1.86	LC	LC	1	0	0.3	15	14	highly mobile spp. numbers returning
Musk Duck	13	0.58	RA d(i,ii)	RA	3	0	0.3	6	5	restricted habitat	8	0.36	RA d(i,ii)	RA	3	-	0.4	6	6	
Cape Barren Goose	5	0.22						3	3	introduced		0.00								
Australian Wood Duck		0.00									29	0.43	LC	LC	1	0	0.3	11	9	
Black Swan	14	0.17	LC	LC	1	0	0.3	7	6		164	2.04	LC	LC	1	0	0.3	43	34	
Pink-eared Duck		0.00									9	0.58	LC	LC	1	0	0.3	6	6	uses the area as a drought refuge; nomadic
Blue-billed Duck	1	0.19	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	1	1			0.00								
Freckled Duck		0.00										0.00								
Australian Shelduck	3	0.07	LC	LC	1	0	0.3	3	1	often hollow nesters	192	4.19	LC	LC	1	0	0.3	48	40	often hollow nesters
Great Crested Grebe	3	0.15	RA c(iii)	RA	3	DD	0	3	3		2	0.10	RA c(iii)	RA	3	DD	0	2	2	
Hoary-headed Grebe	5	0.10	RA c(i) - NT	NT	2	DD	0	5	5		88	1.77	RA c(i) - NT	NT	2	DD	0	18	17	
Australasian Grebe	4	0.09	VU D1 - RA d(i)	RA	3	-	0.4	4	4		37	0.87	VU D1 - RA d(i)	RA	3	-	0.4	8	5	freshwater spp. almost gone; affected by drought
Grey-backed Storm-Petrel		0.00										0.00								
Wilson's Storm-Petrel		0.00										0.00								
White-faced Storm-Petrel		0.00										0.00								
Royal Albatross	e region	0.00										0.00								
Wandering Albatross	e region	0.00										0.00								
Sooty Albatross	of this s	0.00										0.00								
Light-mantled Sooty Albatross		0.00										0.00								
Buller's Albatross		0.00										0.00								
Shy Albatross	deep wa	0.00										0.00								
Yellow-nosed Albatross		0.00										0.00								
Grey-headed Albatross	some re	0.00										0.00								
Black-browed Albatross	s	0.00										0.00								
Kerquelen Petrel	; most	0.00										0.00								
Flesh-footed Shearwater	st and t	0.00										0.00								
Sooty Shearwater	with sh	0.00										0.00								
Short-tailed Shearwater		0.00										0.00								
Cape Petrel		0.00										0.00								
Southern Fulmar	t record	0.00										0.00								
Blue Petrel		0.00										0.00								
Southern Giant-Petrel		0.00										0.00								
Northern Giant-Petrel		0.00										0.00								
Slender-billed Prion		0.00										0.00								
Antarctic Prion	ons	0.00										0.00								
Salvin's Prion		0.00										0.00								
Fairy Prion	bird; de	0.00										0.00								
Broad-billed Prion		0.00										0.00								
Common Diving-Petrel		0.00										0.00								
White-chinned Petrel		0.00										0.00								
Mottled Petrel	ns	0.00										0.00								
White-headed Petrel		0.00										0.00								
Gould's Petrel		0.00										0.00								
Great-winged Petrel		0.00										0.00								
Soft-plumaged Petrel		0.00										0.00								
Fluttering Shearwater	1	0.37	LC	LC	1	0	0.3	1		beach-washed record		0.00								
Hutton's Shearwater		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	IUCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++)	Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	IUCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++)	Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Little Penguin	us; nes	0.00											0.00									
Australasian Gannet		0.00											0.00									
Australasian Darter		0.00										1	0.07	RA c(ii)	RA	3	DD	0	1	1	1	very limited habitat
Little Pied Cormorant	12	0.13	LC	LC	1	0	0.3	7	7			33	0.36	LC	LC	1	0	0.3	19	19		
Great Cormorant	4	0.09	LC	LC	1	0	0.3	4	4			5	0.11	LC	LC	1	0	0.3	5	4		
Black-faced Cormorant	other d	0.00											0.00									
Little Black Cormorant	13	0.25	LC	LC	1	0	0.3	4	4			6	0.12	LC	LC	1	0	0.3	5	5		
Pied Cormorant	1	0.02	LC	LC	1	0	0.3	1	1			1	0.02	LC	LC	1	0	0.3	1			
Australian Pelican	4	0.04	LC	LC	1	0	0.3	3	3			1	0.01	LC	LC	1	0	0.3	1	1		
Great Egret		0.00										12	0.27	RA c(i)	RA	3	0	0.3	10	9		
Cattle Egret	1	0.32	RA c(iv)	RA	3	0	0.3	1	1			1	0.32	RA c(iv)	RA	3	0	0.3	1			
Intermediate Egret		0.00										4	2.11	RA c(iii)	RA	3	0	0.3	4	3		easily confused with great egret
White-necked Heron		0.00										56	6.28	NT	NT	2	-	0.4	23	18		freshwater birds
Australasian Bittern	3	1.47	EN C2a(i)	EN	5	-	0.4	1	1			6	2.94	EN C2a(i)	EN	5	-	0.4	4			
Little Egret		0.00										1	0.08	RA c(i)	RA	3	0	0.3	1	1		
White-faced Heron	8	0.07	LC	LC	1	0	0.3	7	5			116	1.06	LC	LC	1	0	0.3	40	37		
Eastern Reef Egret		0.00											0.00									
Australian Little Bittern		0.00											0.00									
Nankeen Night-Heron	3	0.42	RA c(i)	RA	3	-	0.4	1	1			6	0.84	RA c(i)	RA	3	-	0.4	4	4		
Yellow-billed Spoonbill	1	0.05	RA c(i)	RA	3	DD	0	1	1			28	1.47	RA c(i)	RA	3	DD	0	17	16		
Royal Spoonbill		0.00										2	0.10	RA c(i)	RA	3	DD	0	2	2		
Glossy Ibis		0.00										1	0.31	RA c(iii)	RA	3	DD	0	1	1		
Australian White Ibis	2	0.03	LC	LC	1	0	0.3	2	2			40	0.60	LC	LC	1	0	0.3	22	22		
Straw-necked Ibis	9	0.30	LC	LC	1	0	0.3	4	4			79	2.63	LC	LC	1	0	0.3	32	30		
Brolga	7	1.67	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	4	4		limited habitat	63	15.07	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	37	36		limited habitat
Eurasian Coot	19	0.28	NT	NT	2	-	0.4	5	4		will come back with good rain	70	1.03	NT	NT	2	-	0.4	17	16		will come back with good rain
Dusky Moorhen	16	0.42	RA c(i)	RA	3	0	0.3	7	6			6	0.16	RA c(i)	RA	3	0	0.3	6	5		
Buff-banded Rail	4	1.29	RA c(i)	RA	3	DD	0	3	3			2	0.65	RA c(i)	RA	3	DD	0	2	2		
Lewin's Rail		0.00										3	3.03	EN C2a(i)	EN	5	-	0.4	3	1		
Purple Swamphen	20	0.49	NT	NT	2	0	0.3	6	6			80	1.95	NT	NT	2	0	0.3	15	8		
Australian Spotted Crane		0.00											0.00									
Baillon's Crane		0.00										1	0.48	DD	DD	0	DD	0	1	1		
Spotless Crane		0.00											0.00									
Black-tailed Native-hen	1	0.03	LC	LC	1	0	0.3	1	1		Irregular visitors	12	0.32	LC	LC	1	0	0.3	4	4		Irregular visitors
Sooty Oystercatcher		0.00											0.00									
Australian Pied Oystercatcher		0.00											0.00									
Banded Stilt	itoring	0.00											0.00									
Black-winged Stilt	2	0.04	NT	NT	2	-	0.4	2	2		populations fluctuate	21	0.41	NT	NT	2	-	0.4	8	8		populations fluctuate
Red-necked Avocet		0.00											0.00									
Double-banded Plover	1	0.20							1	1	vagrant		0.00									
Greater Sand Plover		0.00											0.00									
Lesser Sand Plover		0.00											0.00									
Red-capped Plover		0.00											0.00									
Black-fronted Dotterel	3	0.09	RA c(i)	RA	3	-	0.4	2	1			48	1.41	RA c(i)	RA	3	-	0.4	2	2		
Red-kneed Dotterel		0.00											0.00									
Pacific Golden Plover		0.00											0.00									
Grey Plover		0.00											0.00									
Hooded Plover	habitat	0.00											0.00									
Masked Lapwing	25	0.21	LC	LC	1	0	0.3	8	8			144	1.22	LC	LC	1	0	0.3	38	33		
Banded Lapwing	2	0.15	VU C2a(i)	VU	4	--	0.5	2	2			1	0.08	VU C2a(i)	VU	4	--	0.5	1			
Australian Painted Snipe	1	1.20	CR B1ab(i,ii,iii); C2a(i)	CR	6	-	0.4	1			opportunistic; needs fresh water; salinisation & drainage are thre	1	1.20	CR B1ab(i,ii,iii); C2a(i)	CR	6	-	0.4	1			opportunistic; needs fresh water; salinisation & drainage are thre
Common Sandpiper		0.00										1	0.13	RA c(iii); d(ii)	RA	3	DD	0	1	1		migratory; solitary birds
Ruddy Turnstone		0.00											0.00									
Sharp-tailed Sandpiper	itats; n	0.00										1	0.03	NT	NT	2	-	0.4	1	1		migratory; steady decline noticed; tolerates a broad range of hat
Sanderling		0.00											0.00									

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	IUCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, -, 0, +, ++)	Mount Gambier Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	IUCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, -, 0, +, ++)	Glenelg Plain Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Red Knot		0.00										0.00								
Curlew Sandpiper	at	0.00										0.00								
Pectoral Sandpiper		0.00										0.00								
Red-necked Stint		0.00										0.00								
Long-toed Stint		0.00										0.00								
Great Knot		0.00										0.00								
Latham's Snipe	12	3.56	RA c(ii); d(ii)	RA	3	0	0.3	8	8		38	11.28	RA c(ii); d(ii)	RA	3	0	0.3	14	13	
Bar-tailed Godwit		0.00										0.00								
Black-tailed Godwit		0.00										0.00								
Eastern Curlew		0.00										0.00								
Little Curlew		0.00										0.00								
Whimbrel		0.00										0.00								
Grey-tailed Tattler		0.00										0.00								
Wood Sandpiper		0.00										0.00								
Common Greenshank		0.00									1	0.02	NT	NT	2	-	0.4	1	1	migratory
Marsh Sandpiper		0.00										0.00								
Terek Sandpiper		0.00										0.00								
Brown Skua		0.00										0.00								
Long-tailed Jaeger		0.00										0.00								
Arctic Jaeger		0.00										0.00								
Pomarine Jaeger		0.00										0.00								
Whiskered Tern	8	0.20	LC	LC	1	0	0.3	1			34	0.86	LC	LC	1	0	0.3	14	14	
White-winged Black Tern		0.00										0.00								
Silver Gull	1	0.01	LC	LC	1	++	0.1	1	1	pest spp; expanding	16	0.11	LC	LC	1	++	0.1	12	12	pest spp; expanding
Gull-billed Tern		0.00										0.00								
Caspian Tern		0.00									1	0.02	RA c(iii)	RA	3	DD	0	1	1	solitary spp.
Kelp Gull		0.00										0.00								
Pacific Gull		0.00										0.00								
Common Tern		0.00										0.00								
Arctic Tern		0.00										0.00								
White-fronted Tern		0.00										0.00								
Little Tern		0.00										0.00								
Fairy Tern		0.00										0.00								
Crested Tern		0.00										0.00								
Common Long-necked Tortoise	5	2.73	LC	LC	1	0	0.3	3	1	in drains, farm dams, Valley Lake	10	5.46	LC	LC	1	0	0.3	7	3	in farm dams, drains, all over the place
Macquarie Tortoise		0.00										0.00								
Leathery Turtle	st adults	0.00										0.00								
Jacky Lizard		0.00									8	34.78	VU B2ab(i,iii)	VU	4	-	0.4	5	3	some concern re taxonomy
Mallee Tree-dragon		0.00										0.00								
Mallee Dragon		0.00										0.00								
Painted Dragon		0.00										0.00								
Eastern Bearded Dragon	4	1.07	LC	LC	1	0	0.3	3	2	tolerant of habitat changes, survives in altered farmland	4	1.07	LC	LC	1	0	0.3	3	1	tolerant of habitat changes, survives in altered farmland
Central Bearded Dragon		0.00										0.00								
Five-lined Earless Dragon		0.00										0.00								
Marbled Gecko	1	0.03	RA d(i,ii)	RA	3	0	0.3	1		edge of range		0.00								
Barking Gecko		0.00										0.00								
Eastern Stone Gecko		0.00										0.00								
Fared Worm-lizard		0.00										0.00								
Lined Worm-lizard	3	0.66	LC	LC	1	0	0.3	3	1	in backyards & disturbed places	6	1.32	LC	LC	1	0	0.3	4	1	in backyards & disturbed places
Barred Snake-lizard		0.00										0.00								
Striped Snake-lizard		0.00										0.00								
Olive Snake-lizard		0.00										0.00								
Common Scaly-foot		0.00										0.00								
Eastern Three-lined Skink	1	0.14	LC	LC	1	0	0.3	1		widespread, under sampled	35	5.03	LC	LC	1	0	0.3	22	8	
Spotted Ctenotus	distrib	0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	IUCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++)	Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	IUCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++)	Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Eastern Striped Skink		0.00											0.00									
Yellow-bellied Water Skink		0.00											0.00									
Southern Water Skink	4	13.79	VU A3c; B2ab(iii)	VU	4	-	0.4	4	2			9	31.03	VU A3c; B2ab(iii)	VU	4	-	0.4	7	1		
Four-toed Earless Skink		0.00										2	0.08	LC	LC	1	0	0.3	2			
Delicate Skink	1	0.42	RA d(i,ii)	RA	3	0	0.3	1			edge of range		0.00									
Garden Skink	3	0.11	LC	LC	1	0	0.3	3				27	1.00	LC	LC	1	0	0.3	13	8		
Bougainville's Skink	9	0.74	LC	LC	1	0	0.3	7	2			18	1.47	LC	LC	1	0	0.3	13	6		
Southern Four-toed Slider		0.00											0.00									
Bull Skink		0.00											0.00									
White's Skink	7	1.49	LC	LC	1	0	0.3	6	1		prolific	13	2.77	LC	LC	1	0	0.3	11	5		robust lizard
Swamp Skink		0.00										2	10.00	EN B2ab(i,iii)	EN	5	-	0.4	1	1		needs good quality freshwater swamp, limited habitat
Dwarf Skink		0.00											0.00									
Adelaide Snake-eye		0.00											0.00									
Mallee Snake-eye		0.00											0.00									
Salamander skink		0.00											0.00									
Southern Grass Skink	39	14.61	LC	LC	1	0	0.3	22	10			45	16.85	LC	LC	1	0	0.3	19	12		
Tussock Skink	agment	0.00											0.00									
Glossy Grass Skink		0.00										3	3.13	VU B2ab(ii,iii,iv)	VU	4	-	0.4	2	1		likes swampy habitat/SE
Blotched Bluetongue	7	18.42	LC	LC	1	0	0.3	6	2		quite common, under recorded, lives in disturbed habitats in SE	8	21.05	LC	LC	1	0	0.3	8	6		quite common, under recorded, lives in disturbed habitats in SE
Sleepy Lizard	2	0.07	LC	LC	1	0	0.3	2				4	0.15	LC	LC	1	0	0.3	3	2		
Eastern Bluetongue		0.00											0.00									
Sand Goanna		0.00											0.00									
Heath Goanna		0.00											0.00									
Lace Monitor		0.00											0.00									
Southern Blind Snake		0.00											0.00									
Rough-nosed Blind Snake		0.00											0.00									
Lowland Copperhead	6	6.32	LC	LC	1	0	0.3	1			habitat generalist	18	18.95	LC	LC	1	0	0.3	13	3		habitat generalist
White-lipped Snake	2	6.06	NT	NT	2	DD	0	2				4	12.12	RA d(i,ii)	RA	3	0	0.3	2	1		edge of range
Master's Snake		0.00											0.00									
Bardick		0.00											0.00									
Eastern Tiger Snake	3	0.43	LC	LC	1	0	0.3	3	2			13	1.88	LC	LC	1	0	0.3	10	4		
Little Whip Snake		0.00											0.00									
Mitchell's Short-tailed Snake		0.00											0.00									
Red-bellied Black Snake		0.00											0.00									
Eastern Brown Snake		0.00										1	0.16	RA d(i,ii)	RA	3	0	0.3	1			
Brown Tree Frog	89	2.51	LC	LC	1	0	0.3	34	33			148	4.17	LC	LC	1	0	0.3	52	48		
Peron's Tree Frog	1	0.27							1	1	possible introduction	1	0.27	RA d(i,ii)	RA	3	0	0.3	1	1		not in the SE much, edge of range
Southern Bell Frog	1	0.30	RA d(ii)	RA	3	-	0.4	1			doesn't tolerate high salinity or prolonged droughts	8	2.41	RA d(i,ii)	RA	3	-	0.4	2	1		doesn't tolerate high salinity or prolonged droughts
Murray Valley Froglet		0.00											0.00									
Common Froglet	91	0.89	LC	LC	1	0	0.3	33	33			181	1.77	LC	LC	1	0	0.3	62	60		
Smooth Frog	10	31.25	RA d(i)	RA	3	0	0.3	10	6		persistent in home range	15	46.88	RA d(i)	RA	3	0	0.3	11	10		persistent in home range
Banio Frog	62	1.62	LC	LC	1	0	0.3	25	22		survives dry spells	109	2.85	LC	LC	1	0	0.3	47	45		
Long-thumbed Frog		0.00											0.00									
Striped Marsh Frog	62	12.16	LC	LC	1	0	0.3	25	23		increased in abundance over time.	128	25.10	LC	LC	1	0	0.3	41	40		increased in abundance over time.
Spotted Marsh Frog	24	0.49	LC	LC	1	0	0.3	12	12			71	1.45	LC	LC	1	0	0.3	33	31		
Burrowing frog	1	0.10	RA d(i,ii)	RA	3	DD	0	1			limited area	11	1.15	LC	LC	1	0	0.3	6	2		
Sudell's Frog	1	0.42	RA d(i,ii)	RA	3	0	0.3	1	1		spring/summer breeder	1	0.42	RA d(i,ii)	RA	3	0	0.3	1	1		spring/summer breeder
Brown Toadlet		0.00										1	0.17	RA d(i,ii)	RA	3	-	0.4	1			habitat quality declining
Marbled Toadlet		0.00										2	3.92	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1		failure of autumn rains impacting population numbers
Pouched Lamprey	er extra	0.00										1	5.00	VU D2 - RA d(ii)	RA	3	DD	0	1			
Short-headed Lamprey		0.00											0.00	VU D2 - RA d(ii)	RA	3	DD	0				no records, lack of breeding habitat
Short-finned Eel		0.00											0.00	RA d(ii) - NT	NT	2	0	0.3				no records
Smallmouth Hardyhead		0.00											0.00									
Murray Hardyhead		0.00											0.00									
Fly-specked Hardyhead		0.00											0.00									
Crimson-spotted Rainbow Fish		0.00											0.00									

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Mount Gambier Records	% Mount Gambier	IUCN Status & Criteria (Mount Gambier)	Regional IUCN Status (Mount Gambier)	Regional Status Score Mount Gambier	Trend (-, 0, +, ++) Mount Gambier	Trend Score Mount Gambier	Mount Gambier_AoFO_All_km2	Mount Gambier_AoFO_Recent_km2	Comments (Mount Gambier)	Glenelg Plain Records	% Glenelg Plain	IUCN Status & Criteria (Glenelg Plain)	Regional IUCN Status (Glenelg Plain)	Regional Status Score Glenelg Plain	Trend (-, 0, +, ++) Glenelg Plain	Trend Score Glenelg Plain	Glenelg Plain_AoFO_All_km2	Glenelg Plain_AoFO_Recent_km2	Comments (Glenelg Plain)
Bony Bream		0.00										0.00								
Agassiz's Perchlet		0.00										0.00								
Congoli		0.00									1	0.42	RA d(ii) - NT	NT	2	0	0.3	1	1	
Big-headed Gudgeon		0.00									1	0.11	RA d(ii)	RA	3	0	0.3	1	1	
Dwarf Flathead Gudgeon		0.00										0.00								
River Blackfish	ep ck s	0.00										0.00								
Swan River Goby		0.00									1	0.47	RA d(ii) - NT	NT	2	0	0.3	1	1	
Lagoon goby		0.00									1	0.96	RA d(ii) - NT	NT	2	0	0.3	1	1	
Southern Pygmy Perch	1	0.24	RA d(ii)	RA	3	0	0.3	1	1	lake edward only	4	0.95	RA a	RA	3	-	0.4	3	1	
Yarra Pygmy Perch		0.00										0.00								
Ewen's Pygmy Perch		0.00										0.00								
Murray Cod		0.00										0.00								
Callop		0.00										0.00								
Estuary Perch		0.00									3	42.86	VU B2ab(iii) - RA d(ii)	RA	3	-	0.4	2	1	
Silver Perch		0.00										0.00								
Spangled Perch		0.00										0.00								
Climbing Galaxias		0.00										0.00								
Common Jollytail	6	1.06	RA d(ii)	RA	3	0	0.3	3	2			0.00	RA d(ii) - NT	NT	2	0	0.3			no records
Mountain Galaxias		0.00										0.00								
Spotted Mountain Trout		0.00										0.00	RA d(ii) - NT	NT	2	0	0.3			no records
Dwarf Galaxias	5	6.17	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	4	3		10	12.35	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	8	3	
Tasmanian Mudfish		0.00										0.00								
Australian Grayling		0.00										0.00								
Australian Smelt		0.00									1	0.23	RA d(ii)	RA	3	0	0.3	1	1	
Freshwater Catfish		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	UCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoFO_All_km2	Lucindale_AoFO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	UCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoFO_All_km2	Wimmera_AoFO_Recent_km2	Comments (Wimmera)
Platypus		0.00										0.00								
Short-beaked Echidna	103	7.94	LC	LC	1	0	0.3	72	57		5	0.39	LC	LC	1	0	0.3	5	5	
Spotted-tailed Quoll (Tiger Quoll)	1	14.29	RE	RE	7			1		ocally extinct		0.00								
Eastern Quoll		0.00										0.00								
Agile Antechinus		0.00										0.00								
Yellow-footed Antechinus	15	1.70	LC	LC	1	DD	0	11	3	Lots around Penola & Naracourte Range	2	0.23	CR B1ab(i,ii,iii)+2ab(i,ii,iii)	CR	6	--	0.5	2		Possibly extinct. Heavily cleared area, lack of habitat, other records in surround
Swamp Antechinus		0.00										0.00								
Brush-tailed Phascogale	1	11.11	CR B1ab(i,ii,iii)+2ab(i,ii,iii)	CR	6	-	0.4	1		Likes open woodlands, Troy Horn: a few anecdotal records, hab	1	11.11	CR B1ab(i,ii,iii)+2ab(i,ii,iii)	CR	6	-	0.4	1		
Fat-tailed Dunnart	13	0.45	RA d(ii)	RA	3	DD	0	8	1		5	0.17	RA d(ii)	RA	3	DD	0	3	1	
Common Dunnart	6	3.14	RA d(ii)	RA	3	DD	0	5	3		1	0.52	RA d(ii)	RA	3	DD	0	1		
Southern Brown Bandicoot (SA mainland and KI ssp)		0.00										0.00								
Eastern Barred Bandicoot		0.00										0.00								
Bilby (Greater Bilby)		0.00										0.00								
Koala	3	1.56						3	3	introduction; like plantations	1	0.52	DD	DD	0	DD	0	1		probably extinct
Common Wombat	75	33.33	LC	LC	1	0	0.3	63	27		3	1.33	RA d(ii)	RA	3	DD	0	2		population fluctuates
Common Brushtail Possum	98	6.28	LC	LC	1	0	0.3	48	34		18	1.15	LC	LC	1	0	0.3	9	8	
Long-nosed Potoroo		0.00										0.00								
Western Grey Kangaroo	193	1.56	LC	LC	1	+	0.2	90	71		9	0.07	LC	LC	1	+	0.2	7	6	
Eastern Grey Kangaroo	3	10.34	RA c(iv)	RA	3	+	0.2	3	2			0.00								
Toolache Wallaby		0.00										0.00								
Euro		0.00										0.00								
Red-necked Wallaby	114	53.02	LC	LC	1	++	0.1	60	44		3	1.40	RA d(ii)	RA	3	DD	0	3	1	
Swamp Wallaby	9	27.27	RA c(iv)	RA	3	++	0.1	7	7			0.00								
Eastern Hare-wallaby	1	100.00	RE	RE	7			1				0.00								
Western Pygmy-possum	34	3.42	RA d(ii)	RA	3	0	0.3	20	13	can live in small remnants; lack of habitat & major fires a threat	2	0.20	RA d(ii)	RA	3	DD	0	2		limited habitat
Little Pygmy-possum	21	19.44	RA d(ii)	RA	3	DD	0	13	5			0.00								
Eastern Pygmy-possum	29	70.73	VU D2	VU	4	DD	0	9	8	restricted to banksia marginata habitat		0.00								
Common Ringtail Possum	30	4.40	LC	LC	1	0	0.3	15	9		4	0.59	RA d(i,ii)	RA	3	DD	0	1	1	habitat cleared; need dense veg
Yellow-bellied Glider	or fire a	0.00										0.00								
Sugar Glider	51	56.67	LC	LC	1	0	0.3	34	21		2	2.22	RA d(i,ii)	RA	3	DD	0	2		edge of range
Squirrel Glider		0.00									2	100.00	EN D	EN	5	DD	0	2	1	endemic to region
Feathertail Glider	6	35.29	DD	DD	0	DD	0	4			4	23.53	DD	DD	0	DD	0	3		
New Zealand Fur-seal		0.00										0.00								
Australian Fur-seal		0.00										0.00								
Subantarctic Fur-seal		0.00										0.00								
Australian Sea-lion		0.00										0.00								
Leopard Seal		0.00										0.00								
Southern Elephant Seal		0.00										0.00								
White-footed Tree-rat	4	100.00	RE	RE	7			1		extinct for over 100yrs; records are skull fragments found in bat cave ne		0.00								
Water-rat	13	7.83	RA d(ii)	RA	3	-	0.4	8		prefers wetlands; can live in drains, tolerates salt water		0.00								
Mitchell's Hopping-mouse		0.00										0.00								
Silky Mouse	87	11.36	LC	LC	1	0	0.3	25	11			0.00								
Plains Mouse (Plains Rat)			RE	RE	7					no records										
Heath Rat		0.00										0.00								
Bush Rat	9	0.25	RA d(ii)	RA	3	0	0.3	8	1			0.00								
Swamp Rat	13	2.61	RA d(ii)	RA	3	DD	0	12	3			0.00								
Grey-headed Flying-fox		0.00	RA c(ii)	RA	3	+	0.2			no records, at least 300 records, probable future increase - T Reardon		0.00								
Yellow-bellied Sheathtail-bat		0.00										0.00								
Southern Freetail-bats	22	4.37	LC	LC	1	0	0.3	4	1	needs more surveys	2	0.40	LC	LC	1	0	0.3	1	1	needs more surveys
Eastern Freetail-bat		0.00	DD	DD	0	DD	0			no records, associated with freshwater, should be more surveys		0.00	DD	DD	0	DD	0			no records, associated with freshwater, should be more surveys
White-striped Freetail-bat	5	0.64	LC	LC	1	0	0.3	5	3		2	0.25	LC	LC	1	0	0.3	2	2	
Large Bentwing-Bat	224	74.67	CR B2ab(i,ii,iii,iv)	CR	6	-	0.4	19	14	Stable for last 10yrs, crashed before that, now ~30,000 pop. In S	23	7.67	CR B2ab(i,ii,iii,iv)	CR	6	-	0.4	5	4	Stable for last 10yrs, crashed before that, now ~30,000 pop. In SE
Lesser Long-eared Bat	61	3.09	LC	LC	1	0	0.3	22	13		3	0.15	LC	LC	1	0	0.3	2	2	
Gould's Long-eared Bat	W, dec	0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	UCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoFO_All_km2	Lucindale_AoFO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	IUCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoFO_All_km2	Wimmera_AoFO_Recent_km2	Comments (Wimmera)
Gould's Wattled Bat	22	0.76	LC	LC	1	0	0.3	13	3			0.00								
Chocolate Wattled Bat	32	5.59	LC	LC	1	0	0.3	11	4		1	0.17	LC	LC	1	0	0.3	1		
Eastern Falsistrelle (Eastern False Pipistrelle)		0.00	VU D2	VU	4	-	0.4			no records, edge of range, highly restricted in native bush blocks		0.00								
Southern Myotis		0.00										0.00								
Inland Broad-nosed Bat	1	0.43	DD	DD	0	DD	0	1		needs more surveys; assoc. with river red gums	2	0.87	DD	DD	0	DD	0	1	1	needs more surveys; assoc. with river red gums
Large Forest Bat	7	8.86	LC	LC	1	0	0.3	7	3	T Reardon has more records	5	6.33	DD	DD	0	DD	0	1	1	T Reardon has more records
Southern Forest Bat	6	1.22	DD	DD	0	DD	0	4	4	could be common, needs more surveys		0.00	DD	DD	0	DD	0			no records
Little Forest Bat	48	23.65	LC	LC	1	0	0.3	12	4			0.00	DD	DD	0	DD	0			no records, needs surveys
Southern Right Whale		0.00										0.00								
Southern Minke Whale		0.00										0.00								
Bryde's Whale		0.00										0.00								
Blue Whale		0.00										0.00								
Fin Whale																				
Humpback Whale		0.00										0.00								
Pygmy Right Whale		0.00										0.00								
Common Dolphin		0.00										0.00								
Short-finned Pilot Whale		0.00										0.00								
Long-finned Pilot Whale		0.00										0.00								
Risso's Dolphin		0.00										0.00								
Killer Whale (Orca)		0.00										0.00								
False Killer Whale		0.00										0.00								
Bottlenose Dolphin		0.00										0.00								
Bottlenose Dolphin		0.00										0.00								
Spectacled Porpoise																				
Sperm Whale		0.00										0.00								
Pygmy Sperm Whale		0.00										0.00								
Southern Bottlenosed Whale		0.00										0.00								
Andrew's Beaked Whale		0.00										0.00								
Gray's Beaked Whale (Scamperdown Whale)		0.00										0.00								
Hector's Beaked Whale		0.00										0.00								
Strap-toothed Whale		0.00										0.00								
Shepherd's Beaked Whale (Tasman Beaked Whale)		0.00										0.00								
Cuvier's Beaked Whale (Goosebeak Whale)		0.00										0.00								
Emu	148	1.84	LC	LC	1	0	0.3	80	67		2	0.02	LC	LC	1	0	0.3	1	1	
Malleefowl	175	2.49	CR C2a(i)	CR	6	-	0.4	29	23	only in isolated patches		0.00								
Stubble Quail	51	3.45	LC	LC	1	0	0.3	28	22		4	0.27	LC	LC	1	0	0.3	4	2	
Brown Quail	28	16.00	RA d(ii)	RA	3	DD	0	16	14	isolated habitat	1	0.57	DD	DD	0	DD	0	1	1	limited habitat; edge of range
King Quail		0.00										0.00								
Peaceful Dove	49	1.10	NT	NT	2	0	0.3	26	25		4	0.09	NT	NT	2	0	0.3	4	2	habitat loss
Crested Pigeon	121	0.56	LC	LC	1	+	0.2	71	68		30	0.14	LC	LC	1	+	0.2	24	23	
Common Bronzewing	254	3.12	LC	LC	1	0	0.3	114	105		6	0.07	NT	NT	2	-	0.4	5	5	
Brush Bronzewing	66	3.79	NT	NT	2	-	0.4	35	28			0.00								
Tawny Frogmouth	47	4.00	NT	NT	2	-	0.4	30	22	based on limited data	5	0.43	NT	NT	2	-	0.4	4	2	based on limited data
Spotted Nightjar	2	0.40	VU C2a(i)	VU	4	-	0.4	2	1			0.00								
White-throated Nightjar		0.00										0.00								
Australian Owllet-nightjar	36	2.22	NT	NT	2	-	0.4	28	22	not found where they used to be	1	0.06	NT	NT	2	-	0.4	1		not found where they used to be
Fork-tailed Swift	10	2.93	NT	NT	2	--	0.5	8	6	migratory spp.		0.00								
White-throated Needle-tail	29	13.06	NT	NT	2	--	0.5	19	12	migratory spp.		0.00								
Collared Sparrowhawk	40	2.32	LC	LC	1	0	0.3	28	22		2	0.12	RA d(i,ii) - NT	NT	2	0	0.3	1	1	
Brown Goshawk	88	3.53	LC	LC	1	0	0.3	44	32		2	0.08	LC	LC	1	0	0.3	2	1	
Grey Goshawk	9	18.00	CR C2a(i)	CR	6	-	0.4	7	5	No outside influence Garpenster		0.00								
Wedge-tailed Eagle	174	2.39	RA c(i) - NT	RA	3	0	0.3	104	89		6	0.08	RA c(i) - NT	RA	3	0	0.3	6	6	
Swamp Harrier	126	5.96	RA c(i) - NT	RA	3	-	0.4	56	46		9	0.43	RA c(i) - NT	RA	3	-	0.4	4	3	
Spotted Harrier	20	2.03	RA c(ii)	RA	3	0	0.3	17	16		1	0.10	RA c(ii)	RA	3	0	0.3	1	1	
Black-shouldered Kite	65	1.42	LC	LC	1	0	0.3	41	38		20	0.44	LC	LC	1	0	0.3	12	11	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	UCN Status & Criteria (Lucindale)	Regional UCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoI_km2	Lucindale_AoI_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	UCN Status & Criteria (Wimmera)	Regional UCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoI_km2	Wimmera_AoI_Recent_km2	Comments (Wimmera)
White-bellied Sea-Eagle	7	1.24	CR D - EN D	EN	5	-	0.4	4	4	very low numbers throughout	1	0.18	CR D - EN D	EN	5	-	0.4	1	1	very low numbers throughout
Whistling Kite	196	4.50	NT	NT	2	-	0.4	70	62	likes water	15	0.36	NT	NT	2	-	0.4	5	5	likes water
Little Eagle	28	2.39	EN D - VU D1	VU	4	-	0.4	19	16	often mistaken for whistling kite		0.00								
Black Kite	19	0.55	RA c(iii) - NT	NT	2	0	0.3	10	10	around Bool Lagoon	1	0.03	RA c(iii) - NT	NT	2	0	0.3	1	1	
Eastern Osprey		0.00										0.00								
Brown Falcon	199	3.50	LC	LC	1	0	0.3	101	89		11	0.19	LC	LC	1	0	0.3	11	10	
Nankeen Kestrel	111	1.14	LC	LC	1	0	0.3	64	53		13	0.13	LC	LC	1	0	0.3	10	10	
Australian Hobby	46	2.30	RA c(i) - NT	NT	2	DD	0	30	26		3	0.15	RA c(i) - NT	NT	2	DD	0	3	3	
Peregrine Falcon	50	4.15	VU D1 - RA c(i)	RA	3	-	0.4	37	32	habitat restricted to cliffs, redgums	5	0.42	VU D1 - RA c(i)	RA	3	-	0.4	4	3	habitat restricted to cliffs, redgums
Black Falcon	19	2.96	VU D1 - RA c(i)	RA	3	0	0.3	15	13		1	0.16	VU D1 - RA c(i)	RA	3	0	0.3	1	1	
Australian Bustard	1	0.28	CR D - EN D	EN	5	-	0.4	1		almost locally extinct		0.00	RE	RE	7					no records, but once occurred here
Bush Stone-curlew	1	0.25	CR D - EN D	EN	5	-	0.4	1			34	8.59	CR D - EN D	EN	5	-	0.4	13	10	
Plains-wanderer		0.00	CR D - EN D	EN	5	-	0.4			no records, unconfirmed sighting	2	3.64	RE	RE	7			1		possibly extinct
Red-chested Button-quail	4	25.00	CR D - EN D	EN	5	-	0.4	4				0.00								
Painted Button-quail	55	9.24	VU D1 - RA c(i)	RA	3	-	0.4	32	28		4	0.67	VU D1 - RA c(i)	RA	3	-	0.4	4	3	
Little Button-quail	2	0.28	RA c(iii)	RA	3	0	0.3	2		likes speargrass + grassland	1	0.14	RA c(iii)	RA	3	0	0.3	1		likes speargrass + grassland
Australian Pratincole	3	0.73	RA c(iii)	RA	3	0	0.3	3	1			0.00								
Sulphur-crested Cockatoo	141	3.74	LC	LC	1	0	0.3	80	74		67	1.78	LC	LC	1	0	0.3	47	47	
Little Corella	27	0.48	LC	LC	1	+	0.2	22	21	dryland bird	5	0.09	LC	LC	1	+	0.2	4	4	dryland bird
Long-billed Corella	176	21.33	LC	LC	1	+	0.2	84	76		87	10.55	LC	LC	1	+	0.2	47	43	
Gang-gang Cockatoo		0.00										0.00								
Red-tailed Black Cockatoo (south-east ssp)		0.00	EN C2a(i)	EN	5	-	0.4			no records for ssp	2	50.00	EN C2a(i)	EN	5	-	0.4	1		no records for ssp
Yellow-tailed Black-Cockatoo	291	4.30	LC	LC	1	DD	0	135	123	mostly visit in winter; recruitment unknown	8	0.12	NT	NT	2	DD	0	7	6	mostly visit in winter; recruitment unknown
Galah	530	1.80	LC	LC	1	++	0.1	229	217		98	0.33	LC	LC	1	++	0.1	59	58	
Cockatiel	15	0.74	RA c(iii)	RA	3	DD	0	15	13	dryland bird	14	0.69	RA c(iii)	RA	3	DD	0	10	9	dryland bird
Australian Ringneck	90	0.97	LC	LC	1	0	0.3	33	26		1	0.01	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range
Musk Lorikeet	200	3.16	LC	LC	1	0	0.3	103	93		68	1.07	LC	LC	1	0	0.3	39	38	
Purple-crowned Lorikeet	172	2.60	LC	LC	1	-	0.4	80	67	not seen as often as used to; smaller flocks	16	0.24	LC	LC	1	-	0.4	13	12	not seen as often as used to; smaller flocks
Little Lorikeet	20	28.99	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	15	10			0.00								
Swift Parrot	5	11.90	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	3			4	9.52	CR C2a(i) - EN C2a(i)	EN	5	-	0.4	3	3	
Budgerigar	15	0.34	RA c(iii)	RA	3	DD	0	11	5	dryland spp.	3	0.07	RA c(iii)	RA	3	DD	0	3	2	dryland spp.
Orange-bellied Parrot		0.00										0.00								
Blue-winged Parrot	134	18.23	RA c(i) - NT	NT	2	0	0.3	74	61		2	0.27	DD	DD	0	DD	0	1	1	
Elegant Parrot	10	0.52	RA c(ii)	RA	3	DD	0	7	5			0.00								
Rock Parrot		0.00										0.00								
Blue Bonnet	1	0.05						1	1	vagrant	1	0.05	EN D	EN	5	-	0.4	1	1	needs sheoaks
Crimson Rosella	518	2.86	LC	LC	1	0	0.3	197	179		58	0.32	LC	LC	1	0	0.3	42	41	
Eastern Rosella	385	13.83	LC	LC	1	0	0.3	159	147		80	2.87	LC	LC	1	0	0.3	50	50	
Red-rumped Parrot	342	3.60	LC	LC	1	0	0.3	154	137		78	0.82	LC	LC	1	0	0.3	49	48	
Mulga Parrot		0.00										0.00								
Rainbow Lorikeet	229	2.52	LC	LC	1	+	0.2	92	86		14	0.15	LC	LC	1	+	0.2	11	10	
Fan-tailed Cuckoo	84	4.08	LC	LC	1	0	0.3	48	36		4	0.19	LC	LC	1	0	0.3	4	4	
Pallid Cuckoo	25	1.33	NT	NT	2	-	0.4	13	8	declined throughout	1	0.05	NT	NT	2	-	0.4	1	1	declined throughout
Horsfield's Bronze-Cuckoo	87	1.91	NT	NT	2	-	0.4	53	38		5	0.11	NT	NT	2	-	0.4	5	3	
Shining Bronze-Cuckoo	23	4.93	NT	NT	2	0	0.3	17	14			0.00								
Black-eared Cuckoo	5	0.77	RA c(iii)	RA	3	DD	0	5	4			0.00								
Barking Owl	27	38.57	CR D	CR	6	DD	0	11	9	highly localised		0.00								
Southern Boobook	68	2.92	NT	NT	2	-	0.4	41	29		15	0.65	NT	NT	2	-	0.4	12	11	
Powerful Owl	1	5.26	CR D	CR	6	-	0.4	1	1			0.00								
Australian Barn Owl	25	2.80	LC	LC	1	0	0.3	19	15		3	0.34	LC	LC	1	0	0.3	2	1	
Masked Owl	1	8.33	CR D	CR	6	DD	0	1	1			0.00								
Azure Kingfisher		0.00										0.00								
Laughing Kookaburra	260	3.56	NT	NT	2	-	0.4	99	85		55	0.75	NT	NT	2	-	0.4	45	44	
Sacred Kingfisher	84	4.07	NT	NT	2	DD	0	46	39		4	0.19	NT	NT	2	DD	0	3	3	
Rainbow Bee-eater	9	0.25	RA c(iii)	RA	3	DD	0	7	3		1	0.03	RA c(iii)	RA	3	DD	0	1		
Brown Treecreeper	52	1.07	VU C2a(i)	VU	4	-	0.4	30	23		18	0.37	VU C2a(i)	VU	4	-	0.4	14	14	

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	UCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoI_km2	Lucindale_AoI_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	UCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoI_km2	Wimmera_AoI_Recent_km2	Comments (Wimmera)
White-throated Treecreeper	311	9.50	LC	LC	1	0	0.3	120	108		7	0.21	LC	LC	1	0	0.3	6	6	
Striated Grasswren		0.00										0.00								
Superb Fairy-wren	807	4.82	LC	LC	1	0	0.3	283	266		24	0.14	LC	LC	1	0	0.3	18	16	
Variegated Fairy-wren	36	0.53	RA c(i)	RA	3	-	0.4	26	16		1	0.01	RA c(i)	RA	3	-	0.4	1	1	edge of range
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00										0.00								
Southern Emu-wren (South East ssp)	4	30.77	NT	NT	2	-	0.4	3		should be more records, recorded under S malachurus	1	7.69	RE	RE	7			1		possibly extinct
Mallee Emu-wren		0.00										0.00								
Rufous Bristlebird		0.00										0.00								
Inland Thornbill		0.00										0.00								
Yellow-rumped Thornbill	339	3.46	LC	LC	1	0	0.3	168	154		52	0.53	LC	LC	1	0	0.3	32	32	
Slender-billed Thornbill	19	4.36	EN C2a(i)	EN	5	--	0.5	10	5			0.00								
Striated Thornbill	298	5.65	LC	LC	1	0	0.3	120	100		6	0.11	RA d(ii)	RA	3	-	0.4	3	3	
Yellow Thornbill	22	0.89	RA d(ii)	RA	3	-	0.4	13	8		43	1.75	RA c(i)	RA	3	-	0.4	18	18	
Brown Thornbill	533	9.99	LC	LC	1	0	0.3	223	199		12	0.22	LC	LC	1	0	0.3	9	8	
Buff-rumped Thornbill	124	5.38	VU C1	VU	4	-	0.4	58	42	in isolated fragments	2	0.09	VU C1	VU	4	-	0.4	2	1	
Chestnut-rumped Thornbill	3	0.05	EN D	EN	5	-	0.4	3	3		4	0.07	EN D	EN	5	-	0.4	4	4	often in Buloke woodland
Southern Whiteface	6	0.11	EN C2a(i); D	EN	5	-	0.4	6	3		4	0.07	EN C2a(i); D	EN	5	-	0.4	3	2	
Rufous Fieldwren	3	0.31	EN C2a(i)	EN	5	-	0.4	1	1	only recorded in Deep Swamp		0.00								
Striated Fieldwren	47	20.61	NT	NT	2	-	0.4	23	19		1	0.44	DD	DD	0	DD	0	1		
White-throated Gerygone	7	8.64	RA c(iii)	RA	3	--	0.5	4		come in from Eastern Aust		0.00								
Shy Hylacola	24	1.79	VU C2a(i)	VU	4	-	0.4	18	12		2	0.15	EN C2a(i)	EN	5	-	0.4	1		habitat lost
Chestnut-rumped Heathwren	29	9.54	VU C2a(i)	VU	4	-	0.4	19	15			0.00								
Redthroat		0.00										0.00								
White-browed Scrubwren	464	6.86	LC	LC	1	+	0.2	190	175		7	0.10	LC	LC	1	+	0.2	6	5	
Weebill	72	0.57	NT	NT	2	-	0.4	45	31		6	0.05	NT	NT	2	-	0.4	6	5	
Spotted Pardalote	250	3.01	LC	LC	1	0	0.3	123	112		12	0.14	LC	LC	1	0	0.3	12	12	
Striated Pardalote	364	2.18	LC	LC	1	0	0.3	152	139		86	0.52	LC	LC	1	0	0.3	57	55	
Spiny-cheeked Honeyeater	91	0.61	LC	LC	1	0	0.3	48	37		17	0.11	LC	LC	1	0	0.3	14	14	
Eastern Spinebill	60	1.37	NT	NT	2	-	0.4	36	27	on ridges & ranges		0.00								
Red Wattlebird	544	2.28	LC	LC	1	+	0.2	211	194		91	0.38	LC	LC	1	+	0.2	55	55	
Little Wattlebird	432	12.54	LC	LC	1	0	0.3	158	142		6	0.17	LC	LC	1	0	0.3	6	6	
Blue-faced Honeyeater	19	11.45	VU C2a(i)	VU	4	-	0.4	11	8		14	8.43	VU C2a(i)	VU	4	-	0.4	11	11	edge of range
White-fronted Chat	181	4.05	LC	LC	1	0	0.3	88	73		14	0.31	LC	LC	1	0	0.3	7	4	
Orange Chat		0.00										0.00								
Crimson Chat		0.00										0.00								
Tawny-crowned Honeyeater	74	4.52	VU C2a(i)	VU	4	-	0.4	38	28	needs mallee heath	7	0.43	VU C2a(i)	VU	4	-	0.4	6	5	needs mallee heath
Yellow-faced Honeyeater	256	4.87	LC	LC	1	0	0.3	114	98		24	0.46	LC	LC	1	0	0.3	20	19	
Purple-gaped Honeyeater	17	1.24	VU C2a(i)	VU	4	-	0.4	8	5			0.00								
Fuscous Honeyeater	9	25.00	RA c(iii)	RA	3	0	0.3	8	2		1	2.78	RA c(iii)	RA	3	0	0.3	1	1	
White-eared Honeyeater	189	4.48	LC	LC	1	0	0.3	96	77		2	0.05	NT	NT	2	0	0.3	2	2	
Yellow-tufted Honeyeater	6	31.58	RA c(iii)	RA	3	0	0.3	4			5	26.32	RA c(iii)	RA	3	0	0.3	1		
Yellow-plumed Honeyeater		0.00										0.00								
White-plumed Honeyeater	359	2.17	LC	LC	1	0	0.3	119	110		95	0.57	LC	LC	1	0	0.3	58	58	
Singing Honeyeater	12	0.07	RA c(iii)	RA	3	0	0.3	10	8		3	0.02	LC	LC	1	0	0.3	3	3	
Yellow-throated Miner		0.00									1	0.01	RE	RE	7			1		possibly extinct
Noisy Miner	195	3.12	LC	LC	1	+	0.2	89	78		80	1.28	LC	LC	1	+	0.2	48	46	
Brown-headed Honeyeater	191	3.33	NT	NT	2	-	0.4	99	84	in remnant patches	8	0.14	NT	NT	2	-	0.4	7	7	in remnant patches
Black-chinned Honeyeater	81	6.17	EN C2a(i)	EN	5	-	0.4	38	29		3	0.23	EN C2a(i)	EN	5	-	0.4	3	3	
White-naped Honeyeater	180	5.22	NT	NT	2	0	0.3	74	67		11	0.32	NT	NT	2	0	0.3	9	9	
New Holland Honeyeater	954	5.05	LC	LC	1	+	0.2	271	254		39	0.21	LC	LC	1	+	0.2	20	20	
Striped Honeyeater	1	0.10						1		vagrant		0.00								
White-fronted Honeyeater	22	0.43	RA c(iii)	RA	3	0	0.3	15	12		11	0.21	RA c(iii)	RA	3	0	0.3	9	9	
Black Honeyeater	4	1.42	RA c(iii)	RA	3	0	0.3	3	1			0.00								
White-browed Babbler	198	1.84	NT	NT	2	-	0.4	87	77		12	0.11	NT	NT	2	-	0.4	8	7	
Grey-crowned Babbler	1	1.89	CR B2ab(i,ii,iii,iv,v): D	CR	6	--	0.5	1			3	5.66	RE	RE	7			1		possibly extinct
Chestnut Quail-thrush		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	IUCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoFO_All_km2	Lucindale_AoFO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	IUCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoFO_All_km2	Wimmera_AoFO_Recent_km2	Comments (Wimmera)
Spotted Quail-thrush		0.00										0.00								
Western Whipbird (Eastern ssp)		0.00										0.00								
Varied Sittella	107	4.17	NT	NT	2	-	0.4	56	40		10	0.39	NT	NT	2	-	0.4	9	8	
Black-faced Cuckoo-shrike	206	1.96	LC	LC	1	0	0.3	108	96		24	0.23	LC	LC	1	0	0.3	23	22	
White-bellied Cuckoo-shrike	56	37.58	VU C2a(i)	VU	4	-	0.4	28	20		3	2.01	VU C2a(i)	VU	4	-	0.4	2		
White-winged Triller	38	1.77	RA c(ii)	RA	3	-	0.4	27	19		1	0.05	RA c(ii)	RA	3	-	0.4	1	1	
Grey Shrike-thrush	479	2.29	LC	LC	1	+	0.2	210	194		28	0.13	LC	LC	1	+	0.2	22	19	
Crested Shrike-tit	91	9.42	EN C2a(i)	EN	5	-	0.4	43	36		3	0.31	EN C2a(i)	EN	5	-	0.4	3	3	
Crested Bellbird	16	0.28	CR C2a(i)	CR	6	-	0.5	9	2			0.00								
Gilbert's Whistler	1	0.07						1	1	vagrant		0.00								
Olive Whistler		0.00										0.00								
Golden Whistler	179	2.43	LC	LC	1	0	0.3	98	79		8	0.11	LC	LC	1	0	0.3	7	7	
Rufous Whistler	220	3.19	NT	NT	2	-	0.4	106	91		21	0.30	NT	NT	2	-	0.4	15	15	
Red-lored Whistler		0.00										0.00								
Olive-backed Oriole	10	10.20	RA c(iii)	RA	3	0	0.3	6	5		3	3.06	RA c(iii)	RA	3	0	0.3	3	3	
Dusky Woodswallow	248	4.48	NT	NT	2	--	0.5	118	104		12	0.22	NT	NT	2	--	0.5	11	11	
Masked Woodswallow	26	1.05	RA c(ii)	RA	3	0	0.3	15	10	masked w/s flocks with white-browed w/s	2	0.08	RA c(ii)	RA	3	0	0.3	1	1	masked w/s flocks with white-browed w/s
White-browed Woodswallow	63	2.86	RA c(ii)	RA	3	0	0.3	33	22	masked w/s flocks with white-browed w/s	9	0.41	RA c(ii)	RA	3	0	0.3	7	6	masked w/s flocks with white-browed w/s
Australian Magpie	910	2.60	LC	LC	1	+	0.2	328	314		183	0.52	LC	LC	1	+	0.2	101	98	
Grey Butcherbird	112	1.29	NT	NT	2	-	0.4	59	47		1	0.01	RA c(i); d(i,ii)	RA	3	0	0.3	1	1	edge of range
Pied Currawong		0.00										0.00								
Grey Currawong	315	2.96	LC	LC	1	0	0.3	138	122		5	0.05	LC	LC	1	0	0.3	4	3	
Grey Fantail	647	5.41	LC	LC	1	0	0.3	248	230		34	0.28	LC	LC	1	0	0.3	27	26	
Willie Wagtail	536	2.03	LC	LC	1	0	0.3	206	198		80	0.30	LC	LC	1	0	0.3	53	52	
Australian Raven	186	1.65	DD	DD	0	DD	0	91	80	confused with Little Ravens & Forest Ravens - taxo issues	31	0.27	DD	DD	0	DD	0	26	23	confused with Little Ravens & Forest Ravens - taxo issues
Little Raven	319	1.74	LC	LC	1	+	0.2	150	138		28	0.15	LC	LC	1	+	0.2	21	19	
Forest Raven	153	34.69	LC	LC	1	0	0.3	71	57		20	4.54	LC	LC	1	0	0.3	20	18	
Magpie-lark	356	1.82	LC	LC	1	0	0.3	144	130		55	0.28	LC	LC	1	0	0.3	29	29	
Satin Flycatcher	16	18.82	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	9	5	annual visitor		0.00								
Restless Flycatcher	217	11.02	VU B2ab(ii,iii,iv); C2a(i)	VU	4	-	0.4	94	83		15	0.76	VU B2ab(ii,iii,iv); C2a(i)	VU	4	-	0.4	12	12	
White-winged Chough	54	1.30	VU C2a(i)	VU	4	-	0.4	38	32		15	0.36	VU C2a(i)	VU	4	-	0.4	10	10	
Southern Scrub-robin	72	3.33	VU C2a(i)	VU	4	-	0.4	31	22		3	0.14	VU C2a(i)	VU	4	-	0.4	2	1	edge of range
Eastern Yellow Robin	255	36.59	NT	NT	2	0	0.3	127	107		2	0.29	NT	NT	2	0	0.3	2	2	
Hooded Robin	97	2.72	VU C2a(i)	VU	4	-	0.4	44	34			0.00								
Jacky Winter	156	3.57	VU B2ab(ii,iii); C2a(i)	VU	4	-	0.4	67	56		8	0.18	VU B2ab(ii,iii); C2a(i)	VU	4	-	0.4	5	5	
Scarlet Robin	130	3.97	RA b	RA	3	-	0.4	59	43		2	0.06	VU C2a(i)	VU	4	-	0.4	2	2	edge of range
Red-capped Robin	4	0.06	EN B2ab(ii,iii); C2a(i)	EN	5	-	0.4	4	1	needs callitris & sheoaks	16	0.24	EN B2ab(ii,iii); C2a(i)	EN	5	-	0.4	6	6	needs callitris & sheoaks
Flame Robin	34	19.21	RA c(ii)	RA	3	--	0.5	23	16		1	0.56	RA c(ii)	RA	3	--	0.5	1	1	
Rose Robin	4	5.19	RA c(iii)	RA	3	0	0.3	4	3			0.00								
Horsfield's Bushlark	40	5.66	RA b; c(i)	RA	3	-	0.4	16	11		7	0.99	RA b; c(i)	RA	3	-	0.4	2	1	
Golden-headed Cisticola	83	9.72	VU C2a(i)	VU	4	--	0.5	29	26	highly localised	2	0.23						2	1	vagrant
Australian Reed-Warbler	79	2.77	RA d(i,ii)	RA	3	-	0.4	34	32	highly restricted	22	0.77	RA d(i,ii)	RA	3	-	0.4	3	2	
Brown Songlark	47	1.59	LC	LC	1	0	0.3	36	32	comes & goes	2	0.07	LC	LC	1	0	0.3	2	2	comes & goes
Rufous Songlark	34	1.97	RA c(ii)	RA	3	0	0.3	20	17		7	0.41	RA c(ii)	RA	3	0	0.3	6	5	
Little Grassbird	67	2.35	RA d(ii)	RA	3	0	0.3	33	30		7	0.25	RA d(ii)	RA	3	0	0.3	5	3	
Silvereye	276	2.40	LC	LC	1	0	0.3	135	116		14	0.12	LC	LC	1	0	0.3	9	8	
White-backed Swallow	1	0.07						1	1	vagrant		0.00								
Welcome Swallow	398	2.10	LC	LC	1	0	0.3	168	157		54	0.29	LC	LC	1	0	0.3	32	32	
Fairy Martin	36	1.61	VU C1 - RA b	RA	3	-	0.4	29	26		7	0.31	VU C1 - RA b	RA	3	-	0.4	5	5	
Tree Martin	329	3.45	LC	LC	1	0	0.3	140	125		18	0.19	LC	LC	1	0	0.3	13	13	
Bassian Thrush	2	0.52	EN B2ab(i,ii,iii,iv,v); C2a(i)	EN	5	-	0.4	1				0.00								
Mistletoebird	101	1.76	NT	NT	2	0	0.3	58	47	seasonal bird	13	0.23	NT	NT	2	0	0.3	11	11	seasonal bird
Red-browed Finch	165	4.34	NT	NT	2	0	0.3	69	60		2	0.05	NT	NT	2	0	0.3	2	2	
Beautiful Firetail	84	14.53	RA c(i)	RA	3	-	0.4	41	33			0.00								
Diamond Firetail	7	0.38	EN C2a(i)	EN	5	-	0.4	6	6			0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	UCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoO_All_km2	Lucindale_AoO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	UCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoO_All_km2	Wimmera_AoO_Recent_km2	Comments (Wimmera)
Zebra Finch		0.00									1	0.02						1		vagrant
Australasian Pipit	141	2.07	LC	LC	1	0	0.3	65	54		4	0.06	LC	LC	1	0	0.3	4	4	
Maggie Goose	60	66.67	RA c(iv)	RA	3	+	0.2	24	24			0.00								
Chestnut Teal	52	1.31	LC	LC	1	0	0.3	33	26		22	0.55	LC	LC	1	0	0.3	5	4	
Grey Teal	192	1.96	LC	LC	1	0	0.3	73	62		57	0.58	LC	LC	1	0	0.3	14	14	
Australasian Shoveler	130	5.65	NT	NT	2	0	0.3	54	49	numbers have dropped during drought	19	0.83	NT	NT	2	0	0.3	4	4	numbers have dropped during drought
Pacific Black Duck	280	2.44	LC	LC	1	0	0.3	91	80	hybridises with mallards	61	0.53	LC	LC	1	0	0.3	20	20	hybridises with mallards
Hardhead	88	2.52	LC	LC	1	0	0.3	41	38	highly mobile spp. numbers returning	24	0.69	LC	LC	1	0	0.3	4	3	highly mobile spp. numbers returning
Musk Duck	106	4.76	VU B2ab(i,ii,iii,iv) - RA d(i)	RA	3	-	0.4	28	25		1	0.04	RA d(ii)	RA	3	DD	0	1		limited habitat
Cape Barren Goose	34	1.52	RA c(iii)	RA	3	-	0.4	16	15			0.00								
Australian Wood Duck	82	1.21	LC	LC	1	0	0.3	32	30		27	0.40	LC	LC	1	0	0.3	15	14	
Black Swan	230	2.86	LC	LC	1	0	0.3	75	65		35	0.44	LC	LC	1	0	0.3	8	8	
Pink-eared Duck	63	4.03	LC	LC	1	0	0.3	32	28	uses the area as a drought refuge; nomadic	18	1.15	LC	LC	1	0	0.3	5	5	uses the area as a drought refuge; nomadic
Blue-billed Duck	44	8.56	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	18	17		3	0.58	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	2	2	
Freckled Duck	210	30.04	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	16	14	very limited habitat	2	0.29	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	2	2	very limited habitat
Australian Shelduck	300	6.55	LC	LC	1	0	0.3	86	72	often hollow nesters	45	0.98	LC	LC	1	0	0.3	14	13	often hollow nesters
Great Crested Grebe	14	0.68	RA c(iii)	RA	3	DD	0	11	9		2	0.10	RA c(iii)	RA	3	DD	0	2	2	
Hoary-headed Grebe	157	3.16	RA c(i) - NT	NT	2	DD	0	54	41		33	0.66	RA c(i) - NT	NT	2	DD	0	7	6	
Australasian Grebe	56	1.32	VU D1 - RA d(i)	RA	3	-	0.4	30	23	freshwater spp. almost gone; affected by drought	33	0.78	VU D1 - RA d(i)	RA	3	-	0.4	7	7	freshwater spp. almost gone; affected by drought
Grey-backed Storm-Petrel		0.00										0.00								
Wilson's Storm-Petrel		0.00										0.00								
White-faced Storm-Petrel		0.00										0.00								
Royal Albatross		0.00										0.00								
Wandering Albatross		0.00										0.00								
Sooty Albatross		0.00										0.00								
Light-mantled Sooty Albatross		0.00										0.00								
Buller's Albatross		0.00										0.00								
Shy Albatross		0.00										0.00								
Yellow-nosed Albatross		0.00										0.00								
Grey-headed Albatross		0.00										0.00								
Black-browed Albatross		0.00										0.00								
Kerquelen Petrel		0.00										0.00								
Flesh-footed Shearwater		0.00										0.00								
Sooty Shearwater		0.00										0.00								
Short-tailed Shearwater	2	0.40						2	1	vagrant		0.00								
Cape Petrel		0.00										0.00								
Southern Fulmar		0.00										0.00								
Blue Petrel		0.00										0.00								
Southern Giant-Petrel		0.00										0.00								
Northern Giant-Petrel		0.00										0.00								
Slender-billed Prion	2	1.32	RA c(ii)	RA	3	DD	0	2		dead bird records		0.00								
Antarctic Prion		0.00										0.00								
Salvin's Prion		0.00										0.00								
Fairy Prion		0.00										0.00								
Broad-billed Prion		0.00										0.00								
Common Diving-Petrel		0.00										0.00								
White-chinned Petrel		0.00										0.00								
Mottled Petrel		0.00										0.00								
White-headed Petrel	1	0.76						1		vagrant		0.00								
Gould's Petrel		0.00										0.00								
Great-winged Petrel		0.00										0.00								
Soft-plumaged Petrel		0.00										0.00								
Fluttering Shearwater		0.00										0.00								
Hutton's Shearwater		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	IUCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoI km2	Lucindale_AoI_Recent km2	Comments (Lucindale)	Wimmera Records	% Wimmera	IUCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoI km2	Wimmera_AoI_Recent km2	Comments (Wimmera)
Little Penguin		0.00										0.00								
Australasian Gannet		0.00										0.00								
Australasian Darter	7	0.51	RA c(ii)	RA	3	DD	0	6	6	very limited habitat	10	0.73	RA c(ii)	RA	3	DD	0	4	3	very limited habitat
Little Pied Cormorant	114	1.25	LC	LC	1	0	0.3	47	42		15	0.16	LC	LC	1	0	0.3	8	8	
Great Cormorant	20	0.44	LC	LC	1	0	0.3	10	6		3	0.07	LC	LC	1	0	0.3	3	2	
Black-faced Cormorant	2	0.17	NT	NT	2	DD	0	1	1	less common than other cormorants; SA is important breeding site for the		0.00								
Little Black Cormorant	36	0.70	LC	LC	1	0	0.3	18	13		7	0.14	LC	LC	1	0	0.3	4	4	
Pied Cormorant	7	0.17	LC	LC	1	0	0.3	4	4			0.00								
Australian Pelican	38	0.41	LC	LC	1	0	0.3	20	18		2	0.02	LC	LC	1	0	0.3	1		
Great Egret	105	2.37	RA c(i)	RA	3	0	0.3	39	35		4	0.09	RA c(i)	RA	3	0	0.3	2	1	
Cattle Egret	27	8.77	RA c(iv)	RA	3	0	0.3	14	8		1	0.32	RA c(iv)	RA	3	0	0.3	1	1	
Intermediate Egret	22	11.58	RA c(iii)	RA	3	0	0.3	12	8	easily confused with great egret		0.00								
White-necked Heron	68	7.62	NT	NT	2	-	0.4	43	35	freshwater birds	5	0.56	NT	NT	2	-	0.4	2	1	freshwater birds
Australasian Bittern	28	13.73	EN C2a(i)	EN	5	-	0.4	15	8			0.00								
Little Egret	10	0.84	RA c(i)	RA	3	0	0.3	9	8		1	0.08	RA c(i)	RA	3	0	0.3	1	1	
White-faced Heron	246	2.25	LC	LC	1	0	0.3	105	93		25	0.23	LC	LC	1	0	0.3	12	11	
Eastern Reef Egret		0.00										0.00								
Australian Little Bittern	10	23.26	CR D	CR	6	--	0.5	3		Bool Lagoon		0.00								
Nankeen Night-Heron	14	1.96	RA c(i)	RA	3	-	0.4	9	7		1	0.14	RA c(i)	RA	3	-	0.4	1	1	
Yellow-billed Spoonbill	97	5.09	RA c(i)	RA	3	DD	0	43	37		13	0.68	RA c(i)	RA	3	DD	0	5	5	
Royal Spoonbill	76	3.73	RA c(i)	RA	3	DD	0	27	21			0.00								
Glossy Ibis	59	18.21	EN C2a(i) - VU C2a(i)	VU	4	--	0.5	22	21	Bool Lagoon		0.00								
Australian White Ibis	186	2.80	LC	LC	1	0	0.3	64	54		8	0.12	LC	LC	1	0	0.3	6	6	
Straw-necked Ibis	201	6.69	LC	LC	1	0	0.3	86	74		28	0.93	LC	LC	1	0	0.3	12	12	
Brolga	90	21.53	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	33	29	limited habitat	3	0.72	CR C2a(i); D - EN C2a(i);	EN	5	-	0.4	3	3	limited habitat
Eurasian Coot	192	2.82	NT	NT	2	-	0.4	58	51	will come back with good rain	36	0.53	NT	NT	2	-	0.4	7	7	will come back with good rain
Dusky Moorhen	51	1.34	RA c(i)	RA	3	0	0.3	22	17		8	0.21	RA c(i)	RA	3	0	0.3	3	2	
Buff-banded Rail	22	7.12	RA c(i)	RA	3	DD	0	14	10		2	0.65	RA c(i)	RA	3	DD	0	2	2	
Lewin's Rail	5	5.05	EN C2a(i)	EN	5	-	0.4	4	2			0.00								
Purple Swamphen	131	3.19	NT	NT	2	0	0.3	41	34		26	0.63	NT	NT	2	0	0.3	6	6	
Australian Spotted Crane	27	3.35	RA c(i)	RA	3	DD	0	17	13		9	1.12	RA c(i)	RA	3	DD	0	2	2	
Baillon's Crane	12	5.74	DD	DD	0	DD	0	8	7		1	0.48	DD	DD	0	DD	0	1	1	
Spotless Crane	6	1.84	DD	DD	0	DD	0	3	2	Bool Lagoon		0.00								
Black-tailed Native-hen	75	1.99	LC	LC	1	0	0.3	43	39	Irregular visitors	23	0.61	LC	LC	1	0	0.3	6	6	Irregular visitors
Sooty Oystercatcher		0.00										0.00								
Australian Pied Oystercatcher		0.00										0.00								
Banded Stilt	12	0.69	VU B2ab(iii)c(ii,iv)	VU	4	-	0.4	9	5	regular visitor; opportunistic breeder; flock movements need monitoring		0.00								
Black-winged Stilt	118	2.31	NT	NT	2	-	0.4	54	44	populations fluctuate	20	0.39	NT	NT	2	-	0.4	2	2	populations fluctuate
Red-necked Avocet	19	0.82	NT	NT	2	-	0.4	14	11		2	0.09	RA c(iii)	RA	3	0	0.3	2	2	
Double-banded Plover	7	1.39	RA c(ii)	RA	3	-	0.4	6	3	at Bool Lagoon; migratory birds from NZ		0.00								
Greater Sand Plover		0.00										0.00								
Lesser Sand Plover		0.00										0.00								
Red-capped Plover	31	0.71	RA b	RA	3	-	0.4	16	14			0.00								
Black-fronted Dotterel	102	2.99	RA c(i)	RA	3	-	0.4	31	22		36	1.06	RA c(i)	RA	3	-	0.4	9	8	
Red-kneed Dotterel	48	2.45	RA c(i)	RA	3	-	0.4	23	17	freshwater spp	10	0.51	RA c(i)	RA	3	-	0.4	4	3	freshwater spp
Pacific Golden Plover		0.00										0.00								
Grey Plover		0.00										0.00								
Hooded Plover		0.00										0.00								
Masked Lapwing	310	2.62	LC	LC	1	0	0.3	100	83		54	0.46	LC	LC	1	0	0.3	14	13	
Banded Lapwing	6	0.45	VU C2a(i)	VU	4	--	0.5	6	3			0.00								
Australian Painted Snipe	12	14.46	CR B1ab(i,ii,iii); C2a(i)	CR	6	-	0.4	8	1	opportunistic; needs fresh water; salinisation & drainage are threats		0.00								
Common Sandpiper	2	0.27	RA c(iii); d(ii)	RA	3	DD	0	2	2	migratory; solitary birds	2	0.27	RA c(iii); d(ii)	RA	3	DD	0	1	1	migratory; solitary birds
Ruddy Turnstone		0.00										0.00								
Sharp-tailed Sandpiper	39	1.18	NT	NT	2	-	0.4	22	17	migratory; steady decline noticed; tolerates a broad range of habitats; n		0.00								
Sanderling		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	IUCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoFO_All_km2	Lucindale_AoFO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	IUCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoFO_All_km2	Wimmera_AoFO_Recent_km2	Comments (Wimmera)
Red Knot		0.00										0.00								
Curlew Sandpiper	8	0.41	VU C2a(i)	VU	4	-	0.5	5	2	threats to flyway; salinity a threat		0.00								
Pectoral Sandpiper	8	4.65	RA c(ii); d(ii)	RA	3	DD	0	6	2	often miss ID'd with sharp-tailed s'pipers; likes fresh water		0.00								
Red-necked Stint	16	0.39	NT	NT	2	-	0.4	8	6			0.00								
Long-toed Stint	3	1.86	RA c(iii); d(ii)	RA	3	DD	0	2	1	difficult to ID; in Tolderol CP		0.00								
Great Knot	1	0.37	RA c(iii)	RA	3	DD	0	1	1	threats to flyway; in Bool Lagoon		0.00								
Latham's Snipe	56	16.62	RA c(ii); d(ii)	RA	3	0	0.3	33	20			0.00								
Bar-tailed Godwit	1	0.15	RA c(ii)	RA	3	0	0.3	1	1			0.00								
Black-tailed Godwit		0.00										0.00								
Eastern Curlew		0.00										0.00								
Little Curlew		0.00										0.00								
Whimbrel		0.00										0.00								
Grey-tailed Tattler	2	0.64	RA c(ii)	RA	3	DD	0	1	1			0.00								
Wood Sandpiper	7	2.29	RA c(ii); d(ii)	RA	3	DD	0	4	1	should see more of in freshwater wetlands		0.00								
Common Greenshank	33	0.77	NT	NT	2	-	0.4	15	12	migratory		0.00								
Marsh Sandpiper	13	1.68	RA c(ii); d(ii)	RA	3	-	0.4	10	9	fresh water spp		0.00								
Terek Sandpiper	1	0.70	RA c(iii)	RA	3	DD	0	1				0.00								
Brown Skua		0.00										0.00								
Long-tailed Jaeger		0.00										0.00								
Arctic Jaeger		0.00										0.00								
Pomarine Jaeger		0.00										0.00								
Whiskered Tern	110	2.78	LC	LC	1	0	0.3	37	29		1	0.03	LC	LC	1	0	0.3	1	1	
White-winged Black Tern		0.00										0.00								
Silver Gull	164	1.17	LC	LC	1	++	0.1	51	42	pest spp; expanding	9	0.06	LC	LC	1	++	0.1	7	7	pest spp; expanding
Gull-billed Tern	13	2.84	RA c(iii)	RA	3	DD	0	4	2			0.00								
Caspian Tern	2	0.04	RA c(iii)	RA	3	DD	0	1		solitary spp.		0.00								
Kelp Gull		0.00										0.00								
Pacific Gull		0.00										0.00								
Common Tern	3	2.97						2		vagrant		0.00								
Arctic Tern		0.00										0.00								
White-fronted Tern		0.00										0.00								
Little Tern		0.00										0.00								
Fairy Tern		0.00										0.00								
Crested Tern	1	0.02						1		vagrant		0.00								
Common Long-necked Tortoise	31	16.94	NT	NT	2	-	0.4	19	11	plenty in bool lagoon, scattered in subregion. Some groundwater	6	3.28	NT	NT	2	-	0.4	5	5	highly modified and reforested, less runoff.
Macquarie Tortoise		0.00										0.00								
Leathery Turtle		0.00										0.00								
Jacky Lizard	9	39.13	VU B2ab(ii,iii)	VU	4	-	0.4	7	4	MH to check Talapar CP record		0.00								
Mallee Tree-dragon	22	13.33	NT	NT	2	0	0.3	15	10	survives well in small bushland reserves.		0.00								
Mallee Dragon		0.00										0.00								
Painted Dragon		0.00										0.00								
Eastern Bearded Dragon	30	8.02	LC	LC	1	0	0.3	21	7	tolerant of habitat changes, survives in altered farmland	7	1.87	LC	LC	1	0	0.3	5	4	tolerant of habitat changes, survives in altered farmland
Central Bearded Dragon		0.00										0.00								
Five-lined Earless Dragon	2	0.50	EN B2ab(i,ii,iii)	EN	5	-	0.4	2	1	only known from 2 locations		0.00								
Marbled Gecko	13	0.44	LC	LC	1	0	0.3	7	5		10	0.34	LC	LC	1	0	0.3	5	4	
Barking Gecko		0.00										0.00								
Eastern Stone Gecko	1	2.78	RA d(i,ii)	RA	3	0	0.3	1		bool lagoon, fairly rare and isolated		0.00								
Fared Worm-lizard	1	100.00	CR B1ab(ii,iii,iv)+B2ab(iii,iv)	CR	6	-	0.4	1	1	in reedy creek range; a few more records exist		0.00								
Lined Worm-lizard	63	13.85	LC	LC	1	0	0.3	35	16	in backyards & disturbed places		0.00								
Barred Snake-lizard		0.00										0.00								
Striped Snake-lizard	177	98.88	EN	EN	5	-	0.4	16	14	well surveyed in lucindale, key spp., bool lagoon, naracoorte, lak	2	1.12	EN	EN	5	-	0.4	2	1	
Olive Snake-lizard		0.00									32	54.24	NT	NT	2	-	0.4	14	13	only in patches of better grassland - near Bordertown
Common Scaly-foot	11	3.99	VU B2ab(ii,iii)	VU	4	-	0.4	8	1	mostly old records	1	0.36	RA b, d(i,ii)	RA	3	-	0.4	1		
Eastern Three-lined Skink	143	20.55	LC	LC	1	0	0.3	66	38		1	0.14	RA d(i,ii)	RA	3	0	0.3	1		
Spotted Ctenotus	51	7.81	LC	LC	1	0	0.3	17	16			0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	UCN Status & Criteria (Lucindale)	Regional UCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoIO_All_km2	Lucindale_AoIO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	UCN Status & Criteria (Wimmera)	Regional UCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoIO_All_km2	Wimmera_AoIO_Recent_km2	Comments (Wimmera)
Eastern Striped Skink	95	9.00	LC	LC	1	0	0.3	52	31	fairly resistant to habitat modification	12	1.14	LC	LC	1	0	0.3	7	4	fairly resistant to habitat modification
Yellow-bellied Water Skink		0.00										0.00								
Southern Water Skink		0.00										0.00								
Four-toed Earless Skink	109	4.25	LC	LC	1	0	0.3	47	29			0.00								
Delicate Skink	68	28.57	LC	LC	1	0	0.3	40	28	in natural habitats		0.00								
Garden Skink	78	2.89	LC	LC	1	0	0.3	34	14		1	0.04	RA d(i,ii)	RA	3	0	0.3	1		edge of range, too dry & hot
Bougainville's Skink	80	6.54	LC	LC	1	0	0.3	40	26		3	0.25	LC	LC	1	0	0.3	1	1	
Southern Four-toed Slider		0.00										0.00								
Bull Skink		0.00										0.00								
White's Skink	8	1.70	LC	LC	1	0	0.3	5	3	robust lizard		0.00								
Swamp Skink		0.00										0.00								
Dwarf Skink	6	0.20	LC	LC	1	0	0.3	4	3	habitat generalist and opportunist, limited by cold climates, under	2	0.07	LC	LC	1	0	0.3	2	1	habitat generalist and opportunist, limited by cold climates, undercollected
Adelaide Snake-eye	3	0.30	RA d(i,ii)	RA	3	0	0.3	2	2	limited habitat	7	0.69	LC	LC	1	0	0.3	2	2	patchy habitat
Mallee Snake-eye	85	4.57	LC	LC	1	0	0.3	34	22			0.00								
Salamander skink		0.00										0.00								
Southern Grass Skink	4	1.50	RA d(i,ii)	RA	3	0	0.3	4	2	edge of habitat, too dry.		0.00								
Tussock Skink		0.00										0.00								
Glossy Grass Skink	71	73.96	VU B2ab(ii,iii,iv)	VU	4	-	0.4	13	12	likes swampy habitat/SE		0.00								
Blotched Bluetongue	8	21.05	LC	LC	1	0	0.3	8	2	quite common, under recorded, lives in disturbed habitats in SE		0.00								
Sleepy Lizard	43	1.57	LC	LC	1	0	0.3	34	18		18	0.66	LC	LC	1	0	0.3	10	9	
Eastern Bluetongue	38	14.56	LC	LC	1	0	0.3	35	22		9	3.45	LC	LC	1	0	0.3	6	5	
Sand Goanna		0.00										0.00								
Heath Goanna	18	5.39	VU A2 ac	VU	4	-	0.4	13	7	lives in reserves		0.00								
Lace Monitor	2	3.77	CR B2ab(i,ii,iii)	CR	6	-	0.4	2	2	edge of range. Roadkill records; could be relict popn.		0.00								
Southern Blind Snake		0.00									2	1.01	RA d(i)	RA	3	0	0.3	2		difficult to ID, doesn't turn up often
Rough-nosed Blind Snake		0.00										0.00								
Lowland Copperhead	35	36.84	LC	LC	1	0	0.3	25	12	habitat generalist	2	2.11	RA d(i)	RA	3	0	0.3	1		
White-tipped Snake		0.00										0.00								
Master's Snake		0.00										0.00								
Bardick		0.00										0.00								
Eastern Tiger Snake	64	9.24	LC	LC	1	0	0.3	37	17		6	0.87	RA d(ii)	RA	3	-	0.4	4	1	confined to lakes
Little Whip Snake	22	17.05	LC	LC	1	0	0.3	11	5	lives in disturbed areas	1	0.78	RA d(i)	RA	3	0	0.3	1	1	
Mitchell's Short-tailed Snake		0.00										0.00								
Red-bellied Black Snake		0.00										0.00								
Eastern Brown Snake	16	2.51	LC	LC	1	0	0.3	14	1		9	1.41	LC	LC	1	0	0.3	5	2	
Brown Tree Frog	182	5.13	LC	LC	1	0	0.3	74	68		29	0.82	LC	LC	1	0	0.3	8	8	
Peron's Tree Frog		0.00										0.00								
Southern Bell Frog	68	20.48	VU B1ab(ii,iii)+2ab(ii,iii)	VU	4	--	0.5	36	27	bool lagoon main refuge	19	5.72	VU B1ab(ii,iii)+2ab(ii,iii)	VU	4	--	0.5	8	8	doesn't tolerate high salinity or prolonged droughts
Murray Valley Froglet		0.00										0.00								
Common Froglet	399	3.90	LC	LC	1	0	0.3	137	125		66	0.64	LC	LC	1	0	0.3	20	19	
Smooth Frog		0.00										0.00								
Banio Frog	288	7.53	LC	LC	1	0	0.3	109	101		65	1.70	LC	LC	1	0	0.3	24	24	
Long-thumbed Frog		0.00										0.00								
Striped Marsh Frog	103	20.20	LC	LC	1	0	0.3	60	52	increased in abundance over time.	25	4.90	LC	LC	1	0	0.3	12	11	increased in abundance over time.
Spotted Marsh Frog	99	2.02	LC	LC	1	0	0.3	56	42		47	0.96	LC	LC	1	0	0.3	22	21	
Burrowing frog	92	9.58	LC	LC	1	0	0.3	44	25		12	1.25	LC	LC	1	0	0.3	10	8	
Sudell's Frog	48	20.00	LC	LC	1	0	0.3	15	10	spring/summer breeder	15	6.25	LC	LC	1	0	0.3	9	9	spring/summer breeder
Brown Toadlet	22	3.78	VU B2ab(i,ii,iii)	VU	4	-	0.4	10	3	habitat quality declining	6	1.03	VU B2ab(i,ii,iii)	VU	4	-	0.4	6	4	habitat quality declining
Marbled Toadlet	29	56.86	VU B2ab(i,ii,iii)	VU	4	-	0.4	11	1	failure of autumn rains impacting population numbers	1	1.96	RA d(i,ii)	RA	3	-	0.4	1		edge of range
Pouched Lamprey		0.00										0.00								
Short-headed Lamprey		0.00										0.00								
Short-finned Eel		0.00										0.00								
Smallmouth Hardyhead	51	15.55	LC	LC	1	++	0.1	25	23			0.00								
Murray Hardyhead		0.00										0.00								
Fly-specked Hardyhead		0.00										0.00								
Crimson-spotted Rainbow Fish		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Lucindale Records	% Lucindale	IUCN Status & Criteria (Lucindale)	Regional IUCN Status (Lucindale)	Regional Status Score Lucindale	Trend (-, -, 0, +, ++)	Lucindale Trend Score Lucindale	Lucindale_AoFO_All_km2	Lucindale_AoFO_Recent_km2	Comments (Lucindale)	Wimmera Records	% Wimmera	IUCN Status & Criteria (Wimmera)	Regional IUCN Status (Wimmera)	Regional Status Score Wimmera	Trend (-, -, 0, +, ++)	Wimmera Trend Score Wimmera	Wimmera_AoFO_All_km2	Wimmera_AoFO_Recent_km2	Comments (Wimmera)
Bony Bream		0.00										0.00								
Agassiz's Perchlet		0.00										0.00								
Congoli		0.00										0.00								
Big-headed Gudgeon	43	4.81	LC	LC	1	-	0.4	20	20	due to Mosquito Ck drying	17	1.90	LC	LC	1	-	0.4	7	7	due to Mosquito Ck drying
Dwarf Flathead Gudgeon		0.00										0.00								
River Blackfish	14	10.37	CR A2ac; B2ab(i,ii,iii,iv,v)	CR	6	--	0.5	6	6	creek dried up completely; possibly extinct	3	2.22	CR A2ac; B2ab(ii,iii,iv,v)	CR	6	--	0.5	2	2	creek dried up completely; possibly extinct
Swan River Goby		0.00										0.00								
Lagoon goby		0.00										0.00								
Southern Pygmy Perch	61	14.42	VU B2ab(ii,iii)	VU	4	-	0.4	35	29	mosquito creek, henry creek	17	4.02	CR B2ab(ii,iii) - EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	6	5	1 location
Yarra Pygmy Perch	29	23.02	CR A2bce; B2ab(i,ii,iii,iv)	CR	6	--	0.5	14	13	mosquito creek, henry creek, bool lagoon	15	11.90	CR A2bce; B2ab(i,ii,iii,iv)	CR	6	--	0.5	5	4	
Ewen's Pygmy Perch		0.00										0.00								
Murray Cod		0.00										0.00								
Callop		0.00										0.00								
Estuary Perch		0.00										0.00								
Silver Perch	1	4.76						1	1	introduction		0.00								
Spangled Perch		0.00										0.00								
Climbing Galaxias		0.00										0.00								
Common Jollytail		0.00										0.00								
Mountain Galaxias	7	2.03	CR B2ab(ii,iii) - EN	EN	5	--	0.5	4	4		8	2.33	CR B2ab(ii,iii) - EN B2ab(i,ii,iii,iv)	EN	5	--	0.5	3	3	
Spotted Mountain Trout		0.00										0.00								
Dwarf Galaxias	18	22.22	EN B2ab(i,ii,iii,iv)	EN	5	--	0.5	13	8		6	7.41	EN B2ab(i,ii,iii,iv)	EN	5	--	0.5	5	4	
Tasmanian Mudfish	1	33.33	CR B1ab(iii)	CR	6	--	0.5	1				0.00								
Australian Grayling		0.00										0.00								
Australian Smelt		0.00										0.00								
Freshwater Catfish	1	2.17	DD	DD	0	DD	0	1				0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	IUCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Platypus		0.00										0.00								
Short-beaked Echidna	71	5.47	LC	LC	1	0	0.3	56	52			0.00								
Spotted-tailed Quoll (Tiger Quoll)		0.00										0.00								
Eastern Quoll		0.00										0.00								
Agile Antechinus		0.00										0.00								
Yellow-footed Antechinus	ring area	0.00										0.00								
Swamp Antechinus		0.00										0.00								
Brush-tailed Phascogale		0.00										0.00								
Fat-tailed Dunnart	1	0.03	RA d(ii)	RA	3	DD	0	1				0.00								
Common Dunnart		0.00										0.00								
Southern Brown Bandicoot (SA mainland and KI ssp)		0.00										0.00								
Eastern Barred Bandicoot	2	66.67	RE	RE	7			2		possibly extinct		0.00								
Bilby (Greater Bilby)		0.00										0.00								
Koala		0.00										0.00								
Common Wombat	19	8.44	RA d(i,ii)	RA	3	0	0.3	15	7			0.00								
Common Brushtail Possum	6	0.38	RA d(ii)	RA	3	0	0.3	3	2			0.00								
Long-nosed Potoroo		0.00										0.00								
Western Grey Kangaroo	203	1.64	LC	LC	1	+	0.2	93	88			0.00								
Eastern Grey Kangaroo	2	6.90	RA c(iv)	RA	3	+	0.2	2	1			0.00								
Toolache Wallaby	2	22.22	RE	RE	7			1				0.00								
Euro	1	0.01	DD	DD	0	DD	0	1	1	unusual record in Mt Boothby; vulnerable to dingoes		0.00								
Red-necked Wallaby	9	4.19	LC	LC	1	++	0.1	8	6			0.00								
Swamp Wallaby		0.00										0.00								
Eastern Hare-wallaby		0.00										0.00								
Western Pygmy-possum	69	6.94	RA d(i,ii)	RA	3	0	0.3	36	26	doing well in reserves		0.00								
Little Pygmy-possum	57	52.78	RA d(ii)	RA	3	0	0.3	34	27			0.00								
Eastern Pygmy-possum		0.00										0.00								
Common Ringtail Possum		0.00										0.00								
Yellow-bellied Glider		0.00										0.00								
Sugar Glider	1	1.11	RA d(i,ii)	RA	3	DD	0	1		edge of range		0.00								
Squirrel Glider		0.00										0.00								
Feathertail Glider		0.00										0.00								
New Zealand Fur-seal		0.00									2	1.10	LC	LC	1	+	0.2	2		S Bryars & C Kemper - least concern, increasing, hunting
Australian Fur-seal		0.00									2	6.25	RA c(iii)	RA	3	0	0.3	2		S Bryars - breeding colony Baudin Rocks, hunting now ba
Subantarctic Fur-seal		0.00										0.00								
Australian Sea-lion		0.00									1	0.26	VU D1	VU	4	DD	0	1		S Bryars & C Kemper: offshore shark nets/fishing a threat
Leopard Seal		0.00									1	9.09	RA c(ii)	RA	3	DD	0	1		Cath Kemper: a small number seen each year
Southern Elephant Seal		0.00										0.00								
White-footed Tree-rat		0.00										0.00								
Water-rat		0.00										0.00								
Mitchell's Hopping-mouse		0.00										0.00								
Silky Mouse	352	45.95	LC	LC	1	0	0.3	59	44			0.00								
Plains Mouse (Plains Rat)			RE	RE	7					no records										
Heath Rat		0.00										0.00								
Bush Rat		0.00										0.00								
Swamp Rat		0.00										0.00								
Grey-headed Flying-fox	1	16.67						1		vagrant, T Reardon says will become more regular visitors & increase due to habitat loss		0.00								
Yellow-bellied Sheathtail-bat	1	6.25	RA c(iii)	RA	3	0	0.3	1		irregular visitors to SA, turn up in 1's & 2's between March & July		0.00								
Southern Freetail-bats	1	0.20	LC	LC	1	0	0.3	1		needs more surveys		0.00								
Eastern Freetail-bat		0.00										0.00								
White-striped Freetail-bat	1	0.13	LC	LC	1	0	0.3	1				0.00								
Large Bentwing-Bat		0.00										0.00								
Lesser Long-eared Bat	14	0.71	LC	LC	1	0	0.3	7	5			0.00								
Gould's Long-eared Bat		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	UCN Status & Criteria (Tintinara)	Regional UCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Tintinara	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	UCN Status & Criteria (Coorong IMCRA)	Regional UCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Coorong IMCRA	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Gould's Wattled Bat	43	1.48	LC	LC	1	0	0.3	4	1				0.00									
Chocolate Wattled Bat	3	0.52	LC	LC	1	0	0.3	3					0.00									
Eastern Falsistrelle (Eastern False Pipistrelle)		0.00											0.00									
Southern Myotis		0.00											0.00									
Inland Broad-nosed Bat		0.00	DD	DD	0	DD	0				no records, lack of survey effort		0.00									
Large Forest Bat		0.00	DD	DD	0	DD	0				no records, lack of survey effort		0.00									
Southern Forest Bat	6	1.22	DD	DD	0	DD	0	3	2		could be common, needs more surveys		0.00									
Little Forest Bat	13	6.40	LC	LC	1	0	0.3	6	3				0.00									
Southern Right Whale		0.00										22	1.96	VU D1	VU	4	+	0.2	13	11		Increasing 6-7%/year. Lots of sightings. Threats: ship strik
Southern Minke Whale		0.00											0.00									
Bryde's Whale		0.00											0.00									
Blue Whale	1	4.35	VU D1	VU	4	DD	0	1			2 subspecies (Blue Whale & Pygmy Blue Whale). Pygmy Blue VU D1, probabl	1	4.35	VU D1	VU	4	DD	0	1			2 subspecies (Blue Whale & Pygmy Blue Whale). Pygmy Blue VU D1,
Fin Whale														RA c(iii)	RA	3	DD	0				Deep water whale. No records in SA
Humpback Whale		0.00										3	3.61	VU D1	VU	4	+	0.2	3	3		Many sightings around Victor H, Pt Lincoln, gulfs, Pt Augu
Pygmy Right Whale		0.00										1	4.17	LC	LC	1	0	0.3	1			2 hotspots - off KI & lower EP. Come in on upwellings in s
Common Dolphin		0.00										8	3.16	LC	LC	1	0	0.3	8	7		No evidence that they are threatened. Possible threats: er
Short-finned Pilot Whale		0.00											0.00									
Long-finned Pilot Whale		0.00										1	3.13	LC	LC	1	0	0.3	1			No estimates of numbers, believed to be common. Colder
Risso's Dolphin		0.00											0.00									
Killer Whale (Orca)		0.00										1	1.72	RA c(ii)	RA	3	DD	0	1	1		Hotspot near Streaky Bay. Sightings of up to 100 in a pod. Not many s
False Killer Whale		0.00											0.00									
Bottlenose Dolphin		0.00											0.00									
Bottlenose Dolphin		0.00											0.00									
Spectacled Porpoise														RA c(iii)	RA	3	DD	0				close to Port Elliott, 1 stranding in SA; should be in BDBS;
Sperm Whale		0.00										1	1.47	RA c(ii)	RA	3	DD	0	1			Regularly seen off continental shelf; quite a few washed u
Pygmy Sperm Whale		0.00										1	3.33	RA c(ii)	RA	3	DD	0	1			Very little known on this spp.
Southern Bottlenosed Whale		0.00											0.00									
Andrew's Beaked Whale		0.00											0.00									
Gray's Beaked Whale (Scamperdown Whale)		0.00											0.00									
Hector's Beaked Whale		0.00											0.00									
Strap-toothed Whale		0.00										1	2.22	DD	DD	0	DD	0	1			Most common stranded beaked whale. Not much known.
Shepherd's Beaked Whale (Tasman Beaked Whale)		0.00											0.00									
Cuvier's Beaked Whale (Goosebeak Whale)		0.00											0.00									
Emu	166	2.07	LC	LC	1	0	0.3	89	80				0.00									
Malleefowl	133	1.89	EN C2a(i)	EN	5	-	0.4	68	55		no outside influence		0.00									
Stubble Quail	47	3.18	LC	LC	1	0	0.3	24	18				0.00									
Brown Quail	3	1.71	DD	DD	0	DD	0	3	1				0.00									
King Quail		0.00											0.00									
Peaceful Dove	128	2.87	NT	NT	2	0	0.3	36	32				0.00									
Crested Pigeon	292	1.35	LC	LC	1	+	0.2	141	130				0.00									
Common Bronzewing	323	3.96	LC	LC	1	0	0.3	139	127				0.00									
Brush Bronzewing	54	3.10	NT	NT	2	-	0.4	35	29				0.00									
Tawny Frogmouth	16	1.36	NT	NT	2	-	0.4	12	8		based on limited data		0.00									
Spotted Nightjar	18	3.59	VU C2a(i) - RA d(ii)	RA	3	-	0.4	14	7				0.00									
White-throated Nightjar		0.00											0.00									
Australian Owllet-nightjar	21	1.30	NT	NT	2	-	0.4	14	10		not found where they used to be		0.00									
Fork-tailed Swift	1	0.29	NT	NT	2	--	0.5	1			migratory spp.		0.00									
White-throated Needletail		0.00											0.00									
Collared Sparrowhawk	30	1.74	LC	LC	1	0	0.3	20	13				0.00									
Brown Goshawk	45	1.81	LC	LC	1	0	0.3	33	28				0.00									
Grey Goshawk		0.00											0.00									
Wedge-tailed Eagle	161	2.22	RA c(i) - NT	RA	3	0	0.3	89	78				0.00									
Swamp Harrier	41	1.94	RA c(i) - NT	RA	3	-	0.4	28	20				0.00									
Spotted Harrier	44	4.46	RA c(ii)	RA	3	0	0.3	21	20				0.00									
Black-shouldered Kite	100	2.18	LC	LC	1	0	0.3	45	37				0.00									

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	UCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Tintinara	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Coorong IMCRA	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
White-bellied Sea-Eagle	3	0.53	CR D - EN D	EN	5	-	0.4	3	2	2	very low numbers throughout		0.00									
Whistling Kite	35	0.85	NT	NT	2	-	0.4	21	14	14	likes water		0.00									
Little Eagle	18	1.54	EN D - VU D1	VU	4	-	0.4	15	11	11	often mistaken for whistling kite		0.00									
Black Kite	4	0.12	RA c(iii) - NT	NT	2	0	0.3	4	3	3			0.00									
Eastern Osprey		0.00											0.00									
Brown Falcon	127	2.24	LC	LC	1	0	0.3	64	54	54			0.00									
Nankeen Kestrel	115	1.18	LC	LC	1	0	0.3	58	47	47			0.00									
Australian Hobby	16	0.80	RA c(i) - NT	NT	2	DD	0	15	15	15			0.00									
Peregrine Falcon	23	1.91	VU D1 - RA c(i)	RA	3	-	0.4	13	11	11	habitat restricted to cliffs, redgums		0.00									
Black Falcon	11	1.71	VU D1 - RA c(i)	RA	3	0	0.3	7	3	3			0.00									
Australian Bustard	7	1.97						5	5	5			0.00									
Bush Stone-curlew		0.00											0.00									
Plains-wanderer		0.00											0.00									
Red-chested Button-quail		0.00											0.00									
Painted Button-quail	25	4.20	VU D1 - RA c(i)	RA	3	-	0.4	21	17	17			0.00									
Little Button-quail	10	1.39	RA c(iii)	RA	3	0	0.3	8	4	4	likes speargrass + grassland		0.00									
Australian Pratincole		0.00											0.00									
Sulphur-crested Cockatoo	110	2.92	LC	LC	1	0	0.3	28	27	27			0.00									
Little Corella	14	0.25	LC	LC	1	+	0.2	5	4	4	dryland bird		0.00									
Long-billed Corella	58	7.03	LC	LC	1	+	0.2	8	8	8			0.00									
Gang-gang Cockatoo		0.00											0.00									
Red-tailed Black Cockatoo (south-east ssp)		0.00	EN C2a(i)	EN	5	-	0.4				no records for ssp		0.00									
Yellow-tailed Black-Cockatoo	162	2.39	LC	LC	1	DD	0	75	63	63	mostly visit in winter; recruitment unknown		0.00									
Galah	1017	3.46	LC	LC	1	++	0.1	307	297	297			0.00									
Cockatiel	47	2.31	RA c(iii)	RA	3	DD	0	36	32	32	dryland bird		0.00									
Australian Ringneck	379	4.09	LC	LC	1	0	0.3	165	159	159			0.00									
Musk Lorikeet	167	2.63	LC	LC	1	0	0.3	47	45	45			0.00									
Purple-crowned Lorikeet	161	2.43	LC	LC	1	-	0.4	83	77	77	not seen as often as used to; smaller flocks		0.00									
Little Lorikeet	2	2.90						2	2	2	vagrant		0.00									
Swift Parrot		0.00											0.00									
Budgerigar	22	0.49	RA c(iii)	RA	3	DD	0	13	11	11	dryland spp.		0.00									
Orange-bellied Parrot		0.00											0.00									
Blue-winged Parrot	17	2.31	RA c(ii)	RA	3	-	0.4	14	10	10			0.00									
Elegant Parrot	41	2.15	VU D1 - RA c(i)	RA	3	DD	0	30	25	25			0.00									
Rock Parrot		0.00											0.00									
Blue Bonnet	11	0.50	EN C2a(i)	EN	5	-	0.4	10	9	9	needs sheoaks		0.00									
Crimson Rosella	24	0.13	NT	NT	2	-	0.4	10	7	7			0.00									
Eastern Rosella	490	17.60	LC	LC	1	0	0.3	140	134	134			0.00									
Red-rumped Parrot	568	5.98	LC	LC	1	0	0.3	162	159	159			0.00									
Mulga Parrot	1	0.02						1	1	1	vagrant		0.00									
Rainbow Lorikeet	5	0.05	LC	LC	1	+	0.2	4	4	4			0.00									
Fan-tailed Cuckoo	32	1.55	LC	LC	1	0	0.3	25	18	18			0.00									
Pallid Cuckoo	36	1.92	NT	NT	2	-	0.4	22	14	14	declined throughout		0.00									
Horsfield's Bronze-Cuckoo	121	2.66	NT	NT	2	-	0.4	70	61	61			0.00									
Shining Bronze-Cuckoo	2	0.43	RA c(ii)	RA	3	-	0.4	2	2	2			0.00									
Black-eared Cuckoo	9	1.39	RA c(ii)	RA	3	-	0.4	9	6	6			0.00									
Barking Owl	1	1.43	CR D	CR	6	DD	0	1	1	1			0.00									
Southern Boobook	24	1.03	NT	NT	2	-	0.4	20	17	17			0.00									
Powerful Owl		0.00											0.00									
Australian Barn Owl	31	3.47	LC	LC	1	0	0.3	19	13	13			0.00									
Masked Owl		0.00											0.00									
Azure Kingfisher		0.00											0.00									
Laughing Kookaburra	33	0.45	RA c(i)	RA	3	-	0.4	14	12	12			0.00									
Sacred Kingfisher	18	0.87	RA c(i)	RA	3	-	0.4	6	5	5			0.00									
Rainbow Bee-eater	8	0.22	RA c(ii)	RA	3	DD	0	8	7	7			0.00									
Brown Treecreeper	53	1.09	EN C2a(i)	EN	5	-	0.4	6	6	6			0.00									

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	IUCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Tintinara	Trend Score Tintinara	Tintinara AoIO_All_km2	Tintinara AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Coorong IMCRA	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
White-throated Treecreeper		0.00											0.00									
Striated Grasswren	3	0.39	RE	RE	7				3		3 historic records: GCarpenter says all gone extinct		0.00									
Superb Fairy-wren	757	4.52	LC	LC	1	0	0.3	304	292				0.00									
Variegated Fairy-wren	174	2.54	NT	NT	2	-	0.4	102	90				0.00									
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00											0.00									
Southern Emu-wren (South East ssp)	3	23.08	RA d(i,ii)	RA	3	-	0.4	3	1		limited habitat; stable in some places		0.00									
Mallee Emu-wren	3	7.32	CR D	CR	6	-	0.4	2	1		fires a threat; likely cause of decline		0.00									
Rufous Bristlebird	4	1.37	RA d(i,ii)	RA	3	DD	0	2	1		limited habitat		0.00									
Inland Thornbill	174	3.88	LC	LC	1	0	0.3	112	105				0.00									
Yellow-rumped Thornbill	419	4.28	LC	LC	1	0	0.3	204	193				0.00									
Slender-billed Thornbill	13	2.98	EN C2a(i)	EN	5	-	0.4	10	6				0.00									
Striated Thornbill	140	2.65	NT	NT	2	-	0.4	60	56				0.00									
Yellow Thornbill	51	2.07	NT	NT	2	-	0.4	41	40				0.00									
Brown Thornbill	135	2.53	LC	LC	1	0	0.3	84	79				0.00									
Buff-rumped Thornbill	125	5.43	NT	NT	2	-	0.4	73	69				0.00									
Chestnut-rumped Thornbill	5	0.09	EN D	EN	5	-	0.4	5	4				0.00									
Southern Whiteface	7	0.13	EN C2a(i); D	EN	5	-	0.4	5	4				0.00									
Rufous Fieldwren	10	1.04	VU C2a(i)	VU	4	-	0.4	10	6		In Ngarkat & Messent		0.00									
Striated Fieldwren		0.00											0.00									
White-throated Gerygone		0.00											0.00									
Shy Hylacola	180	13.44	NT	NT	2	-	0.4	93	81				0.00									
Chestnut-rumped Heathwren		0.00											0.00									
Redthroat		0.00											0.00									
White-browed Scrubwren	194	2.87	LC	LC	1	+	0.2	97	90				0.00									
Weebill	348	2.74	LC	LC	1	0	0.3	203	198				0.00									
Spotted Pardalote	441	5.32	LC	LC	1	0	0.3	229	221				0.00									
Striated Pardalote	293	1.76	LC	LC	1	0	0.3	112	103				0.00									
Spiny-cheeked Honeyeater	282	1.88	LC	LC	1	0	0.3	156	142				0.00									
Eastern Spinebill		0.00											0.00									
Red Wattlebird	885	3.71	LC	LC	1	+	0.2	329	318				0.00									
Little Wattlebird	51	1.48	LC	LC	1	0	0.3	33	27				0.00									
Blue-faced Honeyeater	2	1.20	EN D	EN	5	-	0.4	2	2		edge of range		0.00									
White-fronted Chat	212	4.75	LC	LC	1	0	0.3	103	91				0.00									
Orange Chat		0.00											0.00									
Crimson Chat	11	0.60	RA c(iii)	RA	3	0	0.3	7	6				0.00									
Tawny-crowned Honeyeater	326	19.90	NT	NT	2	-	0.4	166	156		needs mallee heath		0.00									
Yellow-faced Honeyeater	19	0.36	RA c(ii)	RA	3	-	0.4	15	13				0.00									
Purple-gaped Honeyeater	170	12.37	NT	NT	2	-	0.4	93	85				0.00									
Fuscous Honeyeater	9	25.00	RA c(iiii)	RA	3	0	0.3	6	6				0.00									
White-eared Honeyeater	242	5.74	LC	LC	1	0	0.3	105	101				0.00									
Yellow-tufted Honeyeater		0.00											0.00									
Yellow-plumed Honeyeater	38	0.53	RA c(ii)	RA	3	-	0.4	23	21				0.00									
White-plumed Honeyeater	325	1.97	LC	LC	1	0	0.3	52	48				0.00									
Singing Honeyeater	145	0.81	LC	LC	1	0	0.3	100	91				0.00									
Yellow-throated Miner	6	0.07	VU C2a(i)	VU	4	-	0.4	6	2				0.00									
Noisy Miner	253	4.04	LC	LC	1	+	0.2	136	128				0.00									
Brown-headed Honeyeater	313	5.46	NT	NT	2	-	0.4	160	152		in remnant patches		0.00									
Black-chinned Honeyeater	2	0.15						1	1		vagrant		0.00									
White-naped Honeyeater	12	0.35	RA c(ii)	RA	3	0	0.3	10	9				0.00									
New Holland Honeyeater	1086	5.74	LC	LC	1	+	0.2	328	313				0.00									
Striped Honeyeater		0.00											0.00									
White-fronted Honeyeater	133	2.57	RA c(ii)	RA	3	0	0.3	89	85				0.00									
Black Honeyeater	5	1.78	RA c(iii)	RA	3	0	0.3	4	4				0.00									
White-browed Babbler	360	3.34	LC	LC	1	0	0.3	130	121				0.00									
Grey-crowned Babbler		0.00											0.00									
Chestnut Quail-thrush	5	0.29	CR C2a(i)	CR	6	-	0.4	5	3				0.00									

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	IUCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Tintinara	Trend Score Tintinara	Tintinara AoIO_All_km2	Tintinara AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Coorong IMCRA	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Spotted Quail-thrush		0.00											0.00									
Western Whipbird (Eastern ssp)	14	9.59	CR C2a(i)	CR	6	-	0.5	6	3				0.00									
Varied Sittella	68	2.65	NT	NT	2	-	0.4	33	30				0.00									
Black-faced Cuckoo-shrike	163	1.55	LC	LC	1	0	0.3	67	57				0.00									
White-bellied Cuckoo-shrike		0.00											0.00									
White-winged Triller	52	2.42	RA c(ii)	RA	3	-	0.4	29	24				0.00									
Grey Shrike-thrush	542	2.60	LC	LC	1	+	0.2	232	219				0.00									
Crested Shrike-tit	3	0.31	EN C2a(i)	EN	5	-	0.4	2			possibly extinct here		0.00									
Crested Bellbird	65	1.14	VU C2a(i)	VU	4	-	0.4	35	27				0.00									
Gilbert's Whistler	5	0.36	EN C2a(i)	EN	5	-	0.4	5	4		highly localised		0.00									
Olive Whistler		0.00											0.00									
Golden Whistler	301	4.08	LC	LC	1	0	0.3	168	160				0.00									
Rufous Whistler	60	0.87	NT	NT	2	-	0.4	33	27				0.00									
Red-lored Whistler	9	3.44	CR C2a(i)	CR	6	-	0.4	7	1				0.00									
Olive-backed Oriole	1	1.02	RA c(iii)	RA	3	0	0.3	1					0.00									
Dusky Woodswallow	264	4.76	NT	NT	2	-	0.5	98	93				0.00									
Masked Woodswallow	78	3.14	NT	NT	2	-	0.4	59	52		masked w/s flocks with white-browed w/s		0.00									
White-browed Woodswallow	178	8.08	NT	NT	2	-	0.4	102	95		masked w/s flocks with white-browed w/s		0.00									
Australian Magpie	947	2.70	LC	LC	1	+	0.2	353	339				0.00									
Grey Butcherbird	177	2.05	LC	LC	1	0	0.3	100	90				0.00									
Pied Currawong		0.00											0.00									
Grey Currawong	370	3.47	LC	LC	1	0	0.3	165	157				0.00									
Grey Fantail	469	3.92	LC	LC	1	0	0.3	158	147				0.00									
Willie Wagtail	758	2.88	LC	LC	1	0	0.3	235	222				0.00									
Australian Raven	202	1.79	DD	DD	0	DD	0	104	96		confused with Little Ravens & Forest Ravens - taxo issues		0.00									
Little Raven	172	0.94	LC	LC	1	+	0.2	109	101				0.00									
Forest Raven		0.00											0.00									
Magpie-lark	250	1.28	LC	LC	1	0	0.3	87	76				0.00									
Satin Flycatcher		0.00											0.00									
Restless Flycatcher	39	1.98	VU B2ab(ii,iii,iv); C2a(i)	VU	4	-	0.4	28	24				0.00									
White-winged Chough	14	0.34	VU C2a(i)	VU	4	-	0.4	11	10				0.00									
Southern Scrub-robin	253	11.70	NT	NT	2	-	0.4	115	104				0.00									
Eastern Yellow Robin	27	3.87	RA c(i)	RA	3	0	0.3	18	16				0.00									
Hooded Robin	153	4.30	VU C2a(i)	VU	4	-	0.4	53	45				0.00									
Jacky Winter	32	0.73	VU B2ab(ii,iii); C2a(i)	VU	4	-	0.4	19	16				0.00									
Scarlet Robin	22	0.67	VU C2a(i)	VU	4	-	0.4	16	12				0.00									
Red-capped Robin	22	0.33	EN B2ab(ii,iii); C2a(i)	EN	5	-	0.4	14	11		needs callitris & sheoaks		0.00									
Flame Robin	4	2.26	RA c(iii)	RA	3	-	0.4	4	2				0.00									
Rose Robin	3	3.90	RA c(iii)	RA	3	0	0.3	3	2				0.00									
Horsfield's Bushlark	13	1.84	RA b; c(i)	RA	3	-	0.4	6					0.00									
Golden-headed Cisticola		0.00											0.00									
Australian Reed-Warbler	3	0.11	RA c(i); d(i,ii)	RA	3	0	0.3	3	2				0.00									
Brown Songlark	72	2.44	LC	LC	1	0	0.3	50	39		comes & goes		0.00									
Rufous Songlark	50	2.90	RA c(ii)	RA	3	0	0.3	18	17				0.00									
Little Grassbird	6	0.21	RA d(ii)	RA	3	0	0.3	6	3				0.00									
Silvereye	436	3.79	LC	LC	1	0	0.3	209	200				0.00									
White-backed Swallow	12	0.78	RA c(iii)	RA	3	DD	0	8	7				0.00									
Welcome Swallow	413	2.18	LC	LC	1	0	0.3	172	160				0.00									
Fairy Martin	35	1.56	VU C1 - RA b	RA	3	-	0.4	11	10				0.00									
Tree Martin	413	4.33	LC	LC	1	0	0.3	98	91				0.00									
Bassian Thrush		0.00											0.00									
Mistletoebird	110	1.92	NT	NT	2	0	0.3	34	32		seasonal bird		0.00									
Red-browed Finch	1	0.03	RA d(i,ii)	RA	3	0	0.3	1	1				0.00									
Beautiful Firetail	24	4.15	RA c(i)	RA	3	-	0.4	18	15				0.00									
Diamond Firetail	6	0.33	EN C2a(i)	EN	5	-	0.4	4	4				0.00									

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	UCN Status & Criteria (Tintinara)	Regional UCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	UCN Status & Criteria (Coorong IMCRA)	Regional UCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Zebra Finch	23	0.38	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	10	9			0.00								
Australasian Pipit	108	1.59	LC	LC	1	0	0.3	61	49			0.00								
Maggie Goose		0.00										0.00								
Chestnut Teal	39	0.98	LC	LC	1	0	0.3	23	19		3	0.08	LC	LC	1	0	0.3	3	3	
Grey Teal	105	1.07	LC	LC	1	0	0.3	36	31		1	0.01	LC	LC	1	0	0.3	1	1	
Australasian Shoveler	45	1.96	NT	NT	2	0	0.3	17	16	numbers have dropped during drought	1	0.04	NT	NT	2	0	0.3	1	1	
Pacific Black Duck	90	0.79	LC	LC	1	0	0.3	34	28	hybridises with mallards	1	0.01	LC	LC	1	0	0.3	1	1	
Hardhead	33	0.95	LC	LC	1	0	0.3	15	13	highly mobile spp. numbers returning	1	0.03	LC	LC	1	0	0.3	1	1	
Musk Duck	22	0.99	RA d(ii)	RA	3	DD	0	14	12	limited habitat	1	0.04	RA c(i)	RA	3	-	0.4	1	1	
Cape Barren Goose	2	0.09						1	1	vagrant		0.00								
Australian Wood Duck	46	0.68	LC	LC	1	0	0.3	15	14			0.00								
Black Swan	66	0.82	LC	LC	1	0	0.3	35	29		3	0.04	LC	LC	1	0	0.3	3	3	
Pink-eared Duck	28	1.79	LC	LC	1	0	0.3	10	9	uses the area as a drought refuge; nomadic	1	0.06	LC	LC	1	0	0.3	1	1	
Blue-billed Duck	19	3.70	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	11	7		1	0.19	VU B2ab(ii,iii,iv); D1	VU	4	-	0.4	1	1	
Freckled Duck	10	1.43	EN C2a(i) - VU C2a(i)	VU	4	-	0.4	5	5	very limited habitat		0.00								
Australian Shelduck	87	1.90	LC	LC	1	0	0.3	40	37	often hollow nesters	1	0.02	LC	LC	1	0	0.3	1	1	
Great Crested Grebe	13	0.63	RA c(iii)	RA	3	DD	0	9	6			0.00								
Hoary-headed Grebe	56	1.13	RA c(i) - NT	NT	2	DD	0	26	22		1	0.02	RA c(i) - NT	NT	2	DD	0	1	1	
Australasian Grebe	35	0.82	VU D1 - RA d(i)	RA	3	-	0.4	11	10	freshwater spp. almost gone; affected by drought		0.00								
Grey-backed Storm-Petrel		0.00									1	5.56	RA c(ii)	RA	3	DD	0	1	1	difficult to see
Wilson's Storm-Petrel		0.00									6	10.71	LC	LC	1	0	0.3	6	1	passage migrant; very widespread spp.
White-faced Storm-Petrel		0.00									4	1.59	LC	LC	1	0	0.3	4		local summer breeder, on islands
Royal Albatross		0.00										0.00								
Wandering Albatross	1	0.93	VU D1	VU	4	-	0.4	1		no real threats in SE waters; threats (longline fishing) are outside region	7	6.54	VU D1	VU	4	-	0.4	7		no real threats in SE waters; threats (longline fishing) are
Sooty Albatross		0.00										0.00								
Light-mantled Sooty Albatross		0.00										0.00								
Buller's Albatross		0.00										0.00								
Shy Albatross		0.00									24	12.12	NT	NT	2	-	0.4	19	4	breeds off Tasmania; 3 ssp in SA, "cauta cauta ssp" in SE
Yellow-nosed Albatross		0.00									25	7.81	NT	NT	2	--	0.5	24	4	declined; heading towards Rare
Grey-headed Albatross		0.00									19	7.06	VU D1	VU	4	-	0.4	17		can be confused with Black-browed immatures; cold water
Black-browed Albatross		0.00									6	4.20	NT	NT	2	--	0.5	6	3	declined world-wide; can be confused with Grey-headed j
Kerquelen Petrel		0.00									1	0.82	RA c(ii)	RA	3	DD	0	1	1	passage migrant seen in Sept; blown in on storms; southe
Flesh-footed Shearwater		0.00									15	9.20	RA c(ii)	RA	3	DD	0	14	2	migratory bird, seen in summer; breeds in larger no's off V
Sooty Shearwater		0.00									8	13.79	RA c(ii)	RA	3	0	0.3	8	1	pelagic bird; seen in small no's; don't breed here; often mi
Short-tailed Shearwater		0.00									16	3.19	LC	LC	1	0	0.3	15	3	breed off this coast; millions of birds; harvested
Cape Petrel		0.00									13	10.40	RA c(ii)	RA	3	0	0.3	10	1	winter visitor; 2 races
Southern Fulmar	1	1.75	RA c(iii)	RA	3	DD	0	1				0.00								
Blue Petrel		0.00									1	0.90	RA c(iii)	RA	3	DD	0	1		winter bird; not often seen; southern spp.
Southern Giant-Petrel		0.00									10	5.68	RA c(ii)	RA	3	DD	0	9		
Northern Giant-Petrel		0.00									6	9.23	RA c(ii)	RA	3	DD	0	6	1	
Slender-billed Prion		0.00									2	1.32	RA c(ii)	RA	3	0	0.3	2		dodgy record here
Antarctic Prion		0.00									1	0.97	RA c(ii)	RA	3	DD	0	1		all records are beach-washed birds; taxonomic issues with
Salvin's Prion		0.00										0.00								
Fairy Prion	1	0.61	LC	LC	1	0	0.3	1			4	2.44	LC	LC	1	0	0.3	4	1	most common prion; often numerous, in 1,000's; Autumn/
Broad-billed Prion		0.00										0.00								
Common Diving-Petrel		0.00										0.00								
White-chinned Petrel		0.00										0.00								
Mottled Petrel		0.00									1	25.00	RA c(ii)	RA	3	DD	0	1		easy to ID; should be more records; will turn up in good cc
White-headed Petrel		0.00									6	4.58	RA c(ii)	RA	3	DD	0	4		pelagic bird
Gould's Petrel		0.00										0.00								
Great-winged Petrel		0.00									6	4.26	LC	LC	1	0	0.3	6	3	2 races
Soft-plumaged Petrel		0.00										0.00								
Fluttering Shearwater		0.00									17	6.23	LC	LC	1	0	0.3	17	2	hang around ships; often seen in flocks of 1,000's; seen a
Hutton's Shearwater		0.00									4	11.43	RA c(ii)	RA	3	DD	0	4		can be confused with fluttering s/w; NZ breeder; hard to ID

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	IUCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Little Penguin		0.00									11	2.10	VU C2a(i)	VU	4	-	0.4	11	3	declining due to NZ Fur Seal increase; threatened by pilchard
Australasian Gannet		0.00									23	3.04	RA c(i) - NT	NT	2	0	0.3	22	4	
Australasian Darter	4	0.29	RA c(ii)	RA	3	DD	0	3	3	very limited habitat		0.00								
Little Pied Cormorant	38	0.42	LC	LC	1	0	0.3	18	15		3	0.03	LC	LC	1	0	0.3	3	3	
Great Cormorant	8	0.18	LC	LC	1	0	0.3	8	6		1	0.02	LC	LC	1	0	0.3	1		
Black-faced Cormorant	1	0.09	NT	NT	2	DD	0	1	1	less common than other cormorants; SA is important breeding site for this spp	3	0.26	NT	NT	2	DD	0	3	2	less common than other cormorants; SA is important breeding site
Little Black Cormorant	17	0.33	LC	LC	1	0	0.3	12	10		1	0.02	LC	LC	1	0	0.3	1	1	
Pied Cormorant	3	0.07	LC	LC	1	0	0.3	3	2		2	0.05	LC	LC	1	0	0.3	2	1	
Australian Pelican	62	0.66	LC	LC	1	0	0.3	32	26		4	0.04	LC	LC	1	0	0.3	2	2	
Great Egret	19	0.43	RA c(i)	RA	3	0	0.3	13	12		1	0.02	RA c(i)	RA	3	0	0.3	1	1	
Cattle Egret		0.00										0.00								
Intermediate Egret	2	1.05	RA c(iii)	RA	3	0	0.3	1	1	easily confused with great egret		0.00								
White-necked Heron	21	2.35	NT	NT	2	-	0.4	9	8	freshwater birds		0.00								
Australasian Bittern	6	2.94	EN C2a(i)	EN	5	-	0.4	3	3			0.00								
Little Egret	3	0.25	RA c(i)	RA	3	0	0.3	3	3		1	0.08	RA c(i)	RA	3	0	0.3	1		
White-faced Heron	83	0.76	LC	LC	1	0	0.3	45	39		2	0.02	LC	LC	1	0	0.3	2	2	
Eastern Reef Egret		0.00									1	0.55	RA c(iii)	RA	3	0	0.3	1	1	
Australian Little Bittern		0.00										0.00								
Nankeen Night-Heron	2	0.28	RA c(i)	RA	3	-	0.4	2				0.00								
Yellow-billed Spoonbill	23	1.21	RA c(i)	RA	3	DD	0	11	10			0.00								
Royal Spoonbill	6	0.29	RA c(i)	RA	3	DD	0	6	5			0.00								
Glossy Ibis	3	0.93	RA c(ii)	RA	3	DD	0	3	3		1	0.31	EN C2a(i) - VU C2a(i)	VU	4	--	0.5	1	1	
Australian White Ibis	32	0.48	LC	LC	1	0	0.3	19	15		1	0.02	LC	LC	1	0	0.3	1	1	
Straw-necked Ibis	34	1.13	LC	LC	1	0	0.3	17	15		2	0.07	LC	LC	1	0	0.3	2	2	
Brolga	1	0.24	CR C2a(i); D - EN C2a(i); D	EN	5	-	0.4	1	1	limited habitat		0.00								
Eurasian Coot	58	0.85	NT	NT	2	-	0.4	22	20	will come back with good rain	1	0.01	NT	NT	2	-	0.4	1	1	
Dusky Moorhen	7	0.18	RA c(i)	RA	3	0	0.3	5	5			0.00								
Buff-banded Rail	2	0.65	RA c(i)	RA	3	DD	0	2	2		1	0.32	RA c(i)	RA	3	DD	0	1	1	
Lewin's Rail		0.00										0.00								
Purple Swamphen	10	0.24	NT	NT	2	0	0.3	9	8			0.00								
Australian Spotted Crane	8	0.99	RA c(i)	RA	3	DD	0	7	6			0.00								
Baillon's Crane	3	1.44	DD	DD	0	DD	0	2	2			0.00								
Spotless Crane	1	0.31	DD	DD	0	DD	0	1	1			0.00								
Black-tailed Native-hen	94	2.49	LC	LC	1	0	0.3	36	28	Irregular visitors	1	0.03	LC	LC	1	0	0.3	1	1	Irregular visitors
Sooty Oystercatcher		0.00									3	0.18	VU D1	VU	4	0	0.3	1	1	
Australian Pied Oystercatcher		0.00									4	0.16	VU D1	VU	4	0	0.3	2	1	
Banded Stilt	7	0.40	VU B2ab(iii)c(ii,iv)	VU	4	-	0.4	7	4	regular visitor; opportunistic breeder; flock movements need monitoring	7	0.40	VU B2ab(iii)c(ii,iv)	VU	4	-	0.4	2	1	regular visitor; opportunistic breeder; flock movements need monitoring
Black-winged Stilt	30	0.59	NT	NT	2	-	0.4	22	17	populations fluctuate		0.00								
Red-necked Avocet	14	0.61	NT	NT	2	0	0.3	13	10		2	0.09	NT	NT	2	+	0.2	2	1	
Double-banded Plover		0.00									2	0.40	RA c(ii)	RA	3	-	0.4	2		migratory birds from NZ
Greater Sand Plover		0.00										0.00								
Lesser Sand Plover		0.00										0.00								
Red-capped Plover	18	0.41	RA b	RA	3	-	0.4	15	11		6	0.14	RA b	RA	3	-	0.4	4	1	
Black-fronted Dotterel	46	1.35	RA c(i)	RA	3	-	0.4	11	10		1	0.03	RA c(i)	RA	3	-	0.4	1		
Red-kneed Dotterel	13	0.66	RA c(i)	RA	3	-	0.4	11	8	freshwater spp		0.00								
Pacific Golden Plover	1	0.19	RA c(ii)	RA	3	-	0.4	1			1	0.19	RA c(ii)	RA	3	-	0.4	1		
Grey Plover		0.00									1	0.11	RA c(iii)	RA	3	-	0.4	1		
Hooded Plover	3	0.29	EN D	EN	5	0	0.3	3	1	threats: predators, seagulls, weeds, sea-wheat grass, change of	1	0.10	EN D	EN	5	0	0.3	1		threats: predators, seagulls, weeds, sea-wheat grass, change of
Masked Lapwing	138	1.17	LC	LC	1	0	0.3	48	42		6	0.05	LC	LC	1	0	0.3	6	5	
Banded Lapwing	34	2.56	VU C2a(i)	VU	4	--	0.5	16	8			0.00								
Australian Painted Snipe		0.00										0.00								
Common Sandpiper	3	0.40	RA c(iii); d(ii)	RA	3	DD	0	2	2	migratory; solitary birds	1	0.13	RA c(iii); d(ii)	RA	3	DD	0	1		migratory; solitary birds
Ruddy Turnstone		0.00									1	0.08	RA c(ii)	RA	3	DD	0	1		regular visitor
Sharp-tailed Sandpiper	17	0.52	NT	NT	2	-	0.4	10	8	migratory; steady decline noticed; tolerates a broad range of habitats; nomadic		0.00								
Sanderling		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	IUCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Red Knot		0.00										0.00								
Curlew Sandpiper	6	0.31	VU C2a(i)	VU	4	--	0.5	6	5	threats to flyway; Coorong counts have plummeted; salinity a threat		0.00								
Pectoral Sandpiper		0.00										0.00								
Red-necked Stint	12	0.29	NT	NT	2	-	0.4	10	8		5	0.12	NT	NT	2	-	0.4	3	1	
Long-toed Stint		0.00										0.00								
Great Knot		0.00										0.00								
Latham's Snipe	2	0.59	RA c(ii); d(ii)	RA	3	0	0.3	2				0.00								
Bar-tailed Godwit		0.00										0.00								
Black-tailed Godwit		0.00										0.00								
Eastern Curlew		0.00										0.00								
Little Curlew		0.00									1	3.57	RA c(iii)	RA	3	DD	0	1		
Whimbrel		0.00										0.00								
Grey-tailed Tattler		0.00										0.00								
Wood Sandpiper	2	0.65	RA c(ii); d(ii)	RA	3	DD	0	2	2	should see more of in freshwater wetlands		0.00								
Common Greenshank	18	0.42	NT	NT	2	-	0.4	15	13	migratory	1	0.02	NT	NT	2	-	0.4	1	1	migratory
Marsh Sandpiper	6	0.78	RA c(ii); d(ii)	RA	3	-	0.4	5	5	fresh water spp		0.00								
Terek Sandpiper		0.00										0.00								
Brown Skua		0.00									3	2.73	RA c(ii)	RA	3	DD	0	3	1	taxonomic issues; relatively common in winter
Long-tailed Jaeger		0.00										0.00								
Arctic Jaeger		0.00									7	5.04	LC	LC	1	0	0.3	7		common summer visitor
Pomarine Jaeger		0.00									1	5.00	LC	LC	1	0	0.3	1		should be more records; pelagic spp.
Whiskered Tern	22	0.56	LC	LC	1	0	0.3	19	18		1	0.03	LC	LC	1	0	0.3	1	1	
White-winged Black Tern	1	0.17	RA c(iii)	RA	3	DD	0	1	1			0.00								
Silver Gull	69	0.49	LC	LC	1	++	0.1	38	29	pest spp; expanding	20	0.14	LC	LC	1	++	0.1	10	8	pest spp; expanding
Gull-billed Tern	1	0.22	RA c(iii)	RA	3	DD	0	1	1			0.00								
Caspian Tern	4	0.08	RA c(iii)	RA	3	DD	0	3	2	solitary spp.		0.00								
Kelp Gull		0.00										0.00								
Pacific Gull	1	0.05	LC	LC	1	0	0.3	1	1		5	0.23	LC	LC	1	0	0.3	3	3	
Common Tern	1	0.99	RA c(iii)	RA	3	DD	0	1				0.00								
Arctic Tern		0.00										0.00								
White-fronted Tern	1	1.54	RA c(ii)	RA	3	DD	0	1			9	13.85	RA c(ii)	RA	3	DD	0	9	1	
Little Tern	2	2.99	CR C2a(i); D	CR	6	-	0.4	2	1			0.00								
Fairy Tern	5	0.37	EN C2a(i)	EN	5	--	0.5	4	3	documented declines	1	0.07	EN C2a(i)	EN	5	--	0.5	1		documented declines
Crested Tern	5	0.11						5	4	vagrant	15	0.32	LC	LC	1	0	0.3	14	5	
Common Long-necked Tortoise	4	2.19	NT	NT	2	-	0.4	4	3	highly modified and reforested, less runoff.		0.00								
Macquarie Tortoise		0.00										0.00								
Leathery Turtle		0.00										0.00	CR A2ce	CR	6	--	0.5			no records. M Hutchinson - go with Red Book rating; high
Jacky Lizard		0.00										0.00								
Mallee Tree-dragon	35	21.21	LC	LC	1	0	0.3	21	17	survives well in & depends on reserves, all through Ngarkat, Gum Lagoon and Messent		0.00								
Mallee Dragon	39	2.02	LC	LC	1	0	0.3	14	10	survives well in & depends on reserves, all through Ngarkat, Gum Lagoon and Messent		0.00								
Painted Dragon	17	0.77	LC	LC	1	0	0.3	10	5	may benefit from high salinity, likes open habitat, resilient, likes wasteland		0.00								
Eastern Bearded Dragon	24	6.42	LC	LC	1	0	0.3	11	8	tolerant of habitat changes, survives in altered farmland		0.00								
Central Bearded Dragon	15	1.40	LC	LC	1	0	0.3	11	9			0.00								
Five-lined Earless Dragon	8	1.99	VU B2ab(i,ii,iii)	VU	4	-	0.4	4	4	only in Messent CP		0.00								
Marbled Gecko	24	0.81	LC	LC	1	0	0.3	15	10			0.00								
Barking Gecko	3	0.26	LC	LC	1	0	0.3	3	1	undercollected; lives in disturbed places		0.00								
Eastern Stone Gecko	8	22.22	LC	LC	1	0	0.3	4	4	limited extent, in mallee patches		0.00								
Fared Worm-lizard		0.00										0.00								
Lined Worm-lizard	30	6.59	LC	LC	1	0	0.3	17	12	in backyards & disturbed places		0.00								
Barred Snake-lizard	2	0.37	RA d(i,ii)	RA	3	0	0.3	1	1	in mallee, edge of range		0.00								
Striped Snake-lizard		0.00										0.00								
Olive Snake-lizard	1	1.69	RA d(i,ii)	RA	3	-	0.4	1		rare in this subregion		0.00								
Common Scaly-foot	25	9.06	LC	LC	1	0	0.3	16	13			0.00								
Eastern Three-lined Skink	72	10.34	LC	LC	1	0	0.3	28	27			0.00								
Spotted Ctenotus	84	12.86	LC	LC	1	0	0.3	35	32			0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	UCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, -, 0, +, ++)	Tintinara Trend Score Tintinara	Tintinara AoIO_All_km2	Tintinara AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, -, 0, +, ++)	Coorong Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Eastern Striped Skink	52	4.93	LC	LC	1	0	0.3	26	22	fairly resistant to habitat modification		0.00								
Yellow-bellied Water Skink		0.00										0.00								
Southern Water Skink		0.00										0.00								
Four-toed Earless Skink	110	4.29	LC	LC	1	0	0.3	48	46			0.00								
Delicate Skink	53	22.27	LC	LC	1	0	0.3	30	29	in natural habitats		0.00								
Garden Skink		0.00										0.00								
Bougainville's Skink	80	6.54	LC	LC	1	0	0.3	40	38			0.00								
Southern Four-toed Slider		0.00										0.00								
Bull Skink	4	1.08	EN B2ab(ii,iii)	EN	5	-	0.4	2		likes soft sand		0.00								
White's Skink		0.00										0.00								
Swamp Skink		0.00										0.00								
Dwarf Skink	27	0.91	LC	LC	1	0	0.3	15	14	habitat generalist and opportunist, limited by cold climates		0.00								
Adelaide Snake-eye		0.00										0.00								
Mallee Snake-eye	162	8.71	LC	LC	1	0	0.3	56	53			0.00								
Salamander skink		0.00										0.00								
Southern Grass Skink		0.00										0.00								
Tussock Skink		0.00										0.00								
Glossy Grass Skink		0.00										0.00								
Blotched Bluetongue		0.00										0.00								
Sleepy Lizard	94	3.44	LC	LC	1	0	0.3	50	49			0.00								
Eastern Bluetongue	8	3.07	LC	LC	1	0	0.3	7	7			0.00								
Sand Goanna	2	0.21	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Heath Goanna	5	1.50	EN B2ab(ii,iii)	EN	5	-	0.4	5	5			0.00								
Lace Monitor		0.00										0.00								
Southern Blind Snake	3	1.51	RA d(i)	RA	3	0	0.3	3		difficult to ID, doesn't turn up often		0.00								
Rough-nosed Blind Snake	5	1.96	RA d(i)	RA	3	0	0.3	3	2	arid spp.		0.00								
Lowland Copperhead		0.00										0.00								
White-lipped Snake		0.00										0.00								
Master's Snake	6	5.22	RA d(ii)	RA	3	0	0.3	5	4	confined to better patches of habitat		0.00								
Bardick		0.00										0.00								
Eastern Tiger Snake	18	2.60	LC	LC	1	0	0.3	13	12	limited habitat		0.00								
Little Whip Snake		0.00										0.00								
Mitchell's Short-tailed Snake	10	7.94	VU D2	VU	4	0	0.3	4	4	isolated popn; southern edge of range		0.00								
Red-bellied Black Snake		0.00										0.00								
Eastern Brown Snake	18	2.83	LC	LC	1	0	0.3	10	7			0.00								
Brown Tree Frog	10	0.28	LC	LC	1	0	0.3	10	10			0.00								
Peron's Tree Frog		0.00										0.00								
Southern Bell Frog	5	1.51	EN B1ab(ii,iii)+2ab(ii,iii)	EN	5	--	0.5	3	2	doesn't tolerate high salinity or prolonged droughts		0.00								
Murray Valley Froglet		0.00										0.00								
Common Froglet	51	0.50	LC	LC	1	0	0.3	25	23			0.00								
Smooth Frog		0.00										0.00								
Banio Frog	153	4.00	LC	LC	1	0	0.3	39	38			0.00								
Long-thumbed Frog		0.00										0.00								
Striped Marsh Frog	1	0.20	RA d(i,ii)	RA	3	-	0.4	1	1	edge of range		0.00								
Spotted Marsh Frog	9	0.18	RA d(i,ii)	RA	3	-	0.4	5	4	edge of range		0.00								
Burrowing frog	138	14.38	LC	LC	1	0	0.3	33	33			0.00								
Sudell's Frog	2	0.83	RA d(i,ii)	RA	3	0	0.3	2	2	spring/summer breeder		0.00								
Brown Toadlet	9	1.55	VU B2ab(i,ii,iii)	VU	4	-	0.4	6	5	habitat quality declining		0.00								
Marbled Toadlet		0.00										0.00								
Pouched Lamprey		0.00										0.00								
Short-headed Lamprey		0.00										0.00								
Short-finned Eel		0.00										0.00								
Smallmouth Hardyhead	14	4.27	LC	LC	1	++	0.1	13	12			0.00								
Murray Hardyhead		0.00										0.00								
Fly-specked Hardyhead		0.00										0.00								
Crimson-spotted Rainbow Fish		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Tintinara Records	% Tintinara	IUCN Status & Criteria (Tintinara)	Regional IUCN Status (Tintinara)	Regional Status Score Tintinara	Trend (-, 0, +, ++) Tintinara	Trend Score Tintinara	Tintinara_AoIO_All_km2	Tintinara_AoIO_Recent_km2	Comments (Tintinara)	Coorong (IMCRA) Records	% Coorong (IMCRA)	IUCN Status & Criteria (Coorong IMCRA)	Regional IUCN Status (Coorong IMCRA)	Regional Status Score Coorong IMCRA	Trend (-, 0, +, ++) Coorong IMCRA	Trend Score Coorong IMCRA	Coorong (IMCRA)_AoIO_All_km2	Coorong (IMCRA)_AoIO_Recent_km2	Comments (Coorong IMCRA)
Bony Bream		0.00										0.00								
Agassiz's Perchlet		0.00										0.00								
Congoli		0.00										0.00								
Big-headed Gudgeon	8	0.89	LC	LC	1	0	0.3	5	5			0.00								
Dwarf Flathead Gudgeon		0.00										0.00								
River Blackfish		0.00										0.00								
Swan River Goby		0.00										0.00								
Lagoon goby		0.00										0.00								
Southern Pygmy Perch	1	0.24	CR B2ab(i,ii,iii,iv,v)	CR	6	-	0.4	1	1	gone.		0.00								
Yarra Pygmy Perch	1	0.79	CR B2ab(i,ii,iii,iv,v)	CR	6	-	0.4	1	1	gone.		0.00								
Ewen's Pygmy Perch		0.00										0.00								
Murray Cod		0.00										0.00								
Callop		0.00										0.00								
Estuary Perch		0.00										0.00								
Silver Perch		0.00										0.00								
Spangled Perch		0.00										0.00								
Climbing Galaxias		0.00										0.00								
Common Jollytail		0.00										0.00								
Mountain Galaxias		0.00										0.00								
Spotted Mountain Trout		0.00										0.00								
Dwarf Galaxias	2	2.47	CR B2ab(i,ii,iii,iv,v)	CR	6	-	0.5	2	1			0.00								
Tasmanian Mudfish		0.00										0.00								
Australian Grayling		0.00										0.00								
Australian Smelt		0.00										0.00								
Freshwater Catfish		0.00										0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoIO_All_km2	Otway (IMCRA)_AoIO_Recent_km2	Comments (Otway IMCRA)
Platypus		0.00								
Short-beaked Echidna		0.00								
Spotted-tailed Quoll (Tiger Quoll)		0.00								
Eastern Quoll		0.00								
Agile Antechinus		0.00								
Yellow-footed Antechinus		0.00								
Swamp Antechinus		0.00								
Brush-tailed Phascogale		0.00								
Fat-tailed Dunnart		0.00								
Common Dunnart		0.00								
Southern Brown Bandicoot (SA mainland and KI ssp)		0.00								
Eastern Barred Bandicoot		0.00								
Bilby (Greater Bilby)		0.00								
Koala		0.00								
Common Wombat		0.00								
Common Brushtail Possum		0.00								
Long-nosed Potoroo		0.00								
Western Grey Kangaroo		0.00								
Eastern Grey Kangaroo		0.00								
Toolache Wallaby		0.00								
Euro		0.00								
Red-necked Wallaby		0.00								
Swamp Wallaby		0.00								
Eastern Hare-wallaby		0.00								
Western Pygmy-possum		0.00								
Little Pygmy-possum		0.00								
Eastern Pygmy-possum		0.00								
Common Ringtail Possum		0.00								
Yellow-bellied Glider		0.00								
Sugar Glider		0.00								
Squirrel Glider		0.00								
Feathertail Glider		0.00								
New Zealand Fur-seal	now ba	0.00								
Australian Fur-seal	1	3.13	RA c(i)	RA	3	0	0.3	1		S Bryars - breeding colony Baudin Rocks, hunting now banned; C Kemper - probably increasing
Subantarctic Fur-seal		0.00								
Australian Sea-lion	2	0.52	VU D1	VU	4	DD	0	2		S Bryars & C Kemper: offshore shark nets/fishing a threat.
Leopard Seal	1	9.09	RA c(ii)	RA	3	DD	0	1		Cath Kemper: a small number seen each year
Southern Elephant Seal		0.00								
White-footed Tree-rat		0.00								
Water-rat		0.00								
Mitchell's Hopping-mouse		0.00								
Silky Mouse		0.00								
Plains Mouse (Plains Rat)										
Heath Rat		0.00								
Bush Rat		0.00								
Swamp Rat		0.00								
Grey-headed Flying-fox		0.00								
Yellow-bellied Sheathtail-bat		0.00								
Southern Freetail-bats		0.00								
Eastern Freetail-bat		0.00								
White-striped Freetail-bat		0.00								
Large Bentwing-Bat		0.00								
Lesser Long-eared Bat		0.00								
Gould's Long-eared Bat		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoIO_All_km2	Otway (IMCRA)_AoIO_Recent_km2	Comments (Otway IMCRA)
Gould's Wattled Bat		0.00								
Chocolate Wattled Bat		0.00								
Eastern Falsistrelle (Eastern False Pipistrelle)		0.00								
Southern Myotis		0.00								
Inland Broad-nosed Bat		0.00								
Large Forest Bat		0.00								
Southern Forest Bat		0.00								
Little Forest Bat		0.00								
Southern Right Whale	2	0.18	VU D1	VU	4	+	0.2	2	1	Increasing 6-7%/year. Lots of sightings. Threats: ship strikes & entanglements
Southern Minke Whale		0.00								
Bryde's Whale		0.00								
Blue Whale	3	13.04	VU D1	VU	4	DD	0	3	2	2 subspecies (Blue Whale & Pygmy Blue Whale). Pygmy Blue VU D1, probably stable, DD trend. Regular visitors. Threatened by ship strikes. Bonney upwelling very important for this spp between Nov - May.
Fin Whale			RA c(iii)	RA	3	DD	0			Deep water whale. No records in SA
Humpback Whale	1	1.20	VU D1	VU	4	+	0.2	1	1	Many sightings around Victor H, Pt Lincoln, gulfs, Pt Augusta. Increasing by 10%/year Aust. wide. Seen regularly each year.
Pygmy Right Whale	some ye	0.00								
Common Dolphin	angler	0.00								
Short-finned Pilot Whale		0.00								
Long-finned Pilot Whale	1	3.13	LC	LC	1	0	0.3	1	1	No estimates of numbers, believed to be common. Colder water whale (than short-finned). Should be more SA Museum records
Risso's Dolphin		0.00								
Killer Whale (Orca)	1	1.72	RA c(ii)	RA	3	DD	0	1	1	Hotspot near Streaky Bay. Sightings of up to 100 in a pod. Not many strandings. No pop. estimates done. Sometimes killed by fishermen. Regular visitors due to narrow continental shelf here
False Killer Whale		0.00								
Bottlenose Dolphin		0.00								
Bottlenose Dolphin		0.00								
Spectacled Porpoise	A, 1997 record		RA c(iii)	RA	3	DD	0			no records
Sperm Whale	1	1.47	RA c(ii)	RA	3	DD	0	1	1	Regularly seen off continental shelf; quite a few washed up bodies; threats: long lines, ship strikes
Pygmy Sperm Whale		0.00								
Southern Bottlenosed Whale		0.00								
Andrew's Beaked Whale		0.00								
Gray's Beaked Whale (Scamperdown Whale)		0.00								
Hector's Beaked Whale		0.00								
Strap-toothed Whale	Deep w	0.00								
Shepherd's Beaked Whale (Tasman Beaked Whale)		0.00								
Cuvier's Beaked Whale (Goosebeak Whale)		0.00								
Emu		0.00								
Malleefowl		0.00								
Stubble Quail		0.00								
Brown Quail		0.00								
King Quail		0.00								
Peaceful Dove		0.00								
Crested Pigeon		0.00								
Common Bronzewing		0.00								
Brush Bronzewing		0.00								
Tawny Frogmouth		0.00								
Spotted Nightjar		0.00								
White-throated Nightjar		0.00								
Australian Owllet-nightjar		0.00								
Fork-tailed Swift		0.00								
White-throated Needletail		0.00								
Collared Sparrowhawk		0.00								
Brown Goshawk		0.00								
Grey Goshawk		0.00								
Wedge-tailed Eagle		0.00								
Swamp Harrier		0.00								
Spotted Harrier		0.00								
Black-shouldered Kite		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoFO_All_km2	Otway (IMCRA)_AoFO_Recent_km2	Comments (Otway IMCRA)
White-bellied Sea-Eagle		0.00								
Whistling Kite		0.00								
Little Eagle		0.00								
Black Kite		0.00								
Eastern Osprey		0.00								
Brown Falcon		0.00								
Nankeen Kestrel		0.00								
Australian Hobby		0.00								
Peregrine Falcon		0.00								
Black Falcon		0.00								
Australian Bustard		0.00								
Bush Stone-curlew		0.00								
Plains-wanderer		0.00								
Red-chested Button-quail		0.00								
Painted Button-quail		0.00								
Little Button-quail		0.00								
Australian Pratincole		0.00								
Sulphur-crested Cockatoo		0.00								
Little Corella		0.00								
Long-billed Corella		0.00								
Gang-gang Cockatoo		0.00								
Red-tailed Black Cockatoo (south-east ssp)		0.00								
Yellow-tailed Black-Cockatoo		0.00								
Galah		0.00								
Cockatiel		0.00								
Australian Ringneck		0.00								
Musk Lorikeet		0.00								
Purple-crowned Lorikeet		0.00								
Little Lorikeet		0.00								
Swift Parrot		0.00								
Budgerigar		0.00								
Orange-bellied Parrot		0.00								
Blue-winged Parrot		0.00								
Elegant Parrot		0.00								
Rock Parrot		0.00								
Blue Bonnet		0.00								
Crimson Rosella		0.00								
Eastern Rosella		0.00								
Red-rumped Parrot		0.00								
Mulga Parrot		0.00								
Rainbow Lorikeet		0.00								
Fan-tailed Cuckoo		0.00								
Pallid Cuckoo		0.00								
Horsfield's Bronze-Cuckoo		0.00								
Shining Bronze-Cuckoo		0.00								
Black-eared Cuckoo		0.00								
Barking Owl		0.00								
Southern Boobook		0.00								
Powerful Owl		0.00								
Australian Barn Owl		0.00								
Masked Owl		0.00								
Azure Kingfisher		0.00								
Laughing Kookaburra		0.00								
Sacred Kingfisher		0.00								
Rainbow Bee-eater		0.00								
Brown Treecreeper		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoIO_All_km2	Otway (IMCRA)_AoIO_Recent_km2	Comments (Otway IMCRA)
White-throated Treecreeper		0.00								
Striated Grasswren		0.00								
Superb Fairy-wren		0.00								
Variegated Fairy-wren		0.00								
Southern Emu-wren (Mt Lofty Ranges ssp)		0.00								
Southern Emu-wren (South East ssp)		0.00								
Mallee Emu-wren		0.00								
Rufous Bristlebird		0.00								
Inland Thornbill		0.00								
Yellow-rumped Thornbill		0.00								
Slender-billed Thornbill		0.00								
Striated Thornbill		0.00								
Yellow Thornbill		0.00								
Brown Thornbill		0.00								
Buff-rumped Thornbill		0.00								
Chestnut-rumped Thornbill		0.00								
Southern Whiteface		0.00								
Rufous Fieldwren		0.00								
Striated Fieldwren		0.00								
White-throated Gerygone		0.00								
Shy Hylacola		0.00								
Chestnut-rumped Heathwren		0.00								
Redthroat		0.00								
White-browed Scrubwren		0.00								
Weebill		0.00								
Spotted Pardalote		0.00								
Striated Pardalote		0.00								
Spiny-cheeked Honeyeater		0.00								
Eastern Spinebill		0.00								
Red Wattlebird		0.00								
Little Wattlebird		0.00								
Blue-faced Honeyeater		0.00								
White-fronted Chat		0.00								
Orange Chat		0.00								
Crimson Chat		0.00								
Tawny-crowned Honeyeater		0.00								
Yellow-faced Honeyeater		0.00								
Purple-gaped Honeyeater		0.00								
Fuscous Honeyeater		0.00								
White-eared Honeyeater		0.00								
Yellow-tufted Honeyeater		0.00								
Yellow-plumed Honeyeater		0.00								
White-plumed Honeyeater		0.00								
Singing Honeyeater		0.00								
Yellow-throated Miner		0.00								
Noisy Miner		0.00								
Brown-headed Honeyeater		0.00								
Black-chinned Honeyeater		0.00								
White-naped Honeyeater		0.00								
New Holland Honeyeater		0.00								
Striped Honeyeater		0.00								
White-fronted Honeyeater		0.00								
Black Honeyeater		0.00								
White-browed Babbler		0.00								
Grey-crowned Babbler		0.00								
Chestnut Quail-thrush		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoIO_All_km2	Otway (IMCRA)_AoIO_Recent_km2	Comments (Otway IMCRA)
Spotted Quail-thrush		0.00								
Western Whipbird (Eastern ssp)		0.00								
Varied Sittella		0.00								
Black-faced Cuckoo-shrike		0.00								
White-bellied Cuckoo-shrike		0.00								
White-winged Triller		0.00								
Grey Shrike-thrush		0.00								
Crested Shrike-tit		0.00								
Crested Bellbird		0.00								
Gilbert's Whistler		0.00								
Olive Whistler		0.00								
Golden Whistler		0.00								
Rufous Whistler		0.00								
Red-lored Whistler		0.00								
Olive-backed Oriole		0.00								
Dusky Woodswallow		0.00								
Masked Woodswallow		0.00								
White-browed Woodswallow		0.00								
Australian Magpie		0.00								
Grey Butcherbird		0.00								
Pied Currawong		0.00								
Grey Currawong		0.00								
Grey Fantail		0.00								
Willie Wagtail		0.00								
Australian Raven		0.00								
Little Raven		0.00								
Forest Raven		0.00								
Magpie-lark		0.00								
Satin Flycatcher		0.00								
Restless Flycatcher		0.00								
White-winged Chough		0.00								
Southern Scrub-robin		0.00								
Eastern Yellow Robin		0.00								
Hooded Robin		0.00								
Jacky Winter		0.00								
Scarlet Robin		0.00								
Red-capped Robin		0.00								
Flame Robin		0.00								
Rose Robin		0.00								
Horsfield's Bushlark		0.00								
Golden-headed Cisticola		0.00								
Australian Reed-Warbler		0.00								
Brown Songlark		0.00								
Rufous Songlark		0.00								
Little Grassbird		0.00								
Silvereye		0.00								
White-backed Swallow		0.00								
Welcome Swallow		0.00								
Fairy Martin		0.00								
Tree Martin		0.00								
Bassian Thrush		0.00								
Mistletoebird		0.00								
Red-browed Finch		0.00								
Beautiful Firetail		0.00								
Diamond Firetail		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_Aofo_All_km2	Otway (IMCRA)_Aofo_Recent_km2	Comments (Otway IMCRA)
Zebra Finch		0.00								
Australasian Pipit		0.00								
Maggie Goose		0.00								
Chestnut Teal	3	0.08	LC	LC	1	0	0.3	3	3	
Grey Teal	1	0.01	LC	LC	1	0	0.3	1	1	
Australasian Shoveler		0.00								
Pacific Black Duck	1	0.01	LC	LC	1	0	0.3	1		
Hardhead		0.00								
Musk Duck	2	0.09	RA c(i)	RA	3	-	0.4	2	1	
Cape Barren Goose		0.00								
Australian Wood Duck		0.00								
Black Swan	5	0.06	LC	LC	1	0	0.3	4	3	
Pink-eared Duck		0.00								
Blue-billed Duck		0.00								
Freckled Duck		0.00								
Australian Shelduck	2	0.04	LC	LC	1	0	0.3	2	2	
Great Crested Grebe	1	0.05	RA c(iii)	RA	3	DD	0	1	1	
Hoary-headed Grebe	2	0.04	RA c(i) - NT	NT	2	DD	0	2	2	
Australasian Grebe	1	0.02	VU D1 - RA d(i)	RA	3	-	0.4	1		
Grey-backed Storm-Petrel	4	22.22	RA c(ii)	RA	3	DD	0	4	2	difficult to see
Wilson's Storm-Petrel	3	5.36	LC	LC	1	0	0.3	3	2	passage migrant; very widespread spp.
White-faced Storm-Petrel	12	4.76	LC	LC	1	0	0.3	4	4	local summer breeder, on islands
Royal Albatross	6	30.00	RA c(ii)	RA	3	-	0.4	4	2	no real threats in SE waters; threats (longline fishing) are outside region
Wandering Albatross	2	1.87	VU D1	VU	4	-	0.4	2		no real threats in SE waters; threats (longline fishing) are outside region
Sooty Albatross		0.00								
Light-mantled Sooty Albatross	1	3.85	RA c(iii)	RA	3	-	0.4	1		come in on storms; deep ocean birds
Buller's Albatross	3	14.29	RA c(ii)	RA	3	-	0.4	3	3	seen mostly in Mar/Apr
Shy Albatross	21	10.61	NT	NT	2	-	0.4	13	12	breeds off Tasmania; 3 ssp in SA, "cauta cauta ssp" in SE; not deep water birds
Yellow-nosed Albatross	26	8.13	NT	NT	2	--	0.5	11	11	declined; heading towards Rare
Grey-headed Albatross	4	1.49	VU D1	VU	4	-	0.4	3	2	can be confused with Black-browed immatures; cold water spp; some records could be miss-ID'd
Black-browed Albatross	19	13.29	NT	NT	2	--	0.5	10	10	declined world-wide; can be confused with Grey-headed juveniles
Kerquelen Petrel		0.00								
Flesh-footed Shearwater	12	7.36	RA c(ii)	RA	3	DD	0	5	5	migratory bird, seen in summer; breeds in larger no's off Vic coast and tip of EP
Sooty Shearwater	4	6.90	RA c(ii)	RA	3	0	0.3	4	2	pelagic bird; seen in small no's; don't breed here; often miss-ID'd with short-tailed s/w
Short-tailed Shearwater	23	4.59	LC	LC	1	0	0.3	8	7	breed off this coast; millions of birds; harvested
Cape Petrel	4	3.20	RA c(ii)	RA	3	0	0.3	4	3	winter visitor; 2 races
Southern Fulmar	2	3.51	RA c(iii)	RA	3	DD	0	2	1	large fluctuations in popn; southern spp; common in 1970's; most records are beach-washed birds
Blue Petrel	3	2.70	RA c(iii)	RA	3	DD	0	3		winter bird; not often seen; southern spp.
Southern Giant-Petrel	3	1.70	RA c(ii)	RA	3	DD	0	3	3	
Northern Giant-Petrel	2	3.08	RA c(ii)	RA	3	DD	0	2	1	
Slender-billed Prion	1	0.66	RA c(ii)	RA	3	0	0.3	1	1	taxonomic issues with all prions
Antarctic Prion		0.00								
Salvin's Prion		0.00								
Fairy Prion	7	4.27	LC	LC	1	0	0.3	6	6	most common prion; often numerous, in 1,000's; Autumn/Winter bird; does not breed here
Broad-billed Prion		0.00								
Common Diving-Petrel	3	8.33	RA c(iii)	RA	3	DD	0	3	2	common off Tasmania; winter bird; difficult to see & ID
White-chinned Petrel	2	7.14	RA c(ii)	RA	3	DD	0	2	1	summer visitor; should be more records
Mottled Petrel		0.00								
White-headed Petrel	2	1.53	RA c(ii)	RA	3	DD	0	2		pelagic bird
Gould's Petrel		0.00								
Great-winged Petrel	5	3.55	LC	LC	1	0	0.3	4	4	2 races
Soft-plumaged Petrel		0.00								
Fluttering Shearwater	20	7.33	LC	LC	1	0	0.3	7	7	hang around ships; often seen in flocks of 1,000's; seen all year
Hutton's Shearwater	2	5.71	RA c(ii)	RA	3	DD	0	2	2	can be confused with fluttering s/w; NZ breeder; hard to ID, winters in Aust

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_Aofo_All_km2	Otway (IMCRA)_Aofo_Recent_km2	Comments (Otway IMCRA)
Little Penguin	8	1.52	VU C2a(i)	VU	4	-	0.4	3	2	declining due to NZ Fur Seal increase; threatened by pilchard virus
Australasian Gannet	29	3.84	RA c(i) - NT	NT	2	0	0.3	14	13	
Australasian Darter		0.00								
Little Pied Cormorant	4	0.04	LC	LC	1	0	0.3	3	2	
Great Cormorant	3	0.07	LC	LC	1	0	0.3	3	3	
Black-faced Cormorant	4	0.34	NT	NT	2	DD	0	3	1	breeding well on Penguin Is & Baudin Rocks; less common than other cormorants; SA is important breeding site for this spp.
Little Black Cormorant	1	0.02	LC	LC	1	0	0.3	1		
Pied Cormorant	1	0.02	NT	NT	2	DD	0	1		
Australian Pelican	3	0.03	LC	LC	1	0	0.3	3	2	
Great Egret	1	0.02	RA c(i)	RA	3	0	0.3	1		
Cattle Egret		0.00								
Intermediate Egret		0.00								
White-necked Heron	1	0.11	NT	NT	2	-	0.4	1		freshwater birds
Australasian Bittern		0.00								
Little Egret	2	0.17	RA c(i)	RA	3	0	0.3	2	2	
White-faced Heron	5	0.05	LC	LC	1	0	0.3	4	3	
Eastern Reef Egret		0.00								
Australian Little Bittern		0.00								
Nankeen Night-Heron	6	0.84	RA c(i)	RA	3	-	0.4	2		
Yellow-billed Spoonbill	1	0.05	RA c(i)	RA	3	DD	0	1	1	
Royal Spoonbill	1	0.05	RA c(i)	RA	3	DD	0	1	1	
Glossy Ibis	1	0.31	RA c(iii)	RA	3	DD	0	1	1	
Australian White Ibis	4	0.06	LC	LC	1	0	0.3	4	3	
Straw-necked Ibis	3	0.10	LC	LC	1	0	0.3	3	2	
Brolga		0.00								
Eurasian Coot		0.00								
Dusky Moorhen	1	0.03	RA c(i)	RA	3	0	0.3	1		
Buff-banded Rail		0.00								
Lewin's Rail		0.00								
Purple Swamphen		0.00								
Australian Spotted Crane		0.00								
Baillon's Crane		0.00								
Spotless Crane		0.00								
Black-tailed Native-hen		0.00								
Sooty Oystercatcher	2	0.12	VU D1	VU	4	0	0.3	2	1	
Australian Pied Oystercatcher	5	0.21	VU C2a(i); D1	VU	4	-	0.4	5	4	
Banded Stilt	ad mon	0.00								
Black-winged Stilt		0.00								
Red-necked Avocet		0.00								
Double-banded Plover	2	0.40	RA c(ii)	RA	3	-	0.4	2	1	migratory birds from NZ
Greater Sand Plover		0.00								
Lesser Sand Plover		0.00								
Red-capped Plover	5	0.11	RA b	RA	3	-	0.4	4	3	
Black-fronted Dotterel	1	0.03	RA c(i)	RA	3	-	0.4	1		
Red-kneed Dotterel		0.00								
Pacific Golden Plover	2	0.38	RA c(ii)	RA	3	-	0.4	2	1	
Grey Plover		0.00								
Hooded Plover	4	0.39	EN D	EN	5	-	0.4	3	2	threats: predators, seagulls, weeds, sea-wheat grass, change of habitat
Masked Lapwing	4	0.03	LC	LC	1	0	0.3	4	3	
Banded Lapwing		0.00								
Australian Painted Snipe		0.00								
Common Sandpiper		0.00								
Ruddy Turnstone	4	0.31	VU C2a(i)	VU	4	-	0.4	4	2	
Sharp-tailed Sandpiper	4	0.12	NT	NT	2	-	0.4	4	2	migratory; steady decline noticed; tolerates a broad range of habitats; nomadic
Sanderling	3	0.82	RA c(ii)	RA	3	-	0.4	3	1	migratory; around Murray Mouth; site faithful

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_Aofo_All_km2	Otway (IMCRA)_Aofo_Recent_km2	Comments (Otway IMCRA)
Red Knot	1	0.26	RA c(iii)	RA	3	-	0.4	1	1	threats to flyway
Curlew Sandpiper	3	0.15	VU C2a(i)	VU	4	--	0.5	3	2	threats to flyway; Coorong counts have plummeted; salinity a threat
Pectoral Sandpiper		0.00								
Red-necked Stint	6	0.14	NT	NT	2	-	0.4	6	4	
Long-toed Stint		0.00								
Great Knot		0.00								
Latham's Snipe		0.00								
Bar-tailed Godwit		0.00								
Black-tailed Godwit		0.00								
Eastern Curlew		0.00								
Little Curlew		0.00								
Whimbrel		0.00								
Grey-tailed Tattler	1	0.32	RA c(ii)	RA	3	DD	0	1	1	
Wood Sandpiper		0.00								
Common Greenshank	2	0.05	NT	NT	2	-	0.4	2	2	migratory
Marsh Sandpiper		0.00								
Terek Sandpiper		0.00								
Brown Skua	3	2.73	RA c(ii)	RA	3	DD	0	3	3	taxonomic issues; relatively common in winter
Long-tailed Jaeger	1	7.14	RA c(iii)	RA	3	DD	0	1	1	regular common visitor
Arctic Jaeger	9	6.47	LC	LC	1	0	0.3	6	5	common summer visitor
Pomarine Jaeger	5	25.00	LC	LC	1	0	0.3	4	4	should be more records; pelagic spp.
Whiskered Tern	1	0.03	LC	LC	1	0	0.3	1	1	
White-winged Black Tern		0.00								
Silver Gull	10	0.07	LC	LC	1	++	0.1	8	6	pest spp; expanding
Gull-billed Tern		0.00								
Caspian Tern	1	0.02	RA c(iii)	RA	3	DD	0	1	1	solitary spp.
Kelp Gull	2	1.56	RA c(i)	RA	3	++	0.1	2	2	could be threatening Pacific Gulls; scavengers
Pacific Gull	1	0.05	RA b	RA	3	-	0.4	1	1	
Common Tern		0.00								
Arctic Tern	1	4.35	RA c(iii)	RA	3	DD	0	1		passage bird; difficult to ID
White-fronted Tern	1	1.54	RA c(ii)	RA	3	DD	0	1	1	
Little Tern		0.00								
Fairy Tern	9	0.66	EN C2a(i)	EN	5	--	0.5	3	2	documented declines
Crested Tern	31	0.65	LC	LC	1	0	0.3	12	9	
Common Long-necked Tortoise		0.00								
Macquarie Tortoise		0.00								
Leathery Turtle	1	2.13	CR A2ce	CR	6	--	0.5	1	1	MHutchinson - go with Red Book rating; high death rates amongst adults; very small numbers; slow to mature
Jacky Lizard		0.00								
Mallee Tree-dragon		0.00								
Mallee Dragon		0.00								
Painted Dragon		0.00								
Eastern Bearded Dragon		0.00								
Central Bearded Dragon		0.00								
Five-lined Earless Dragon		0.00								
Marbled Gecko		0.00								
Barking Gecko		0.00								
Eastern Stone Gecko		0.00								
Fared Worm-lizard		0.00								
Lined Worm-lizard		0.00								
Barred Snake-lizard		0.00								
Striped Snake-lizard		0.00								
Olive Snake-lizard		0.00								
Common Scaly-foot		0.00								
Eastern Three-lined Skink		0.00								
Spotted Ctenotus		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoIO_All_km2	Otway (IMCRA)_AoIO_Recent_km2	Comments (Otway IMCRA)
Eastern Striped Skink		0.00								
Yellow-bellied Water Skink		0.00								
Southern Water Skink		0.00								
Four-toed Earless Skink		0.00								
Delicate Skink		0.00								
Garden Skink		0.00								
Bougainville's Skink		0.00								
Southern Four-toed Slider		0.00								
Bull Skink		0.00								
White's Skink		0.00								
Swamp Skink		0.00								
Dwarf Skink		0.00								
Adelaide Snake-eye		0.00								
Mallee Snake-eye		0.00								
Salamander skink		0.00								
Southern Grass Skink		0.00								
Tussock Skink		0.00								
Glossy Grass Skink		0.00								
Blotched Bluetongue		0.00								
Sleepy Lizard		0.00								
Eastern Bluetongue		0.00								
Sand Goanna		0.00								
Heath Goanna		0.00								
Lace Monitor		0.00								
Southern Blind Snake		0.00								
Rough-nosed Blind Snake		0.00								
Lowland Copperhead		0.00								
White-lipped Snake		0.00								
Master's Snake		0.00								
Bardick		0.00								
Eastern Tiger Snake		0.00								
Little Whip Snake		0.00								
Mitchell's Short-tailed Snake		0.00								
Red-bellied Black Snake		0.00								
Eastern Brown Snake		0.00								
Brown Tree Frog		0.00								
Peron's Tree Frog		0.00								
Southern Bell Frog		0.00								
Murray Valley Froglet		0.00								
Common Froglet		0.00								
Smooth Frog		0.00								
Banio Frog		0.00								
Long-thumbed Frog		0.00								
Striped Marsh Frog		0.00								
Spotted Marsh Frog		0.00								
Burrowing frog		0.00								
Sudell's Frog		0.00								
Brown Toadlet		0.00								
Marbled Toadlet		0.00								
Pouched Lamprey		0.00								
Short-headed Lamprey		0.00								
Short-finned Eel		0.00								
Smallmouth Hardyhead		0.00								
Murray Hardyhead		0.00								
Fly-specked Hardyhead		0.00								
Crimson-spotted Rainbow Fish		0.00								

Regional Species Conservation Assessments
DENR South East Region
Complete Dataset for Fauna Assessments Dec 2011
Species listed per Class (Mammalia, Aves, Reptilia, Amphibia, Osteichthyes)

COMMON NAME	Otway (IMCRA) Records	% Otway (IMCRA)	IUCN Status & Criteria (Otway IMCRA)	Regional IUCN Status (Otway IMCRA)	Regional Status Score Otway IMCRA	Trend (-, -, 0, +, ++) Otway IMCRA	Trend Score Otway IMCRA	Otway (IMCRA)_AoIO_All_km2	Otway (IMCRA)_AoIO_Recent_km2	Comments (Otway IMCRA)
Bony Bream		0.00								
Agassiz's Perchlet		0.00								
Congoli		0.00								
Big-headed Gudgeon		0.00								
Dwarf Flathead Gudgeon		0.00								
River Blackfish		0.00								
Swan River Goby		0.00								
Lagoon goby		0.00								
Southern Pygmy Perch		0.00								
Yarra Pygmy Perch		0.00								
Ewen's Pygmy Perch		0.00								
Murray Cod		0.00								
Callop		0.00								
Estuary Perch		0.00								
Silver Perch		0.00								
Spangled Perch		0.00								
Climbing Galaxias		0.00								
Common Jollytail		0.00								
Mountain Galaxias		0.00								
Spotted Mountain Trout		0.00								
Dwarf Galaxias		0.00								
Tasmanian Mudfish		0.00								
Australian Grayling		0.00								
Australian Smelt		0.00								
Freshwater Catfish		0.00								